



NOT FOR CONSTRUCTION
SURVEY DETAILS PROVIDED BY
C.M.S. Surveyors Pty Limited
Dee Why | Reference 19910detail

ACCREDITATION No. 6255 ABN 17 751 732 195

ACCREDITED
BUILDING DESIGNER

SALLY GARDNER DESIGN AND DRAFT

PLANS DRAWN FOR APPROVAL


Scott Riddle

PROPOSED ALTERATIONS and ADDITIONS 20-1204 Angela
Lovell and


Transposed Alterations and Additions

73 EDGECLIFFE BOULEVARDE COLLAROY PLATEAU 2097

Drawing Title Wednesday, 8 S.G. December 2021 **PERSPECTIVES**












Angela Lovell and Drawing Title Scott Riddle

Revision A: Roof Reduction | SG | 13/9/21 Revision B: Lower Ground Floor Terrace added | SG | 1/12/21 PROPOSED ALTERATIONS and ADDITIONS 1:100 20-1204 73 EDGECLIFFE BOULEVARDE COLLAROY PLATEAU 2097 Wednesday, 8 S.G. A5 **ELEVATION SHEET 1** December 2021





STRUCTURAL WORK

All structural work is to be in accordance with the structural details prepared by a suitably qualified Structural Engineer. Including but not limited to All piers, All footings, All concrete slabs, Retaining walls, Steelwork, Form work, underpinning, Additional structural loads, Timber framing, Wind bracing and associated connections.

BRICKWORK

All brickwork is to be selected by owners

Brickwork is to comply with AS1640, to the heights shown on the drawings.

All masonry is to comply with AS 3700.

All exposed brickwork must be cleaned down on completion. METALWORK

Provide all metalwork and flashings necessary to satisfactorily complete the works. TIMBER

All timber construction to be in accordance with AS 1684 -"Timber Framing Code"

External walls to be wrapped in a breathable membrane. Timber cladding is to be battened out 35mm from timber frame to provide an 'air' gap to prevent condensation. WALL + CEILING LINING

All wall and ceiling linings to be gypsumboard or cement render as selected and villaboard or equal in wet areas.

Workmanship is to comply with the relevant Australian Standards or installed in accordance with manufacturer's specifications. All bathrooms and wet areas are to be adequately waterproofed with a flexible membrane to manufacturer's specification and AS3740 and Part 3.8.1 of the Building Code of Australia Housing

EAVES LINING

All eaves and soffits to be Cemintel eaves lining sheets.

Workmanship is to comply with the relevant Australian Standards or installed in accordance with manufacturer's specifications. ARCHITRAVES + SKIRTING

All architraves and skirting's to be to owner's selection or provide standard colonial moldings or to match existing.

Paint or stain finish as selected.

PLUMBING + DRAINAGE

Plumbing

All plumbing and drainage works to be installed and completed by a licensed trades person.

Provide & connect all new & relocated fittings to drainage system through wastes & traps as required by the Authority and in accordance with the statutory body having authority over the works.

All sanitary drainage must be concealed in service ducts or otherwise hidden from external view to the satisfaction of the Responsible Authority

Connect all waste to Sydney Water sewer line.

Connect all storm water to existing system or street drainage system in accordance with

AS3500 and part 3.1.3 Drainage, of the Building Code of Australia - Housing Provisions.

Water Service

Extend from existing service with copper pipe to allow new & relocated fittings & hose cocks as indicated on plan & terminate with pressure cocks all to Authorities & requirements.

Provide copper water service which is fully lagged to all new & existing fittings as required. SMOKE DETECTORS

Smoke detector alarms to be installed in accordance with AS3786 and the Building Code of Australia.

TERMITE PROTECTION

Termite protection measures to comply with AS3660 and be installed to manufacturer's specification.

STAIRS + BAI LISTRADES

Stairs and Balustrades to comply with part 3.9.1 & 3.9.2 of the Building Code of Australia Housing Provisions. Provide Timber frame stairs with a continuous handrail to each flight and a slip resistant finish

ELECTRICAL WORKS

Electrical works to be in accordance with SAA wiring rules and be done by a licensed tradesman. PAINTING

All paint colours to be selected by owners

All paints or other coatings shall be of the best quality materials + of approved manufacture.

External grade paints to be used to all external surfaces. All priming materials shall be of an approved brand and compatible to the finishing coats that they are applied to. External joinery intended to be painted, shall be primed on all

faces at the place of assembly. Where new or altered works adjoin existing painted surfaces, allow for the repainting of existing surfaces to provide a uniform appearance.

Only ZERO-VOC or LOW-VOC paints and primers are to be used.





NOT FOR CONSTRUCTION SURVEY DETAILS PROVIDED BY C.M.S. Surveyors Pty Limited Dee Why | Reference 19910detail





S-4

Angela Lovell and Drawing Title Scott Riddle

CROSS SECTION

Revision A: Roof Reduction | SG | 13/9/2 Revision B: Lower Ground Floor Terrace added | SG | 1/12/2 PROPOSED ALTERATIONS and ADDITIONS 1:100 20-1204 73 EDGECLIFFE BOULEVARDE COLLAROY PLATEAU 2097 Wednesday, 8 S.G. Α9 **SECTIONS SHEET 2** December 2021





NOT FOR CONSTRUCTION SURVEY DETAILS PROVIDED BY C.M.S. Surveyors Pty Limited Dee Why | Reference 19910detail







Angela
Lovell and Trawing Title Scott Riddle

PROPOSED ALTERATIONS and ADDITIONS 73 EDGECLIFFE BOULEVARDE COLLAROY PLATEAU 2097

1:100 20-1204 Wednesday, 8 S.G. A10 **SECTIONS SHEET 3** December 2021