# **BASIX** Certificate

Building Sustainability Index www.basix.nsw.gov.au

# **Alterations and Additions**

Certificate number: A264560 02

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

This certificate is a revision of certificate number A264560 lodged with the consent authority or certifier on 08 Dec 2016 with application N0568/16.

It is the responsibility of the applicant to verify with the consent authority that the original, or any revised certificate, complies with the requirements of Sch 1 Cl 2A, 4A or 6A of the Environmental Planning and Assessment Regulation 2000

### Secretary

Date of issue: Wednesday, 19, May 2021

To be valid, this certificate must be lodged within 3 months of the date of issue.



# Description of project

Project address	
Project name	O'Donnell Vernon House_02
Street address	37 Hilltop Road Clareville Beach 2107
Local Government Area	Pittwater Council
Plan type and number	Deposited Plan 585445
Lot number	1
Section number	
Project type	
Dwelling type	Separate dwelling house
Type of alteration and addition	My renovation work is valued at \$50,000 or more, and does not include a pool (and/or spa).

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Stephen Crosby & Associates

ABN (if applicable): 39002145155

BASIX Certificate number: A264560\_02 page 2 / 6

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		<b>✓</b>	<b>✓</b>
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		<b>✓</b>	<b>~</b>
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		<b>✓</b>	<b>✓</b>
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		<b>✓</b>	

BASIX Certificate number: A264560\_02 page 3 / 6

Construction			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements					
The applicant must construct the new or altered the table below, except that a) additional insuling is not required for parts of altered construction	<b>~</b>	V	<b>~</b>		
Construction	Additional insulation required (R-value)	Other specifications			
suspended floor with enclosed subfloor: framed (R0.7).	R0.60 (down) (or R1.30 including construction)				
suspended floor above garage: concrete (R0.6).	nil				
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)				

BASIX Certificate number: A264560\_02 page 4 / 6

Glazing req	uirements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows an	nd glazed do	oors							
					nading devices, in accordance with reach window and glazed door.	the specifications listed in the table below.	<b>✓</b>	<b>✓</b>	<b>✓</b>
The following	requirements	must also	be satisf	ed in relation	n to each window and glazed door:			<b>✓</b>	✓
have a U-valu	ie and a Solar	Heat Gai	n Coefficie	ent (SHGC) r		d glass may either match the description, or, le below. Total system U-values and SHGCs s.		<b>✓</b>	<b>✓</b>
					f each eave, pergola, verandah, bal than 2400 mm above the sill.	cony or awning must be no more than 500 mm	<b>✓</b>	<b>✓</b>	<b>✓</b>
Pergolas with	polycarbonate	e roof or s	imilar trar	slucent mate	erial must have a shading coefficien	t of less than 0.35.		<b>✓</b>	✓
					e window or glazed door above which ens must not be more than 50 mm.	ch they are situated, unless the pergola also		<b>✓</b>	✓
Overshadowing specified in the					nt and distance from the centre and	the base of the window and glazed door, as	✓	✓	✓
Windows a	nd glazed	doors g	lazing r	equireme	nts				
Window / doc no.	or Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	Distance (m)	Shading device	Frame and glass type			
W1	NE	1.4	0	0	eave/verandah/pergola/balcony >=900 mm	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			
W2	NE	1.4	0	0	eave/verandah/pergola/balcony >=600 mm	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			
W3	NW	2.7	0	0	eave/verandah/pergola/balcony >=750 mm	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			
W4	NW	7.8	0	0	eave/verandah/pergola/balcony >=750 mm	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			

BASIX Certificate number: A264560\_02 page 5 / 6

Glazing requi	rements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Window / door	Orientation		Oversha	dowing	Shading device	Frame and glass type			
no.		glass inc. frame (m2)	Height (m)	Distance (m)					
W6	SW	1.1	6	3.6	none	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			
W7	SW	2.5	6	3.6	eave/verandah/pergola/balcony >=900 mm	timber or uPVC, single clear, (or U-value: 5.71, SHGC: 0.66)			
W8	SE	3.8	0	0	none	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			

BASIX Certificate number: A264560\_02 page 6 / 6

## Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "

"in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a "

"" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.