

BASIX REQUIREMENTS TO BE READ INCONJUCTION WITH THE BASIX CERTIFICATE No.9582705_02

WATER COMMITMENTS:

SHOWER HEAD RATING 3 STAR (> 4.5 BUT <= 6.0L/min)

TOILET RATING 3 STAR ALL TAP FITTINGS RATING 3 STAR ROOF AREA TO RAIN WATER TANK 60m2 MIN. RAIN WATER TANK SIZE 5,300L

RAIN WATER TANK CONNECTED TO TOILETS, LAUNDRY, 1 OUTDOOR TAP

THERMAL COMMITMENTS:

WEATHERBOARD CLADDING + R2.0 BULK INSULATION EXTERNAL WALLS

INTERNAL WALLS PLASTERBOARD ON TIMBER STUD EXTERNAL CEILING TIMBER + R4.0 BULK INSULATION INTERNAL CEILING TIMBER ABOVE PLASTERBOARD

ROOF CORRUGATED IRON (LIGHT SOLAR ABSORPTANCE (0.475) SUSPENDED TIMBER + R2.0 BULK INSULATION FL00RS

ALM-002-03 A Aluminium B SG High Solar Gain Low-E MINDOMS ALM-001-03 A Aluminium A SG High Solar Gain Low-E

ENERGY COMMITMENTS:

HOT WATER: GAS INSTANTANEOUS 4.5 STAR MIN.

INDIVIDUAL DUCTED FAN WITH MANUAL SWITCH IN BATHROOM AND KITCHEN

NATURAL VENTILATION ONLY TO LAUNDRY.

COOLING: CEILING FAN TO AT LEAST; ONE LIVING ROOM + ONE BEDROOM HEATING: 1-PHASE A/C (EER 3.0-3.5) TO AT LEAST; ONE LIVING ROOM

PRIMARY LIGHTING MUST BE LED FOR THE FOLLOWING ROOMS:

4 BEDROOMS/STUDY, 2 LIVING/DINING, KITCHEN, ALL BATHROOMS, ALL HALLWAYS, LAUNDRY MUST INSTALL A WINDOW AND/OR SKYLIGHT IN THE KITCHEN AND AT LEAST 3 BATHROOMS. GAS COOKTOP \$ ELECTRIC OVEN.

OUTDOOR \$ INDOOR CLOTHES LINES MUST BE INSTALLED.

SITE PLAN



SITE CRITERIA

No.14 PLAYFAIR ROAD NORTH CURL CURL N.S.W. 2099

LOT 29 D.P. 17125

DOUBT

ASK

SITE AREA	. =	521.4	są, m.	
EXISTING HARDSTAND	. =	28.7	są, m.	
PROPOSED CONCRETE DRIVEWAY AREA	. = . = . =	35.0 109.9 12.4	są, m. są, m.	
PROPOSED TOTAL FIRST FLOOR AREAPROPOSED FIRST FLOOR FRONT DECK AREA			są, m. są, m.	
DWELLING ROOF AREA	. =	207.9	są, m.	
2 CAR PARKING SPACES PROVIDED IN GARAGE				
POST DEVELOPEMENT HARDSTAND POST LANDSCAPED AREA < 2.0m WIDE POST LANDSCAPED AREA > 2.0m WIDE O.S.D. IMPERVIOUS AREA		= =	30.0 275.0	

NOTES:-

- ALL GLAZING TO WINDOWS & DOORS SHALL BE IN ACCORDANCE WITH
- THE BASIX REPORT.

 2. EXTERNAL WALL CLADDING SHALL BE SELECTED PLANK CLADDING
- WITH A SPECIFIED PAINTED COLOUR FINISH.

 3. AN APPROVED RATED INSULATION TO ALL EXTERNAL TIMBER FRAMED WALLS IN ACCORDANCE WITH THE BASIX REPORT.

 4. AN APPROVED RATED INSULATION MATERIAL TO BE PLACED IN THE CEILING
- SPACE WITHIN THE PERIMETER OF ALL EXTERNAL WALLS IN ACCORDANCE WITH THE BASIX REPORT.
- AN APPROVED RATED CONDENSATION BLANKET PLACED UNDER ROOF SHEETING THRU-OUT IN ACCORDANCE WITH THE BASIX REPORT. ROOF FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
- 7. EXTERNAL WALL FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
 8. ALL WINDOWS AND DOORS TO HAVE WEATHER STRIPPING.
 9. ALL WINDOWS & DOORS AS NOTED ON PLAN WITH SPECIFIED COLOUR FINISH.
- 10. ALL PAINTING TO OWNERS REQUIREMENTS.
 11. ALL POWER OUTLETS & SWITCHES TO OWNERS REQUIREMENTS.
- 12. ALL GLAZING TO CODE AS1288
 13. ALL PEST TREATMENT TO CODE AS3660.1-2000
 14. SMOKE DETECTOR DENOTED SD ON PLAN TO BCA/39

- 15. ALL WATERPROOFING TO WET AREAS TO CODE AS3740
 16. ALL TIMBER FRAMING TO CODE AS1684
 17. ALL WORK CARRIED OUT TO BE IN ACCORDANCE WITH THE BCA.



DEVELOPMENT APPLICATION ISSUE

REVISION B 15-05-2019


- INCREASED FRONT SETBACK AN ADDITIONAL 700mm
- W25 # W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)
- W2, W19, W18, PRIVACY WINDOWS

REVISION C 11-06-2019

· ADDED WIGA TO BED 3

REVISION D 26-08-2019

· NORTHERN RETAINING WALL AMENDED



OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259 P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261 Tel: (02) 4352 1189 Fax: (02) 4352 1198 Builders Lic. 158741C ABN 65 687 862 151

(C) This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES


PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL **FOR**


MR D. & Mrs. D. O'BRIEN

DATE JUNE. 2019 SCALE 1:200

JOB No.

REV \square





REVISION B 15-05-2019

INCREASED FRONT SETBACK AN ADDITIONAL 700mm

W25 \$ W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)

W2, W19, W18, PRIVACY WINDOWS

REVISION C 11-06-2019

ADDED WI9A TO BED 3

DOUBT

ASK

REVISION D 26-08-2019

· NORTHERN RETAINING WALL AMENDED

DEVELOPMENT APPLICATION


PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL


FOR

MR D. & Mrs. D. O'BRIEN


DATE JUNE. 2019 SCALE 1:100


REV 03











CLASSIC COTTAGES

NORTHERN RETAINING WALL AMENDED

ADDED WI9A TO BED 3

REVISION D

15-05-2019

11-06-2019

26-08-2019

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259 P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261 Tel: (02) 4352 1189 Fax: (02) 4352 1198 Builders Lic. 158741C ABN 65 687 862 151

(C) This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL FOR


JOB No.

MR D. & Mrs. D. O'BRIEN

DATE JUNE. 2019 SCALE


DWG. No.

REV



10mm CONSTRUCTION JOINT ALONG EASEMENT PROPOSED LINE DRIVEWAY B85 PROFILE NORTHERN BEACHES COUNCIL STANDARD DRIVEWAY STANDADRD VEHICLE GRADE 1:37.2 CROSSING PROFILE A4 3330/IN 3000 EASEMENT GARAGE FLOOR LEVEL RL 21.90 EXISTING PROPOSED DRIVEWAY GROUND GRATED LEVELS DRAIN RE-DIVERTED 525¢ R.C.P. STORMWATER PIPE-EXISTING GROUND 21.5 BASE LINE RL19.00 450

LONGITUDINAL SECTION ON NORTHERN EDGE



LONGITUDINAL SECTION ON SOUTHERN EDGE

DRIVEWAY SET OUT

DRIVEWAY & CROSS-OVER HAS BEEN DESIGNED TO BE IN ACCORDANCE WITH THE COUNCIL'S EXTRA HIGH STANDARD VEHICLE CROSSING PROFILE A4 - 3330/4

NOTE:-

DRIVEWAY CROSS-OVER TO BE IN ACCORDANCE WITH THE COUNCIL'S SPECIFICATION AND AUSTRALIAN STANDARD ASI428.1:2001-DESIGN FOR ACCESS AND MOBILITY.





THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

REV2019/0036

REVISION B 15-05-2019

- INCREASED FRONT SETBACK AN ADDITIONAL 700mm
- W25 \$ W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)
- W2, W19, W18, PRIVACY WINDOWS
- REVISION C 11-06-2019
- ADDED WI9A TO BED 3
- REVISION D 26-08-2019
- NORTHERN RETAINING WALL AMENDED

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259 P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261 Tel: (02) 4352 1189 Fax: (02) 4352 1198 Builders Lic. 158741C ABN 65 687 862 151

CLASSIC

(C) This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL

FOR


MR D. & Mrs. D. O'BRIEN

JUNE. 2019 SCALE

JOB No. REV DWG. No.










DEMOLITION AND SEDIMENTATION CONTROL FENCE PLAN

SEDIMENT CONTROL:

- INSTALL SEDIMENT CONTROL STRUCTURES IN LOCATIONS INDICATED ON DRAWINGS AND AS OTHERWISE REQUIRED TO CONTROL SEDIMENT DURING ALL EXCAVATIONS AND WHILST AREAS OF THE SITE ARE EXPOSED TO EROSION.
- 2. CONTROL STRUCTURES TO BE AS DETAILED OR AS OTHERWISE REQUIRED.
- 3. REVIEW CONTROL MEASURES AND MAINTAIN STRUCTURES DURING CONSTRUCTION.
- 4. IF ADDITIONAL MEASURES ARE REQUIRED FOR EROSION CONTROL OR BY COUNCIL REQUIREMENTS REFER TO "URBAN EROSION AND SEDIMENT CONTROL" GUIDELINES PREPARED BY THE DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT.



DEVELOPMENT

APPLICATION

SEDIMENTATION CONTROL FENCE DETAIL

<u>REVISION B</u> 15-05-2019

- INCREASED FRONT SETBACK AN ADDITIONAL 700mm
- W25 \$ W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)
- · W2, W19, W18, PRIVACY WINDOWS

<u>REVISION C</u> 11-06-2019

· ADDED WI9A TO BED 3
REVISION D 26-08-2019

NORTHERN RETAINING WALL AMENDED



OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel: (02) 4352 1189 Fax: (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151

© This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROTECT

PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL

FOR

MR D. & Mrs. D. O'BRIEN

DATE JUNE. 2019 SCALE 1:200

JOB No. DWG. No. REV

