

17 April 2009

Joseph Maiolo
6 Princess Mary Street
BEACON HILL NSW 2100

Dear Sir / Madam,

**RE: 6 Princess Mary Street Beacon Hill
Modification of Development Consent No. DA2006/0670 - (MOD2009/0034) for
alterations and additions including internal and external fit outs to the existing
approved dwelling and deletion of condition No. 3 from Consent 2006/0670**

We are writing to advise that the request to modify the above-mentioned Development Consent has been approved on **17 April 2009** and determined as follows:

1. Modify Condition No.1 to read as follows:

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Issue	Revision Date	Prepared By
0506024 – Sheet 1 of 2	Site & Garage Floor Plan, Ground Floor Plan, First Floor Plan	B	June 2006	AW Design
0506024 – Sheet 2 of 2	North, South, East and West Elevations and Section A-A, South Boundary Wall Elevation and Fence	B	June 2006	AW Design

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]*

Delete Conditions No.3

3. DELETED

This letter should therefore be read in conjunction with Development Consent DA2006/0670 dated 17 November 2006 and Modification No. 1 dated 30 January 2007. Please find attached a consolidated set of conditions incorporating both modifications of consent.

Please note that on site works cannot proceed unless a Construction Certificate application for the modified proposal has been lodged with and approved by Council or an accredited certifier, and relevant conditions of the Development Application have been carried out.

Section 96(6) of the Environmental Planning and Assessment Act confers on an applicant who is not satisfied with the determination of the Consent Authority a right of appeal to the Land and Environment Court.

Should you require any further information on this matter, please contact **Nick England** between the hours of 9.30am and 10.30am or 3.00pm and 4.00pm, Monday to Friday, on telephone number **9942 2111**, or at any time on facsimile number **9971 4522**.

Details of development applications lodged after July 1, 2005 are also available online, to access this facility please visit our DA's Online System at www.warringah.nsw.gov.au.

Yours faithfully,

Nick England
**Acting Team Leader, Development Assessment
Planning and Development Services**



GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Issue	Revision Date	Prepared By
0506024 – Sheet 1 of 2	Site & Garage Floor Plan, Ground Floor Plan, First Floor Plan	B	June 2006	AW Design
0506024 – Sheet 2 of 2	North, South, East and West Elevations and Section A-A, South Boundary Wall Elevation and Fence	B	June 2006	AW Design

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. **[A1 (1)]**

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. **[A2]**

3. [DELETED]

**CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO
ISSUE OF A CONSTRUCTION CERTIFICATE**

4. Southern side of first floor deck to be deleted

The first floor deck is to be cut back deleting the southern section so that it extends from the main bedroom and finishes in line with the southern facing wall of the sitting room and the brick column identified on the First Floor Plan. The deck is not to wrap around the southern side of the building. This area is to become roof area. Details demonstrating compliance are to be provided prior to the issue of a Construction Certificate.

***Reason:** To ensure that adequate privacy is maintained to the adjoining property to the south, No. 4 Princess Mary Street.*

4a. [DELETED]

4b. Structural Details

Structural engineering details and design calculations, prepared and certified by a qualified, practising Structural Engineer, must be submitted with Construction Certificate application, for all reinforced concrete work, structural steel work, retaining walls, brick fences, shoring and underpinning, isolated piers, chimneys, parapets and other structural members.

***Reason:** To ensure the structural integrity of the proposed building works. [SPECIAL CONDITION]*

5. Kerb Security Bond

A bond of \$1,100 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

***Reason:** To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

6. Vehicle Crossings

Provision of 1 vehicle crossing/s 4 metres wide at the kerb, 5 metres wide at the boundary in accordance with Warringah Council Drawing No A4-3330/ normal and specifications. An Application for Street Levels is to be made prior to the issue of the Construction Certificate. Vehicle crossings and associated works within the road reserve shall be constructed in **plain concrete** by an Authorised Vehicle Crossing Contractor, for details see Warringah Council's website <<http://www.warringah.nsw.gov.au>> or phone (02) 9942 2111. All redundant laybacks and crossings are to be restored to footpath/grass.

Prior to the pouring of concrete, the vehicle crossing/s are to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

***Reason:** To facilitate suitable vehicular access to private property. [C32]*

7. Sediment Control

Where construction or excavation activity requires the disturbance of the soil surface and existing vegetation, details including plans and specifications shall be submitted to Council / Accredited Certifier accompanying the Construction Certificate, which provide adequate measures for erosion and sediment control. As a minimum, control techniques are to be in accordance with Warringah Council Guidelines on Erosion and Sediment Control, or a suitable and effective alternative method. The Control Plan shall incorporate and disclose:

- (a) All details of drainage to protect and drain the site during the construction processes;
- (b) All sediment control devices, barriers and the like;
- (c) Sedimentation tanks, ponds or the like;
- (d) Covering materials and methods;
- (e) A schedule and programme of the sequence of the sediment and erosion control works or devices to be installed and maintained.

Details from an appropriately qualified person showing that these design requirements have been met shall be submitted with the Construction Certificate and approved by the Council / Accredited Certifier prior to issuing of the Construction Certificate.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [C46]*

8. Structural Adequacy of Existing Building

A certificate prepared by an appropriately qualified and practising Structural Engineer, certifying the structural adequacy of the property and its ability to withstand the proposed additional, or altered structural loads shall be submitted with the Construction Certificate application.

Reason: *To ensure the structural integrity of the building is maintained. [C50]*

9. Asbestos & Hazardous Material

- (2) A person taking down, demolishing or causing to be taken down or demolished any building or part thereof shall, upon identifying or suspecting that asbestos is present in the building, immediately notify the Work Cover Authority. The Authority is the controlling body for the safe removal, handling and disposal of asbestos. The Authority supervises and monitors contractors engaged in asbestos removal. The requirements and standards imposed by the Authority, its consultants or contractors shall be complied with.

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. [C53 (2)]*

10. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details being submitted with the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. [C55]

11. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
6 Princess Mary Street, Beacon Hill	
DEVELOPMENT APPLICATION NUMBER 2006/0670	
SECURITY BONDS	AMOUNT (\$)
Tree Damage Bond (within the site)	NA
Street Tree Bond (on Council Property)	NA
Builders Road/Kerb Security Bond	\$1100.00
Engineering Construction Bond · General Works · Road Pavement · Stormwater · Kerb & Gutter, Footpath	NA
Others	
TOTAL BONDS	\$1100.00
FEES	
Kerb Security Inspection Fee	\$200.00
Section 94A contribution	\$3970.00
Long Service Levy	\$1390.00
Others	
TOTAL FEES	\$5560.00
Progress Inspections if Councils is the PCA	\$1650.00

Reason: Compliance with the development consent. [C71]

12. S94A Contribution

The payment of \$3970 as a 94A levy prior to the approval/release of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan 2006. It is current at the time of issue of this Consent. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated.

The basis for the contributions is as follows:

Warringah Section 94A Development Contributions Plan Contribution based on total development \$397,000. cost of 00			
Contribution - all parts Warringah (except Dee Why)	Levy Rate	Contribution Payable	Council Code
S94A Levy	0.95%	\$3,772	6923
S94A Planning and Administration	0.05%	\$199	6924
TOTAL	1%	\$3,970	

Reason: To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. **[C82]**

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

13. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. **[D1]**

14. Dewatering

Where dewatering works are required on the development site during construction, the developer/applicant must apply for and obtain a bore licence from the DIPNR. The bore licence must be obtained prior to commencement of dewatering works. All requirements of the DIPNR are to be complied with. A copy of the approval from the DIPNR must be submitted to the Principal Certifying Authority prior to commencement of construction works.

Reason: Compliance with the requirements of Department of Sustainable Natural Resources. **[D2]**

15. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: Legislative requirements. **[D3]**

16. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: Legislative requirement for the naming of the PCA. [D4]

17. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: Statutory requirement. [D5]

18. Road opening permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Reason: Statutory requirement (Roads Act 1993) [D6]

19. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions. [D13]

20. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

(Note: Applications for hoarding permits, vehicular crossings etc will require evidence of insurance upon lodgement of the application.)

Reason: To ensure the community is protected from the cost of any claim for damages arising from works on public land. [D17]

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

21. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

Reason: *Public Safety. [E4]*

22. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.

- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

23. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

24. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

25. Progress Survey - Minor Development

In order to ensure compliance with approved plans, a Survey Certificate, to Australian Height Datum, shall be prepared by a Registered Surveyor as follows:

- at the completion of the first structural floor level indicating the level of that floor and the relationship of the building to the boundaries;
- at the completed height of the building, prior to the placement of concrete inform work, or the laying of roofing materials;
- at completion, the relationship of the building, and any projections thereto, to the boundaries.

Progress certifications in response to points (a) through (c) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances will work be allowed to proceed should such survey information be unavailable or reveal discrepancies between the approved plans and the proposed works.

Reason: *To ensure compliance with approved plans. [E14]*

26. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E17]*

27. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E18]*

28. No Work on Public Open Space

The applicant shall not enter or undertake any work within adjoining public lands (i.e. Parks, Reserves, Roads etc) without the prior written consent of Council. In this regard the applicant is to liaise with Council prior to the commencement of any design works or preparation of a Construction Management Plan.

Reason: *Protection of existing public infrastructure and land and to ensure public safety and proper management of public land. [E19]*

29. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]

30. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites. [E28]

31. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: To ensure the health and safety of the community and workers on the site. [E30]

32. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: To ensure public safety and amenity on public land. [E35]

33. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: To ensure public safety and amenity on public land. [E36]

34. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: *To ensure the proper management of public land and funds. [E38]*

35. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Public Safety [E39]*

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

36. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory. [F1]*

37. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

38. Lead

For the protection of the health and safety of workers, adjoining property owners, the public and the environment, any person renovating or demolishing any building built before the 1970's should be aware that any surfaces may be coated with lead based paint. Lead dust is a hazardous substance. The requirements of the Environmental Protection Authority are to be followed in this regard.

Reason: Safety. [F4]

39. Demolition

Demolition work must be undertaken in accordance with the provisions of AS2601- Demolition of Structures.

Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F6]

40. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.

- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. [F9]

41. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4 Sub-division 5 of the Local Government (General) Regulation 2005 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in of the Regulation.

approved by the Council means the subject of an approval in force under the Local Government (General) Regulation 2005.

public sewer has the same meaning as it has in the Local Government (General) Regulation 2005.

sewage management facility has the same meaning as it has in the Local Government (General) Regulation 2005.

Reason: To ensure adequate facilities are provided for workers on the site. [F10]

42. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: Prescribed - Statutory. [F12]

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

43. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]

44. Termite Control

- (1) Termite control measures being installed in accordance with AS 3660.1-2000 "Termite Management: New Building Work."

Reason: Termite control. [G6 (1)]

45. Street Number

Street number being affixed to building prior to occupation.

Reason: Proper identification of buildings. [G7]

46. On-Site Stormwater Detention Compliance Certification

The on-site detention system and associated drainage works are to be in accordance with the drainage plan submitted by T J Taylor consultants (Drawing No 21206 dated July 2006). On completion of works a works as executed drawing and certification of the works by the design engineer is to be submitted to the Principal Certifying Authority. Additionally a Compliance Certificate is to be issued by an Accredited Certifier in Civil Works registered with the Institute of Engineers Australia, stating that the works are in accordance with the above approved plans and Council's "On-site detention technical specification", the compliance certificate is to be submitted to the Principal Certifying Authority prior to occupation. Council can issue the Compliance Certificate if required subject to prescribed fee.

Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure that public infrastructure in Council's care and control is not overloaded. [G27]

47. Creation of Positive Covenant and Restriction as to User

Where any conditions of this Consent require the creation of a positive covenant and/or restriction as to user, the original completed request forms shall to be submitted to Warringah Council for authorisation. A certified copy of the documents shall be provided to Warringah Council after final approval and registration has been affected by the "NSW Land and Property Information Department" prior to occupation.

Reason: *To identify encumbrances on land. [G28]*

48. Restrictions as to User

Restrictions as to User shall be created over the on-site stormwater detention system, restricting any alteration to the levels and/or any construction on the land. The terms of such restriction is to be prepared to Warringah Council's standard requirements at the applicant's expense and endorsed by Council prior to lodgement with the "NSW Land and Property Information Department". Warringah Council shall be nominated as a party to release, vary or modify such restriction.

Reason: *To ensure no modification of the stormwater detention structure without Council's consent. [G29]*

49. Positive Covenant (Onsite Detention Structure)

Creation of a Positive Covenant of the Title of the land requiring the proprietor of the land to maintain the stormwater detention structures required by this Consent, in accordance with the standard requirements of Council. The Positive Covenant is to be prepared by the applicant using terms acceptable to, and which are available from Warringah Council. The positive covenant is to be endorsed by Council prior to its lodgement with the 'NSW Land and Property Information Department'.

Reason: *To ensure ongoing maintenance of the stormwater detention structure. [G32]*