

## Appendix 16 - On-site Detention Checklist

This checklist is to be used to determine the on-site stormwater disposal requirement for developments and must be completed and included with the submission of any development application for these works. Please read this form carefully for its notes, guidelines, definition and relevant policies.

For assistance and support, please contact Council's Development Engineering and Certification team on 1300 434 434.

Part 1 Location	of the Property		
House Humber	95	Legal Property Descript	ion Residential
Street	Bower Street	Lot	81
Suburb	Manly	Section	
Postcode	2095	DP	8076

Total Site Area	799.	Tsqn
Post-Development Impervious Area		
Is the site of the development located within an established Flood Prone Land as referred to Council's Local Environmental Plans?		No 🗆
SD) is not required and please proceed		
	Post-Development Impervious Area established Flood Prone Land as	Post-Development Impervious Area  established Flood Prone Land as ?  Yes

Part 3: Northern Beaches Stormwater Regions (refer to Map 2 of Northern Beaches Council's Water Management for Development policy)
If the site of the development located within Region 1, please proceed to the part 4.1 of this checklist
If the site of the development located within Region 2, please proceed to the part 4.2 of this checklist
If the site of the development located within Region 3, please proceed to the part 4.3 of this checklist
If the site of the development located within Region 4, please refer to Council's Warriewood Valley Water Management Specification.



## Part 4 Determination of OSD Requirements

Part 4.1 Northern Beaches Stormwater Region 1	
Is the additional impervious area of the development more than 50 m² on a cumulative basis since February 1996?	Yes □ No □
If yes, OSD is required and please refer to section 9.3.1 of Council's Water Management for Development Policy If no, OSD is not required and please proceed to the part 5 of this checklist	

Part 4.2 Northern	n Beaches Stormwater Region 2	
Part 4.2.1 Descri	ption of Work	
resulting in the cre accordance with t	uilding, commercial, industrial, multiple occupancy developmen eation of three lots or more, will require OSD in all case. Pleas the section 9.3.2 of Council's Water Management for Developn ntial building development, please proceed to part 4.2.2 of this	se provide a design in ment Policy.
Part 4.2.2 Exemp	otion	
Is the site area less than 450m <sup>2</sup> ?		Yes  No
to pass through a	ne development drain directly to the ocean without the need drainage control structure such as pipe, bridge, culvert, kerb ural drainage system?	Yes  No
Is it an alternation	and addition development to the existing dwellings?	Yes □ No □
If yes to any of the	e above questions, OSD is not required. ove questions, proceed to part 4.2.3	
Part 4.2.3 Detern	nination of OSD Requirements	
Calculation	a) Site area m² x 0.40 (40%) =	m²  Yes □ No □  9.3.2 of Council's Water



Part 4.3 Northern	Beaches Stormwater Region 3	
Part 4.3.1 Stormwater Zone		
In the region, the m Please refer to Map	nethod of stormwater control to be applied shall depend on the location of the site.  3 of Northern Beaches Council's Water Management for Development policy.	
If the site of the dec	velopment located within stormwater zone 1, please proceed to the part 4.3.2 of this	
If the site of the dewith the section 9.3	velopment located within stormwater zone 2, please provide a design in accordance 3.3.3 of Council's Water Management for Development Policy.	
If the site of the dewith the section 9.3	velopment located within stormwater zone 3, please provide a design in accordance 3.3.4 of Council's Water Management for Development Policy.	
If the site of the dewith the section 9.3	velopment located within stormwater zone 4, please provide a design in accordance 3.3.5 of Council's Water Management for Development Policy.	
Part 4.3.2 Determ	ination of OSD requirements in Stormwater Zone 1	
Part 4.3.2.1 For A New Building		
1 ) Exemption	a) Is the site area less than 400? b) Is the post-development impervious area less than 190 m²?  If yes to both questions, OSD is not required. If no to any of the above questions, please process to calculation	
2) Calculation	a) Site aream² x 0.35 =m² + 50 =m² b) Post- development impervious aream²  OSD will not be required when (b) is less than 250 m² and (a) is greater than (b) Is OSD required for this development? Yes □ No □  If yes, provide a design in accordance with the section 9.3.3.2 of Council's Water Management for Development Policy.  If no, OSD is not required and please proceed to part 5.	
Part 4.3.2.2 For A	Iterations and Additions	
	vious area of the site is more than 60% of the site area, OSD will be required. e proceed to the next calculation section.	
1 ) Calculation	Is the post development impervious area increased by less than 50 m <sup>2</sup> ? Yes \( \text{No} \) \( \text{Is the post development impervious area less than 60% of the site area? Yes \( \text{No} \) \( \text{If yes to both questions, OSD is not required.} \) If yes to both questions, provide a design in accordance with section 9.3.3.2 of Council's Water Management for Development Policy	



Part 5 Disposal of Stormwater			
Does the site fall naturally towards the street?	Yes 🗸	No □	
If yes, provide a design in accordance with section 5 Policy.	.1 of Council's Wate	er Management for Dev	elopment
If no, provide a design in accordance with section 5. Policy.	of Council's Wate	r Management for Deve	lopment

Definitions	
Designed to help you fill out this application	Site area: This refers to the area of the land bounded by its existing or proposed boundaries.  Impervious area: This refers to driveways, parking spaces, pathways, paved areas, hardstand areas, roofed areas, garages and outbuildings.  Pre Development Impervious area: This refers all impervious areas of the site before the development.  Post Development Impervious areas: This refers all the impervious areas within the site after the development is completed.