



WARRINGAH COUNCIL
THIS PLAN TO BE READ
IN CONJUNCTION WITH
Construction
Certificate No. CC 2012 / 0031


THIS PLAN IS TO BE READ
IN CONJUNCTION WITH
DA 2011 / 1473
WARRINGAH COUNCIL




ISOMETRIC VIEW




PLAN VIEW



SIDE ELEVATION



FRONT ELEVATION




SIDE ELEVATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
- XX - INDICATES DIMENSION
SYMMETRIC ABOUT CENTRELINE

CAD GENERATED DRAWING
DO NOT MANUALLY UPDATE
DO NOT SCALE DRAWING

TOLERANCES:
LINEAR: $\pm 0.5\text{mm}$
ANGULAR: $\pm 0.5^\circ$



DRAWN:
SB

CHECKED:

MANUFACTURING:

DATE:
18/11/2008

DATE:

REV DATE:

ADShel

The Forum Level 11 205 Pacific Highway
St Leonards NSW 2065
t: (+612) 8425 7200 f: (+612) 8425 7222

TITLE:

**OPTISHEL VILLA
AD-MAINS-FULL BACK**

DRAWING TYPE:
General Assembly

MATERIAL:

DRAWING NO:



**ELEVATION VIEWS
50416**

FINISH:
Powdercoat

SIZE:
A3

SCALE:
1:30

SHEET:
2



DETAIL B
MESH SIZE 200 x 200 x 9mm

THIS PLAN IS TO BE READ
IN CONJUNCTION WITH
DA 2011 / 1473
WARRINGAH COUNCIL

CONDUIT LOCATIONS ARE CRITICAL

CONCRETE REQUIREMENTS:

- MPA25
- SLUMP 80mm
- MAXIMUM AGGREGATE = 20mm
- MINIMUM DENSITY = 2400kg/mm³

RE-INFORCEMENT:

- MINIMUM COVER OF RE-INFORCEMENT = 60mm

FASTENERS:

- 4 off M12 CHEM-SET FASTENERS PER UPRIGHT,
MINIMUM EMBEDMENT = 150mm

DIMENSIONS BASED ON METRO MkII CERTIFIED FOOTING


WARRINGAH COUNCIL
THIS PLAN TO BE READ
IN CONJUNCTION WITH
Construction
Certificate No. CC2012/0031

REGION	DESCRIPTION	ULTIMATE WIND SPEED (m/s)	W (mm)	D (mm)	RE-INFORCEMENT TOP & BOTTOM
A	NORMAL	50	910	240	RF92 MESH
B	INTERMEDIATE	60	1250	240	RF92 MESH

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
- XX - INDICATES DIMENSION
SYMMETRIC ABOUT CENTRELINE

CAD GENERATED DRAWING
DO NOT MANUALLY UPDATE
DO NOT SCALE DRAWING

TOLERANCES:
LINEAR: $\pm 0.5\text{mm}$
ANGULAR: $\pm 0.5^\circ$



DRAWN:
SB

CHECKED:

MANUFACTURING:

DATE:
18/11/2008

DATE:

REV DATE:

ADSHL

The Forum, Level 11, 205 Pacific Highway
St Leonards NSW 2065
t: (+612) 8425 7200 f: (+612) 8425 7222

TITLE:

OPTISHEL VILLA
AD-MAINS-FULL BACK

DRAWING TYPE:
General Assembly

MATERIAL:

DRAWING NO:


FOOTING DETAIL
50416

FINISH:

SIZE:
A3

SCALE:
1:20

SHEET:
3



WARRINGAH COUNCIL
THIS PLAN TO BE READ
IN CONJUNCTION WITH

Construction
Certificate No. CC.2012/0031

THIS PLAN IS TO BE READ
IN CONJUNCTION WITH

DA 2011 / 1473

WARRINGAH COUNCIL

KEY:

—> SUPPLY = 240V

—> LOAD / LIGHTS = 12V

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
XX = INDICATES DIMENSION
SYMMETRIC ABOUT CENTRELINE

TOLERANCES:
LINEAR: $\pm 0.5\text{mm}$
ANGULAR: $\pm 0.5^\circ$

DRAWN:
SB

DATE:
18/11/2008

CHECKED:

DATE:

MANUFACTURING:

REV DATE:

ADSHHEL

The Forum, Level 11, 205 Pacific Highway
St Leonards NSW 2065
t: (+612) 8425 7200 f: (+612) 8425 7222

TITLE:

OPTISHEL VILLA
AD-MAINS-FULL BACK

DRAWING TYPE:
General Assembly

MATERIAL:

DRAWING NO:

WIRING DETAIL
50416

FINISH:

SIZE:
A3

SCALE:
1:30

SHEET:
5

CAD GENERATED DRAWING
DO NOT MANUALLY UPDATE
DO NOT SCALE DRAWING

