



Warringah Council

RESIDENTIAL DEVELOPMENT - DEVELOPMENT APPLICATION ASSESSMENT REPORT

DA No. DA2009/0101

Assessment Officer: John Essenstam

Property Address: Lot 10 DP 836316,13 The Greenway DUFFYS FOREST NSW 2084

Proposal Description: Alterations & additions to the existing dwelling,

Plan Reference: SP-01, SA-02,GFEP-03,FFEP-04,GP-05,FP-06,RP-07,ELE-08,ELE-09,SEC-10,LP-11,LD-12,RC-13,RC-14

Report Section	Applicable	Complete & Attached
Section 1 – Code Assessment	☒ Yes ☐ No	☒ Yes ☐ No
Section 2 – Issues Assessment	☐ Yes ☒ No	☐ Yes ☒ No
Section 3 – Site Inspection Analysis	☒ Yes ☐ No	☒ Yes ☐ No
Section 4 – Application Determination	☒ Yes ☐ No	☒ Yes ☐ No

Estimated Cost of Works: \$ 248000

Are S94A Contributions Applicable?

☒ Yes ☐ No

Warringah Section 94A Development Contributions Plan

Contribution based on total development cost of \$ 248,000.00

Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$2,356	6923
S94A Planning and Administration	0.05%	\$124	6924
Total	1.0%	\$2,480	

Notification Required?

☒ Yes ☐ No

Period of Public Exhibition?

☒ 14 days ☐ 21 days ☐ 30 days ☐ N/A

Submissions Received?

No. of Submissions:

☐ Yes ☒ No

Are any trees impacted upon by the proposed development? ☐ Yes ☒ No

SECTION 1 – CODE ASSESSMENT REPORT

ENVIRONMENTAL PLANNING INSTRUMENTS

WLEP 2000

Locality: A2 Booralie Road

Development Definition: ☒ Housing ☐ Ancillary Development to Housing ☐ Other

Category of Development: ☒ Category 1 ☐ Category 2 ☐ Category 3

DESIRED FUTURE CHARACTER

LOCALITY A2 BOORALIE ROAD

The Booralie Road locality will remain a non-urban area consisting of detached style housing in distinctly non-urban settings and occasionally low intensity, low impact business or community uses that are compatible with the non-urban nature of the locality and predominant scale of existing development.

The impact of new development on views from the adjacent National Park will be minimised by the use of articulated building forms, generous landscaped spaces around buildings and building materials that blend in with the colours and textures of the natural landscape.

Emphasis will be given to protecting and where possible enhancing the natural landscape, including landforms and vegetation. The increased planting of indigenous canopy trees will be strongly encouraged.

☒ Category 1 Development with no variations to BFC's (Section 2 Assessment not required)

Is the development considered to be consistent with the Locality's Desired Future Character Statement?

☒ Yes ☐ No

☐ Category 1 Development with variations to BFC's (Section 2 Assessment Required)

☐ Category 2 Development Consistency Test (Section 2 Assessment Required)

☐ Category 3 Development Consistency Test (Section 2 Assessment Required)

Built Form Controls:

Building Height (overall): Applicable: ☒ Yes ☐ No Requirement: ☒ 8.5m ☐ 11.0m ☐ Other	☐ Proposed: 3.5m Complies: ☒ Yes ☐ No
Building Height (underside of upper most ceiling): Applicable: ☒ Yes ☐ No Requirement: ☒ 7.2m ☐ Other	☐ Proposed: 2.9m Complies: ☒ Yes ☐ No



Warringah Council

Front Setback: Applicable: ☐ Yes ☒ No Requirement: ☒ 10m ☐ Other Is the Corner Allotment / Secondary Street Frontage control applicable?: ☐ Yes ☒ No Requirement: ☐ 3.5m ☐ Other	☒ Existing and unchanged Proposed:m Complies: ☒ Yes ☐ No Corner Allotment: ☐ Existing and unchanged Proposed:m Complies: ☐ Yes ☐ No
Housing Density: Applicable: ☐ Yes ☒ No Requirement: ☒ 1 dwelling per 2ha ☐ 1 dwelling per 600sqm ☐ Other	☒ Existing and unchanged Proposed:dwelling / persqm Complies: ☒ Yes ☐ No
Landscape Open Space: Applicable: ☒ Yes ☐ No ☒ 30% (640sqm) ☐ ☐ Other	☐ Existing and unchanged Proposed:...62% (1343sqm) Complies: ☒ Yes ☐ No
Rear Setback: Applicable: ☒ Yes ☐ No Requirement: ☒ 6.0m ☐ Other	☐ Proposed: 26.3mm Complies: ☒ Yes ☐ No
Side Boundary Envelope: Applicable: ☒ Yes ☐ No	Boundary: ☒ Nth ☐ Sth ☐ Est ☐ Wst



Warringah Council

Requirement: ☒ 4m / 45 degrees ☐ 5m / 45 degrees ☐ Other	☐ Fully within Envelope: ☒ Yes ☐ No Minor Breach: ☐ Yes ☐ No Complies: ☒ Yes ☐ No
Side Setbacks: Applicable: ☒ Yes ☐ No ☒ 900mm ☐ 4.5m ☐ Other	Boundary ☒ Nth ☐ Sth ☐ Est ☐ Wst ☒ Existing and unchanged or Proposed: 2m Complies: ☒ Yes ☐ No
Other:	

General Principles of Development Control:

CL38 Glare & reflections Applicable: ☒ Yes ☐ No	Complies: ☐ Yes ☒ Yes , subject to condition ☐ No
CL39 Local retail centres Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL40 Housing for Older People and People with Disabilities Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL41 Brothels Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL42 Construction Sites Applicable: ☒ Yes ☐ No	Complies: ☐ Yes ☒ Yes , subject to condition ☐ No
CL43 Noise Applicable: ☒ Yes ☐ No	Complies: ☐ Yes ☒ Yes , subject to condition ☐ No
CL44 Pollutants Applicable:	Complies:



Warringah Council

☐ Yes ☒ No	☐ Yes ☐ Yes , subject to condition ☐ No
CL45 Hazardous Uses Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL46 Radiation Emission Levels Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL47 Flood Affected Land Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL48 Potentially Contaminated Land Applicable: ☒ Yes ☐ No	Complies: Based on the previous land uses if the site likely to be contaminated? ☐ Yes ☒ No Is the site suitable for the proposed land use? ☒ Yes ☐ No
CL49 Remediation of Contaminated Land Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL49a Acid Sulfate Soils Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL50 Safety & Security Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL51 Front Fences and Walls Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL52 Development Near Parks, Bushland Reserves & other public Open Spaces Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL53 Signs Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL54 Provision and Location of Utility Services Applicable:	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No



Warringah Council

☐ Yes ☒ No	
CL55 Site Consolidation in 'Medium Density Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL56 Retaining Unique Environmental Features on Site Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL57 Development on Sloping Land Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL58 Protection of Existing Flora Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL59 Koala Habitat Protection Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL60 Watercourses & Aquatic Habitats Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL61 Views Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL62 Access to sunlight Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No
CL63 Landscaped Open Space Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL63A Rear Building Setback Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No
CL64 Private open space Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No



Warringah Council

CL65 Privacy Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No
CL66 Building bulk Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No
CL67 Roofs Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No
CL68 Conservation of Energy and Water Applicable: ☒ Yes ☐ No	Complies: ☐ Yes ☒ Yes , subject to condition ☐ No
CL69 Accessibility – Public and Semi-Public Buildings Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL70 Site facilities Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL71 Parking facilities (visual impact) Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL72 Traffic access & safety Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL73 On-site Loading and Unloading Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL74 Provision of Carparking Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL75 Design of Carparking Areas Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL76 Management of Stormwater Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No



Warringah Council

CL77 Landfill Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL78 Erosion & Sedimentation Applicable: ☒ Yes ☐ No	Complies: ☐ Yes ☒ Yes , subject to condition ☐ No
CL79 Heritage Control Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL80 Notice to Metropolitan Aboriginal Land Council and the National Parks and Wildlife Service Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL81 Notice to Heritage Council Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL82 Development in the Vicinity of Heritage Items Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
CL83 Development of Known or Potential Archaeological Sites Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No

Schedules:

Schedule 5 State policies Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 6 Preservation of bushland Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 7 Matters for consideration in a subdivision of land Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 8 Site analysis Applicable: ☒ Yes ☐ No	Complies: ☒ Yes ☐ Yes , subject to condition ☐ No



Warringah Council

Schedule 9 Notification requirements for remediation work Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 10 Traffic generating development Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 11 Koala feed tree species and plans of management Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 12 Requirements for complying development Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 13 Development guidelines for Collaroy/Narrabeen Beach Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 14 Guiding principles for development near Middle Harbour Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 15 Statement of environmental effects Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No
Schedule 17 Carparking provision Applicable: ☐ Yes ☒ No	Complies: ☐ Yes ☐ Yes , subject to condition ☐ No



Warringah Council

Other Relevant Environmental Planning Instruments:

SEPPs: Applicable? ☒ Yes ☐ No

SEPP Basix: Applicable?

☒ Yes ☐ No

If yes: Has the applicant provided Basix Certification?

☒ Yes ☐ No

SEPP 55 Applicable?

☒ Yes ☐ No

Based on the previous land uses if the site likely to be contaminated?

☐ Yes ☒ No

Is the site suitable for the proposed land use?

☒ Yes ☐ No

SEPP Infrastructure

Applicable?

☒ Yes ☐ No

Is the proposal for a swimming pool:

Within 30m of an overhead line support structure?

☐ Yes ☒ No

Within 5m of an overhead power line ?

☐ Yes ☒ No

Does the proposal comply with the SEPP?

☒ Yes ☐ No



REPs: Applicable?: ☐ Yes ☒ No

EPA Regulation Considerations:

Clause 54 & 109 (Stop the Clock) Applicable: ☐ Yes ☒ No	
Clause 92 (Demolition of Structures) Applicable: ☐ Yes ☒ No	Addressed via condition? ☐ Yes ☐ No
Clause 92 (Government Coastal Policy) Applicable: ☐ Yes ☒ No	Is the proposal consistent with the Goal and Objectives of the Government Coastal Policy ? ☐ Yes ☐ No
Clause 93 & 94 (Fire Safety) Applicable: ☒ Yes ☐ No	Addressed via condition? ☒ Yes ☐ No
Clause 94 (Upgrade of Building for Disability Access) Applicable: ☐ Yes ☒ No	Addressed via condition? ☐ Yes ☐ No
Clause 98 (BCA) Applicable: ☒ Yes ☐ No	Addressed via condition? ☒ Yes ☐ No

REFERRALS

Referral Body/Officer	Required	Response
Development Engineering	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
Landscape Assessment	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
Bushland Management	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition



Warringah Council

		☐ Unsatisfactory
Catchment Management	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
Aboriginal Heritage	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
Env. Health and Protection	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
NSW Rural Fire Service	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory
Energy Australia	☐ Yes ☒ No	☐ Satisfactory ☐ Satisfactory, subject to condition ☐ Unsatisfactory

Applicable Legislation/ EPI's /Policies:

- | | |
|---|---|
| ☒ EPA Act 1979 | ☒ SEPP No. 55 – Remediation of Land |
| ☒ EPA Regulations 2000 | ☐ SEPP No. 71 – Coastal Protection |
| ☐ Disability Discrimination Act 1992 | ☒ SEPP BASIX |
| ☐ Local Government Act 1993 | ☐ SEPP Infrastructure |
| ☐ Roads Act 1993 | ☒ WLEP 2000 |
| ☐ Rural Fires Act 1997 | ☒ WDCP |
| ☐ RFI Act 1948 | ☐ S94 Development Contributions Plan |
| ☐ Water Management Act 2000 | ☒ S94A Development Contributions Plan |
| ☐ Water Act 1912 | ☐ NSW Coastal Policy (cl 92 EPA Regulation) |
| ☐ Swimming Pools Act 1992; | ☐ Other |


SECTION 79C EPA ACT 1979

Section 79C (1) (a)(i) – Have you considered all relevant provisions of any relevant environmental planning instrument?	☒ Yes ☐ No
Section 79C (1) (a)(ii) – Have you considered all relevant provisions of any draft environmental planning instrument	☒ Yes ☐ No
Section 79C (1) (a)(iii) – Have you considered all relevant provisions of any provisions of any development control plan	☒ Yes ☐ No
Section 79C (1) (a)(iia) - Have you considered all relevant provisions of any Planning Agreement or Draft Planning Agreement	☐ Yes ☐ No ☒ N/A
Section 79C (1) (a)(iv) - Have you considered all relevant provisions of any Regulations?	☒ Yes ☐ No
Section 79C (1) (b) – Are the likely impacts of the development, including environmental impacts on the natural and built environment and social and economic impacts in the locality acceptable?	☒ Yes ☐ No
Section 79C (1) (c) – Is the site suitable for the development?	☒ Yes ☐ No
Section 79C (1) (d) – Have you considered any submissions made in accordance with the EPA Act or EPA Regs?	☒ Yes ☐ No
Section 79C (1) (e) – Is the proposal in the public interest?	☒ Yes ☐ No



Warringah Council

SECTION 3 – SITE INSPECTION ANALYSIS



Site area 2135sqm

Detail existing onsite structures:

- ☐ None
- ☒ Dwelling
- ☐ Detached Garage
- ☐ Detached shed
- ☒ Swimming pool
- ☐ Tennis Court
- ☐ Cabana
- ☐ Other

Site Features:

- ☒ None
- ☐ Trees
- ☐ Under Storey Vegetation
- ☐ Rock Outcrops
- ☐ Caves

- ☐ Overhangs
- ☐ Waterfalls
- ☐ Creeks / Watercourse
- ☐ Aboriginal Art / Carvings
- ☐ Any Item of / or any potential item of heritage significance

Potential View Loss as a result of development

- ☐ Yes ☒ No

If Yes where from (in relation to site):

- ☐ North / South
- ☐ East / West
- ☐ North East / South West
- ☐ North West / South East

View of:

Ocean / Waterways ☐ Yes ☐ No

Headland ☐ Yes ☐ No



Warringah Council

District Views

☐ Yes ☐ No

Bushland

☐ Yes ☐ No

Other:

Bushfire Prone?

☐ Yes ☒ No

Flood Prone?

☐ Yes ☒ No

Affected by Acid Sulfate Soils

☐ Yes ☒ No

Located within 40m of any natural watercourse?

☐ Yes ☒ No

Located within 1km landward of the open coast watermark or within 1km of any bay estuaries, coastal lake, lagoon, island, tidal waterway within the area mapped within the NSW Coastal Policy?

☐ Yes ☒ No

Located within 100m of the mean high watermark?

☐ Yes ☒ No

Located within an area identified as a Wave Impact Zone?

☐ Yes ☒ No

Any items of heritage significance located upon it?

☐ Yes ☒ No

Located within the vicinity of any items of heritage significance?

☐ Yes ☒ No

Located within an area identified as potential land slip?

☐ Yes ☒ No

Is the development Integrated?

☐ Yes ☒ No

Does the development require concurrence?

☐ Yes ☒ No

Is the site owned or is the DA made by the "Crown"?

☐ Yes ☒ No

Have you reviewed the DP and s88B instrument?

☒ Yes ☐ No

Does the proposal impact upon any easements / Rights of Way?

☐ Yes ☒ No



Warringah Council

Site Inspection / Desktop Assessment Undertaken by:

Does the site inspection <Section 3> confirm the assessment undertaken against the relevant EPI's <Section's 1 & 2>?	☒ Yes ☐ No
Are there any additional matters that have arisen from your site inspection that would require any additional assessment to be undertaken?	☐ Yes ☒ No If yes provide detail:

Signed

Date

John Essenstam, Development Assessment Officer



SECTION 4 – APPLICATION DETERMINATION

Conclusion:

The proposal has been considered against the relevant heads of consideration under S79C of the EPA Act 1979 and the proposed development is considered to be:

- ☒ Satisfactory
- ☐ Unsatisfactory

Recommendation:

That Council as the consent authority

- ☒ **GRANT DEVELOPMENT CONSENT** to the development application subject to:
- (a) the conditions detailed within the associated notice of determination; and
 - (b) the consent lapsing within three (3) years from operation
- ☐ **GRANT DEFERRED COMMENCEMENT CONSENT** to the development application subject to:
- (a) the conditions detailed within the associated notice of determination;
 - (b) limit the deferred commencement condition time frame to 3 years;
 - (c) one the deferred commencement matter have been satisfactorily addressed issue an operational consent subject to the time frames detailed within part (d); and
 - (d) the consent lapsing within three (3) from operation
- ☐ **REFUSE development consent** to the development application subject to:
- (a) the reasons detailed within the associated notice of determination.

Signed _____ Date _____

John Essenstam Development Assessment Officer

The application is determined under the delegated authority of:

Signed _____ Date _____

Rodney Piggott Team Leader, Development Assessment