

GENERAL NOTES

All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work.

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

drawn	date	issue	amendment
EU	24/06/19	A	ISSUE FOR DA

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003



6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life

Elsira and Housni Zeravica Bungalow Homes

true north drawing 3D VIEWS project no date sheet no. scale @ A3 issue drawn 19-51 24/06/19 0 A RK





1:200

All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work. No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to

No Survey has been made on the boundaries, all bearings, distances and alleas have been taken from the contour survey plant. The contractor is to ensure that the boundary confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the

. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

drawn	date	issue	amendment
EU	24/06/19	Α	ISSUE FOR DA

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003



6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53

scale @ A3 issue drawn


1:200 A RK

true north drawing Elsira and Housni Zeravica " Bungalow Homes



spaces designed for life





All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work.

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to

No Survey has been made on the boundaries, all bearings, distances and areas have been laken from the contour survey plant. A convey made to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the

In the event of encountering any discrepaticles on these drawings, specification is subsequent instructions assets, and burden assets and designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

Indicate the start of any work.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

drawn	date	issue	amendment
EU	24/06/19	Α	ISSUE FOR DA

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003



6/7 Parkes Street,

Parramatta NSW 2150 www.rkdesigns.com.au admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life









scale @ A3 issue drawn project no date 19-51 24/06/19 2 1:100 A RK







All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work. No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to

In the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the

In the event of encountering any discrepancies on these drawings, specification of succession of succession for the vent of encountering any discrepancies on these drawings, specification of succession for succession for the succession for the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is

	al a b a		
drawn	date	issue	amendment
EU	24/06/19	A	ISSUE FOR DA

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003




Parramatta NSW 2150 www.rkdesigns.com.au dmin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life

scale @ A3 issue drawn

1:200 A


Elsira and Housni Zeravica



SITE ANALYSIS

sheet no.





All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work. No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contractor is to ensure that the boundary locations.


No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.





admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life

1:200 A RK


sheet no. scale @ A3 issue drawn

Elsira and Housni Zeravica "Bungalow Homes



SHADOW DIAGRAM 21-ST JUNE 9AM





All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work. No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contractor is to ensure that the boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

П	drawn	date	issue	amendment
П	EU	24/06/19	Α	ISSUE FOR DA
П				
П				
П				
П				
П				
П				

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003



Parramatta NSW 2150 www.rkdesigns.com.au dmin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53






spaces designed for life

1:200 A RK

sheet no. scale @ A3 issue drawn





No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contractor is to ensure that the boundary locations.

No survey has been made on the boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

drawn	date	issue	amendment
EU	24/06/19	Α	ISSUE FOR DA

TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003



dmin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life


1:200 A RK

Elsira and Housni Zeravica Bungalow Homes





## AREA CALCULATIONS SCHEDULE



Only of the very last been made of the boundaries, an bearings, distances and aleas have been label in fulfill the conductive yield. A survey must be carried out to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the

. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

ш					П	ľ	4
П	drawn	date	issue	amendment	П		I
	EU	24/06/19	A	ISSUE FOR DA			


TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003




admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life

true north drawing Elsira and Housni Zeravica AREA CALCULATIONS sheet no. scale @ A3 issue drawn project no date 19-51 24/06/19 . 1 of 1 1:200 A RK








EAST ELEVATION.


1:250



SOUTH ELEVATION.


1:250

(3)



NORTH ELEVATION.

1:250



WEST ELEVATION.



northern

1 : 250

PROPOSED CONSTRUCTION OF A GRANNY FLAT AT 1 TINGIRA PLACE, FORESTVILLE LOT 3 IN DP 29003

CONSENT



6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au admin@rkdesigns.com.au 02 9633 4797 abn. 393 300 330 53 spaces designed for life

client
Elsira and Housni Zeravica

true north
NOTIFICATION ELEVATION

project no date sheet no. scale @ A4 issue drawn
19-51 24/06/19 .1 of 2 1 : 250 A RK





Suite 5, 7 Parkes Street Parramatta NSW 2150 02 9633 4797 www.rkdesigns.com.au admin@rkdesigns.com.au

> 18/07/2019 ref:19-51

# PROPOSED EXTERNAL MATERIAL AND COLOUR FINISHES SCHEDULE FOR THE CONSTRUCTION OF A SECONDARY DWELLING 1 TINGIRA PLACE, FORESTVILLE, NSW

**EXTERNAL WALLS** 

Finish Acrylic Rendered Ploy Foam with Paint finish

Manufacturer Dulux Weathershield

Colour Vivid White

**ROOF** 

Type Single Skillion Roof

Manufacturer Colorbond
Colour Shale Grey

Finish Trimdeck Metal Sheet

**GUTTERS, DOWNPIPES AND FASCIA** 

Finish Steel

Manufacturer Colorbond
Colour Jasper

**ALUMINIUM FRAME WINDOWS & SLIDING DOOR** 

Finish Paint Finish

Manufacturer Dulux Weathershield

Colour Jasper

**BEAM AND COLUMNS** 

Finish Paint Finish
Manufacturer Colorbond

Colour Monument

THIS PLAN IS TO BE READ IN CONJUNCTION WITH THE CONDITIONS OF DEVELOPMENT CONSENT

beaches

DA2019/1235







