

SUBJECT TO SECTION 4.55 CHANGE

С

Schedule of Amendments:

1 - Pre-laneway activation Ground Floor Plan:

A Ground Floor plan demonstrating how the rear of the site is to be utilised prior to activation of the laneway is included. Until the laneway is activated, lodgers will be able to utilise the motorcycle parking space for additional bicycle parking, as well as the rear of the site for additional communal open space.

2 – Site Manager's Office:
The Ground Floor Plan has been reconfigured to include a Site Manager's Office. The office is located adjacent to the entrance to the building, with glazing through to the entrance ramp and courtyard

creation of a dedicated office space. The Accessible WC has been relocated, refer to point 4 below.

areas allowing for passive surveillance by the Manager. Concerns from lodgers and/or the public may also be more easily addressed through

The location of the OSD Tank indicated

13 - OSD Tank:

General Notes

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

All dimensions are in millimetres unless stated otherwise. All achitectural drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on ate prior to the commencement of work, shop drawings or fabrication of any components. Refer all discrepancies to the Architect for determination. Drawings are not to be scaled, use only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared or and to behalf of the clients noted on the drawing. BAA Architecture's responsibility



A 2/9/2022 B 2/9/2022 C 5/9/2022

e Issue
2022 Additional Information for Council
2022 Additional Information for Council
2022 Additional Information for Council

Client
Denwol Group

SYDNEY
49-51
Greek Street
Glebe, NSW 2037

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com BKA Architecture

Sydney
Sule 104,
77 Durning Ave,
19 Bolon St.
10 Salson St.

 SYDNEY
 NEWCASTLE
 NORTH COAST

 Sule 104,
 Sule 4
 Unit 1

 77 Dunning Ave,
 19 Botton St,
 10 Station St,

 Rosebery,
 Newcastle
 Bagglow

 NSW 2018
 NSW 2300
 NSW 2479

 T: +61 2 9318 9200
 T: +61 2 926 5563
 T: +61 2 6687 2712

 E: bise@bis.com.au
 T: +61 2 6687 2712

Scale at A1 1:100

5/9/2022

Drawn

RS, AK

691 Pittwater Road

Not for Construction

Project Address

Drawing

Ground I

Ground Floor Plan

21055

3 – Balconies:

Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1 m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

4 – Accessible Bathrooms:

One accessible WC from the Ground Floor has been relocated to Level 1, adjacent to the proposed office space. This provides easier access to the amenities for future workers.

5 - Southwest Rooms:

5 – Southwest Rooms:

To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this façade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recode from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

12 - Office/Mezzanine:

The width of the office space and mezzanine increased, Services room to corridor adjacent to office space

15 - Rearrangement of Internal

Layouts:
The internal layout has been rearranged to simplify and improve the the amenity.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation Typical

SUBJECT TO SECTION 4.55 CHANGE

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022

Additional Information for Council Additional Information for Council Denwol Group

BKA Architecture NORTH COAST Unit 1 10 Station St, Bangalow NSW 2479

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc Drawn

691 Pittwater Road

Project Address

PITTWATER ROAD

Level 1 Floor Plan

21055

Drawing No. **DA 801**

SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com


T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

RS, AK

Not for Construction

В





3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed silding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass ballustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor be be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this faqade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

12 – Office/Mezzanine:
The width of the office space and mezzanine increased, Services room to corridor adjacent to office space

15 – Rearrangement of Internal Layouts: The internal layout has been rearranged to simplify and improve the the amenity.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation.

SUBJECT TO SECTION 4.55 CHANGE

В

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 Additional Information for Council 2/9/2022 Additional Information for Council Denwol Group

49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc Drawn

RS, AK

691 Pittwater Road

Not for Construction

Project Address

Drawing

Level 2 Floor Plan

Project No. 21055

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor bal have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this façade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

6 – Shared Laundries:
New shared laundries are proposed on Levels 3 & 4.
Level 3 laundry will provide 5 washing machines and
5 clothes dryers in a stacked arrangement as well as
a tub, whereas Level 4 laundry will provide 4
washing machines, 6 clothes dryers and a tub. One
clothes dryer will be located at low level for
accessibility.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

15 – Rearrangement of Internal Layouts: The internal layout has been rearranged to simplify and improve the the amenity.

17 - Drop bolt: Drop bolt to all balcony doors for security/ventilation. Typical

SUBJECT TO SECTION 4.55 CHANGE

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022

Additional Information for Council Additional Information for Council Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc Drawn

RS, AK

691 Pittwater Road

Not for Construction

Project Address

PITTWATER ROAD

Drawing

Level 3 Floor Plan

Project No. 21055 В

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor bal have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this façade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

6 – Shared Laundries:
New shared laundries are proposed on Levels 3 & 4.
Level 3 laundry will provide 5 washing machines and
5 clothes dryers in a stacked arrangement as well as
a tub, whereas Level 4 laundry will provide 4
washing machines, 6 clothes dryers and a tub. One
clothes dryer will be located at low level for
accessibility.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

15 – Rearrangement of Internal Layouts: The internal layout has been rearranged to simplify and improve the the amenity.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation.

SUBJECT TO SECTION 4.55 CHANGE

В

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022

Issue Additional Information for Council Additional Information for Council

Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc Drawn

RS, AK

691 Pittwater Road

Project Address


Not for Construction

PITTWATER ROAD

Drawing

Level 4 Floor Plan

Project No. 21055



3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor bal have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this faqade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation.
Typical

SUBJECT TO SECTION 4.55 CHANGE

В

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022 Issue Additional Information for Council Additional Information for Council

Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc

Drawn

RS, AK

691 Pittwater Road

Not for Construction

Project Address

PITTWATER ROAD

Drawing

Level 5 Floor Plan

21055

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor bal have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this faqade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation.
Typical

SUBJECT TO SECTION 4.55 CHANGE

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022

Issue Additional Information for Council Additional Information for Council

Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Date

 \bigcirc Drawn

RS, AK

Project Address 691 Pittwater Road


Not for Construction

PITTWATER ROAD

Drawing

Level 6 Floor Plan

21055 В



3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor bal have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

compilance with FSH controls.

5 — Southwest Rooms:
To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 687 Pittwater Road is developed. To maintain the readability of 3 distinct forms on this façade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

7 – Workers WC:
Level 7 Floor Plan has been reconfigured to include
a worker's WC in proximity to the plant areas. This
eliminates the need for workers to descend to
Ground Floor or Level 1 to use the facilities. The
kitchen within the communal room has been
relocated to the North-eastern end to accommodate
this change.

17 - Drop bolt:

Drop bolt to all balcony doors for security/ventilation. Typical

SUBJECT TO SECTION 4.55 CHANGE

С

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



2/9/2022 2/9/2022 5/9/2022

Additional Information for Council Additional Information for Council Additional Information for Council Denwol Group 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.au

BKA Architecture

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1 Date

5/9/2022

 \bigcirc Drawn

RS, AK

Project Address 691 Pittwater Road

Not for Construction


PITTWATER ROAD

Drawing

Level 7 Floor Plan

21055





3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor balave moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

Schedule of Amendments:

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall

9 – Fire Stair:
To address NCC non-compliances with the Fire Stair being unenclosed at the Root Level, the Fire Stair has been reconfigured at Roof level only to allow a concrete lid to be constructed to enclose the stair. The lid does not encroach the allowable height limit. No other changes are proposed to the Fire Stair.

10 – Rooftop floor finish:
The pebble finish on the Roof level service areas is to be replaced with a trafficable epoxy membrane to allow a more durable and serviceable finish.

11 — Mechanical Plant:
The Urban Farm on Roof level has been shifted towards the rear of the building to create a dedicated area for locating mechanical plant. To ensure acoustic and visual amenity for residents, the mechanical plant area is proposed to be surrounded by an acoustic barrier in a powdercoat finish. The barrier is proposed to be 1500mm high, which does not encroach the allowable height limit. The barrier will also act a balustrade, providing safe access for maintenance.

SUBJECT TO SECTION 4.55 CHANGE

В

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY. CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



Issue Additional Information for Council 2/9/2022 2/9/2022 Additional Information for Council

Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com W: www.denwol.com

BKA Architecture NORTH COAST Unit 1 10 Station St, Bangalow NSW 2479

NEWCASTLE Suite 4 19 Bolton St, Newcastle NSW 2300 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1 Date

5/9/2022

 \bigcirc Drawn

RS, AK


Project Address 691 Pittwater Road

Rooftop Floor Plan

Not for Construction

21055

Drawing No.





THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT **CONSENT**

MOD2022/0204

Schedule of External Finishes



1. Existing Concrete Block Wall Colour: White













7. Steel Window Shades Colour: Monument or





9. Timber Looking Lift Lobby Screening



10. Accent Paint Colours
a. Dulux Satorini (S33H3)
b. Dulux Copacabana (S33H7)
c. Dulux Rosetta (S07D5)
d. Dulux Buzz (S15H7)



11. FC Cladding Colour: Mid grey



12. Precast Concrete 13. Frameless Glass Balustrade Panels Vertical Groove

Schedule of Amendments:

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazaed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. Offset the reduction in floor areas of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor ballow that strades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

Not for Construction

RS, AK

14 – Communal Living Room:
Kitchen relocated to the north-eastern wall, Increased glazing to the communal living room. Width and area of the communal living room has

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



Denwol Group

49-51 Greek Street Glebe, NSW 2037 Australia T: +61 2 9211 0688 E: info@denwol.com.ai W: www.denwol.com.a **BKA Architecture**

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

691 Pittwater Road

Project Address

Elevations 1



THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

MOD2022/0204



Northwest Elevation 1:100

POST-REAR LANE CONSTRUCTION GROUND FLOOR ELEVATION SHOWN REAR FENCE WALL AND PLANTER OMITTED FROM VIEW FOR CLARITY


3. Glass Canopy Awning
Colour: Clear

4. Metal Balustrade
Colour: Black

Schedule of External Finishes



8. Aluminium Window and Door Frames Colour: Black



2. Existing Granite Cladding Colour: Red Granite

9. Timber Looking Lift Lobby



10. Accent Paint Colours
a. Dulux Satorini (S33H3)
b. Dulux Copacabana (S33H7)
c. Dulux Rosetta (S07D5)
d. Dulux Buzz (S15H7)





5. Precast Concrete Panels





7. Steel Window Shades





13. Frameless Glass

Schedule of Amendments:

3 – Balconies:

Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the facade to be maintained. To offset the reduction infor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:
To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

Not for Construction

General Notes

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

All dimensions are in millimetres unless stated otherwise.

All architectural, drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on step rior to the commencement of work, shop drawings or fabrication of any components. Refer all only for the commencement of work, shop drawings or fabrication of any components. Refer all only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared for and on behalf of the clients noted on the drawing BKA Architecture's responsibility is to these clients only and not to any third party who may rely on these documents.

Nominated Architecture (NSW) - John Baker SSG2, John Kavarangis SSG9.



Denwol Group

49-51 Greek Street Glebe, NSW 2037 Australia T: +61 2 9211 0688 E: info@denwol.com.ai W: www.denwol.com.a

BKA Architecture

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

11. FC Cladding Colour: Mid grey

12. Precast Concrete

Panels Vertical Groove

Scale at A1 1:100, 1:1

5/9/2022


RS, AK

Project Address 691 Pittwater Road

Elevations 2

21055





Schedule of External Finishes



DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

northern beaches

THIS PLAN IS TO BE READ IN **CONJUNCTION WITH**

CONSENT

MOD2022/0204

All dimensions are in millimetres unless stated otherwise.

All architectural, drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on step rior to the commencement of work, shop drawings or fabrication of any components. Refer all only for the commencement of work, shop drawings or fabrication of any components. Refer all only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared for and on behalf of the clients noted on the drawing BKA Architecture's responsibility is to these clients only and not to any third party who may rely on these documents.

Nominated Architecture (NSW) - John Baker SSG2, John Kavarangis SSG9.



Denwol Group

49-51 Greek Street Glebe, NSW 2037 Australia

BKA Architecture

Scale at A1 1:100, 1:1

 \bigcirc

691 Pittwater Road

Project Address

11 - Mechanical Plant:

Schedule of Amendments:

Elevations 3

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1 mb between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.


8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwes Rooms to be offset, for no net loss of landscaping overall.

9 – Fire Stair:
To address NCC non-compliances with the Fire Stair being unenclosed at the Roof Level, the Fire Stair has been reconfigured at Roof level only to allow a concrete lid to be constructed to enclose the stair. The lid does not encroach the allowable height limit. No other changes are proposed to the Fire Stair.

The Urban Farm on Roof level has been shifted towards the rear of the building to create a dedicated area for locating mechanical plant. To ensure acoustic and visual amenity for residents, the mechanical plant area is proposed to be surrounded by an acoustic barrier in a powdercoat finish. The barrier is proposed to be 1500mm high, which does not encroach the allowable height limit. The barrier will also act a balustrade, providing safe access for maintenance.

Drawn 5/9/2022 RS, AK Not for Construction 21055 **DA 811** T: +61 2 9211 0688 E: info@denwol.com.ai W: www.denwol.com.a T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au





PITTWATER RD

THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

MOD2022/0204

Schedule of Amendments:

5 – Southwest Rooms:

To increase long-term amenity for the Rooms adjacent the side boundary to the south-west, these Rooms have been reconfigured to utilise the void space that existed between the Rooms and the core. Pre-cast concrete panels are proposed to what was previously an opening, as the openings may only exist until the neighbouring site at 68P riturater Road is developed. To maintain the readability of 3 distinct forms on this façade until the neighbouring site is developed, the additional pre-cast concrete is proposed to be a darker colour with textured relief to contrast and recede from the main pre-cast façade. This reconfiguration does not affect compliance with FSR controls.

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION



Denwol Group

T: +61 2 9211 0688 E: info@denwol.com.ai W: www.denwol.com.a

BKA Architecture

Scale at A1 1:100, 1:1

691 Pittwater Road

Project Address

Elevations 4

5/9/2022 RS, AK Not for Construction 21055 DA 812 T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au



NOTE: POST-REAR LANE CONSTRUCTION ARRANGEMENT SHOWN

Section A 1:100



THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

MOD2022/0204

Schedule of Amendments:

3 – Balconies:
Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

6 – Shared Laundries:

New shared laundries are proposed on Levels 3 & 4. Level 3 laundry will provide 5 washing machines and 5 clothes dryers in a stacked arrangement as well as a tub, whereas Level 4 laundry will provide 4 washing machines, 6 clothes dryers and a tub. One clothes dryer will be located at low level for accessibility.

8 – Planter boxes:

To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

Not for Construction

11 – Mechanical Plant:
The Urban Farm on Roof level has been shifted towards the rear of the building to create a dedicated area for locating mechanical plant. To ensure acoustic and visual amenity for residents, the mechanical plant area is proposed to be surrounded by an acoustic barrier in a powdercoat finish. The barrier is proposed to be 1500mm high, which does not encroach the allowable height limit. The barrier will also act a balustrade, providing safe access for maintenance.

General Notes

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

All dimensions are in millimetres unless stated otherwise.

All architectural, drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on step rior to the commencement of work, shop drawings or fabrication of any components. Refer all only for the commencement of work, shop drawings or fabrication of any components. Refer all only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared for and on behalf of the clients noted on the drawing BKA Architecture's responsibility is to these clients only and not to any third party who may rely on these documents.

Nominated Architecture (NSW) - John Baker SSG2, John Kavarangis SSG9.



Denwol Group SYDNEY 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.a

BKA Architecture

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

Scale at A1 1:100, 1:1

5/9/2022

Drawn


RS, AK

Project Address 691 Pittwater Road

MK

Drawing Sections 01

21055 Α DA 813



General Notes

northern

beaches

CONJUNCTION WITH

CONSENT

MOD2022/0204

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

All dimensions are in millimetres unless stated otherwise.

All architectural, drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on step rior to the commencement of work, shop drawings or fabrication of any components. Refer all only for the commencement of work, shop drawings or fabrication of any components. Refer all only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared for and on behalf of the clients noted on the drawing BKA Architecture's responsibility is to these clients only and not to any third party who may rely on these documents.

Nominated Architecture (NSW) - John Baker SSG2, John Kavarangis SSG9.



31/8/2022 Additional Information for Council

Denwol Group

BKA Architecture

Scale at A1 1:100, 1:1

Project Address 691 Pittwater Road Sections 02

17 – Drop bolt:Drop bolt to all balcony doors for security/ventilation. Typical

49-51 Greek Street Glebe, NSW 2037 Australia 5/9/2022 RS, AK Not for Construction 21055 В DA 814 T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.au T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

northern

beaches.

THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

MOD2022/0204



691 PITTWATER RD

693a PITTWATER RD



Schedule of Amendments:

14 – Communal Living Room:
Kitchen relocated to the north-eastern wall,
Increased glazing to the communal living room.
Width and area of the communal living room has



687 PITTWATER RD

Denwol Group

T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.a

BKA Architecture

Scale at A1 1:100, 1:1

691 Pittwater Road

Project Address

Sections 03

21055

DA 815

5/9/2022 RS, AK Not for Construction T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au





Section D 1:100 (2)-



T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.a

Denwol Group **BKA Architecture**

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au W: www.bka.com.au

Scale at A1 1:100, 1:1

5/9/2022


RS, AK

Project Address 691 Pittwater Road

Not for Construction

Sections 04

21055





General Notes

DO NOT SCALE FROM DRAWING. USE FIGURED DIMENSIONS ONLY, CHECK ALL DIMENSIONS ON SITE BEFORE ANY MANUFACTURE OR CONSTRUCTION

northern

beaches

THIS PLAN IS TO BE READ IN

CONJUNCTION WITH

THE CONDITIONS OF DEVELOPMENT CONSENT

MOD2022/0204

All dimensions are in millimetres unless stated otherwise.

All architectural, drawings are to be read in conjunction with the relevant consultant documents. All dimensions and levels are to be checked and verified on step rior to the commencement of work, shop drawings or fabrication of any components. Refer all only for the commencement of work, shop drawings or fabrication of any components. Refer all only figured dimensions. This drawing is copyright and must not be retained, copied or used without the permission of BKA Architecture. This document has been prepared for and on behalf of the clients noted on the drawing BKA Architecture's responsibility is to these clients only and not to any third party who may rely on these documents.

Nominated Architecture (NSW) - John Baker SSG2, John Kavarangis SSG9.



Denwol Group 49-51 Greek Street Glebe, NSW 2037 Australia

T: +61 2 9211 0688 E: info@denwol.com.au W: www.denwol.com.au

Scale at A1 1:100, 1:1

Project Address 691 Pittwater Road

Schedule of Amendments:

Detailed Section - Future Development

В

21055

DA 817

31/8/2022 Additional Information for Council

BKA Architecture

T: +61 2 9318 9200 T: +61 2 4926 5563 T: +61 2 6687 2712 E: bka@bka.com.au

5/9/2022

Drawn RS, AK MK

3 – Balconies:

Rooms at the front and rear of the boarding house have been reconfigured to accommodate balconies, to increase amenity for lodgers. The balconies do not encroach into required setbacks, with only the balustrade within the 300mm articulation zone. Access to the balconies is proposed via a glazed sliding door, which also provides improved access to daylight and natural ventilation for these rooms. Frameless glass balustrades are proposed to allow the strong vertical proportions of the façade to be maintained. To offset the reduction in floor area of each room, the corridor walls have moved 500mm towards the internal void. Corridor widths for accessibility have been maintained, as has 1 m between the corridor balustrades and central core required for the corridor to be considered unenclosed. This reconfiguration does not affect compliance with FSR controls.

8 – Planter boxes:
To address concerns with waterproofing, the masonry planter boxes are proposed to be replaced with pots. The rearrangement of landscaped areas within the Urban Farm has allowed the loss of landscaping associated with inclusion of the shared laundries and reconfiguration of the Southwest Rooms to be offset, for no net loss of landscaping overall.

11 – Mechanical Plant:

The Urban Farm on Roof level has been shifted towards the rear of the building to create a dedicated area for locating mechanical plant. To ensure acoustic and visual amenity for residents, the mechanical plant are is proposed to be surrounded by an acoustic barrier in a powdercoat finish. The barrier is proposed to be 1500mm high, which does not encroach the allowable height limit. The barrier will also act a balustrade, providing safe access for maintenance.

17 – Drop bolt:Drop bolt to all balcony doors for security/ventilation. Typical

Not for Construction