

Plan Form No. 2 (for Deposited Plan)

Municipality of
Shire of Warringah

D946588 4-1-49.


PLAN

of subdivision of land in C.T. Vo. 5126 Fo. 227

PARISH OF MANLY COVE COUNTY OF CUMBERLAND

Scale 80 ft to an inch

the plan numbered & re
DEPOSITED PLAN No 21576
6th day of April 49
REGISTRAR GENERAL



It is intended to dedicate Thomas St.
and the cut off corners provided in this
plan to the public.
Cut off corners are 12'
Henry Weiller.
Rachel Weiller

I, **Samuel Chatfield** of **Sydney**,
a Surveyor registered under the Surveyors Act, 1929, do hereby solemnly and sincerely
declare (a) that all boundaries and measurements shown on this plan are correct,
(b) that all survey marks found and relevant physical objects on or adjacent to the
boundaries are correctly represented, (c) that all physical objects indicated actually exist
in the positions shown, (d) that the whole of the material facts in relation to the land
are correctly represented, (e) that the survey represented in this plan has been made
in accordance with the Survey Practice Regulations, 1933 * (4) by me (2) under my
supervision, the character and extent of which was as required by the Survey Practice
Regulations, 1933; and was completed on 22nd Dec. 1948 and the reference
marks have been placed as shown hereon.

And I make this solemn declaration conscientiously believing the same to be true, and
by virtue of the provisions of the Oaths Act, 1900
(Signature) *S. Chatfield*
Surveyor registered under the Surveyors Act, 1929.

Approved by Council & Covered by Council Clerk's Certificate
No. *2127* of *23-12-48*
Council Clerk.
Datum line of Azimuth A-B.

Subscribed and declared before me at Sydney
this 22nd day of December A.D. 1948

J.P. Date of Survey

*Strike out either (1) or (2). †Insert date of Survey.



CONVERSION TABLE ADDED IN
REGISTRAR GENERAL'S DEPARTMENT

DP 21576

FEET	INCHES	METRES
-	4	0.102
-	6	0.152
1	-	0.305
1	6	0.457
1	6 1/4	0.464
1	6 3/4	0.476
5	8 3/4	1.746
5	11	1.803
6	2 1/2	1.892
6	11 3/4	2.127
7	1	2.159
9	1	2.769
11	4 1/2	3.467
12	-	3.658
13	1 1/4	3.994
13	7 1/2	4.153
14	7 3/4	4.464
15	7 1/2	4.763
16	11 1/2	5.169
17	-	5.182
22	-	6.706
28	-	8.534
28	7 3/4	8.731
29	4	8.941
30	6	9.296
33	-	10.058
33	2 3/4	10.128
38	-	11.582
41	2	12.548
42	8	13.005
42	8 3/4	13.024
44	0 1/4	13.418
45	10 3/4	13.989
46	1 1/2	14.059
46	3	14.097
46	3 3/4	14.116
47	9 3/4	14.573
48	1	14.656
48	11 1/2	14.923
49	1	14.961
50	-	15.240
50	0 5/8	15.256
50	2 1/4	15.297
50	3 1/2	15.329
50	6 3/4	15.411
51	-	15.545
51	0 5/8	15.561
51	2 1/4	15.602
51	2 1/2	15.608
53	-	16.154
53	0 5/8	16.170
53	2 1/2	16.218
53	3 1/2	16.243
54	-	16.459
54	0 5/8	16.475
54	2 1/2	16.523
54	8	16.662
57	0 1/2	17.386
57	2	17.424
58	-	17.678
58	11 1/4	17.964
59	-	17.983
60	4	18.390
66	-	20.117
72	2	21.996
75	1	22.885
78	-	23.774
94	3 3/4	28.746
96	2 1/2	29.324
99	4 1/2	30.290
110	3 1/4	33.611
111	4 1/2	33.947
111	4 3/4	33.953
111	5	33.960
111	7 1/2	34.023
111	8 1/2	34.049
113	11	34.722



CONVERSION TABLE ADDED IN
REGISTRAR GENERAL'S DEPARTMENT

DP 21576 - CONTINUED

FEET INCHES		METRES
114	0 1/4	34.754
115	3 1/2	35.141
116	3	35.433
116	4	35.458
116	10 1/4	35.617
118	6	36.119
118	7	36.144
119	6 1/2	36.436
119	10	36.525
120	4	36.678
120	8 1/4	36.786
120	9	36.805
122	10 1/2	37.452
122	11 1/4	37.471
125	-	38.100
125	1	38.125
125	3 1/2	38.189
125	4	38.202
127	1 3/4	38.754
127	2 1/2	38.773
128	7 3/4	39.211
129	4	39.421
131	5 1/2	40.069
132	9 1/2	40.475
133	7 1/2	40.729
133	8	40.742
142	8 3/4	43.504
143	3	43.663
145	8 3/4	44.418
145	9 1/2	44.437
145	10	44.450
145	10 3/4	44.469
145	11 1/2	44.488
146	0 1/4	44.507
146	1	44.526
146	1 1/2	44.539
146	2 1/4	44.558
146	3 3/4	44.596
146	4 1/2	44.615
146	5	44.628
146	5 3/4	44.647
146	6 1/2	44.666
147	7 1/4	44.990
150	6 3/4	45.891
155	4 1/2	47.358
399	3	121.691
507	6	154.686
996	2 1/2	303.644

AC	RD	P	SQ M
-	-	12	303.5
-	-	15 3/4	398.4
-	-	17 3/4	448.9
-	-	22	556.4
-	-	22 1/4	562.8
-	-	22 1/2	569.1
-	-	22 3/4	575.4
-	-	23	581.7
-	-	23 1/4	588.1
-	-	23 1/2	594.4
-	-	23 3/4	600.7
-	-	24 1/4	613.4
-	-	26 1/4	663.9
-	-	26 3/4	676.6
-	-	29 1/4	739.8
-	-	30	758.8