



NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2007/570

DEVELOPMENT APPLICATION DETAILS

Applicant Name: Sheenah Eva Pincini

Applicant Address: 70D Iris Street Beacon Hill NSW 2100

Land to be developed (Address): Lot 54, DP 775297, 70D Iris Street Beacon Hill

Proposed Development: Construction of a new garage

DETERMINATION

Made on (Date): 28/11/2007

Consent to operate from (Date): 28/11/2007

Consent to lapse on (Date): 28/11/2010

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
0607021	Proposed Storage Workshop	A	August 2007	AW Design

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. **[A1 (1)]**

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. **[A2]**

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

3. Buildings located clear of pipeline, natural watercourse or Council easement

Buildings to be located clear of any pipeline, natural watercourse or Warringah Council easement. Footings of any building adjacent to an easement or pipeline to be a minimum of 300mm below the invert of the pipe and may rise by 300mm for each 300mm removed there from. Structural details prepared by a suitably qualified Civil Engineer are to be submitted to the Council / Accredited Certifier for approval prior to the issue of the Construction Certificate.

Reason: Protection of Council's Infrastructure. **[C2]**

4. Kerb Security Bond

A bond of \$2000 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: *To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

5. Protection of Footpaths and Roadways

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Protection of footpath and roadways. [C22]*

6. Pruning

Any tree pruning necessary for construction shall be carried out under the supervision of an appropriately qualified arborist. Details prepared by an appropriately qualified person, on measures to be employed during construction indicating the nature of the pruning and the long term effects on the tree shall be submitted to the Council / Accredited Certifier for approval with the Construction Certificate

Reason: *To ensure the protection and longevity of existing significant trees. [C41]*

7. Sediment Control

Where construction or excavation activity requires the disturbance of the soil surface and existing vegetation, details including plans and specifications shall be submitted to Council / Accredited Certifier accompanying the Construction Certificate, which provide adequate measures for erosion and sediment control. As a minimum, control techniques are to be in accordance with Warringah Council Guidelines on Erosion and Sediment Control, or a suitable and effective alternative method. The Control Plan shall incorporate and disclose:

- (a) All details of drainage to protect and drain the site during the construction processes;
- (b) All sediment control devices, barriers and the like;
- (c) Sedimentation tanks, ponds or the like;
- (d) Covering materials and methods;
- (e) A schedule and programme of the sequence of the sediment and erosion control works or devices to be installed and maintained.

Details from an appropriately qualified person showing that these design requirements have been met shall be submitted with the Construction Certificate and approved by the Council / Accredited Certifier prior to issuing of the Construction Certificate.



Reason: To protect the environment from the effects of sedimentation and erosion from development sites. **[C46]**

8. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
Lot 54, DP 775297, No. 70D Iris Street, Beacon Hill	
DEVELOPMENT APPLICATION NUMBER 2007/0570	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	\$2000.00
TOTAL BONDS	\$2000.00
FEES	
Kerb Security Inspection Fee	\$200.00
TOTAL FEES	\$200.00

Reason: Compliance with the development consent. **[C71]**

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

9. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. **[D1]**

10. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: Legislative requirements. **[D3]**

11. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: Legislative requirement for the naming of the PCA. **[D4]**

12. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: Statutory requirement. [D5]

13. Structural adequacy and Excavation work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required.

All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Before excavation, the responsible person must notify their intention to the adjoining owner/s and shall at the same time furnish to such owner/s particulars of the work proposed to be carried out.

Reason: Safety. [D9]

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

14. Notification of Inspections

If Council is the Principal Certifying Authority, Council's Development Engineer is to be given 48 hours notice when the works reach the following stages:

- (a) Installation of Silt and Sediment control devices
- (b) Prior to backfilling of pipelines
- (c) Prior to pouring of stormwater gully pits
- (d) Prior to pouring of kerb and gutter
- (e) Subgrade level/basecourse level
- (f) Sealing road pavement

NOTE: Any inspections carried out by Council do not imply Council approval or acceptance of the work, and do not relieve the developer/applicant from the requirement to provide an engineer's certification as conditioned above. Council approval or acceptance of any stage of the work must be obtained in writing, and will only be issued after completion of the work to the satisfaction of Council and receipt of the required certification.

Reason: Appropriate notice for works to be carried out. [E1]



15. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. **[E7]**



16. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: *Statutory requirement. [E11]*

17. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E17]*

18. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E18]*

19. No Removal of Trees on Public Property

No trees on public property (footpaths, roads, reserves, etc.) unless specifically approved in its consent shall be removed or damaged during construction including for the erection of any fences, hoardings or other temporary works.

Reason: *Protection of existing environmental infrastructure and community assets. [E21]*

20. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to



Warringah Council

5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*

21. Out of Hours Work Permits

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk. Any further variation shall require the lodgement and favourable determination of a modification application pursuant to Section 96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E27]*

22. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

23. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.



Reason: To ensure the health and safety of the community and workers on the site.
[E30]

24. Aboriginal Heritage

If in undertaking excavations or works, any Aboriginal site or relic is, or is thought to have been found, all works are to cease immediately and the applicant is to contact the Aboriginal Heritage Officer for Warringah Council, and the Department of Environment and Conservaton.

Reason: Aboriginal Heritage Protection. **[E34]**

25. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: To ensure public safety and amenity on public land. **[E35]**

26. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: To ensure public safety and amenity on public land. **[E36]**

27. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: Public Safety **[E39]**

28. All work to be located within Site Boundaries

All work and structures associated with this development consent are to be constructed wholly within the boundaries of the subject allotment.

Reason: To ensure the proposed wok does not encroach on adjoining properties.

**OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND
OTHER RELEVANT LEGISLATION**

29. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. [F1]

30. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

31. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: *Prescribed - Statutory. [F12]*

32. Retaining Walls & Drainage

If the soil conditions require it:

- (a) retaining walls associated with the erection or demolition of a building or other approved methods of preventing movement of the soil must be provided, and
- (b) adequate provision must be made for drainage in accordance with the provisions of AS3500.3.2.

Reason: *To ensure appropriate measures are in place to address site conditions and provide appropriate site drainage. [F13]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

33. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

34. Single Occupancy

- (a) Nothing in this consent shall authorise the use of the site other than for a single occupancy.
- (b) No cooking facilities are to be installed in the garage.

Reason: *To ensure compliance with the terms of this consent. [I5]*



Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed on behalf of the consent authority

Signature _____
Name Ryan Cole

Date 28/11/07