


AREAS		
SITE AREA	751.40m2	
EXISTING DWELLING		
EXISTING HABITABLE	81.34m2	
EXISTING PORCH	4.10m2	
EXISTING GARAGE UNDER	28.86m2	
TOTAL EXISTING AREA	114.30m2	
PROPOSED NEW ADDITIONS		
NEW FAMILY	32.64m2	
NEW BED.3.	19.20m2	
NEW POWDER & PART ENTRY.	2.90m2	
TOTAL NEW HABITABLE AREAS	54.74m2	
NEW DECK	47.10m2	
GARAGE CONVERSION		ITER SIDE OF NEW TERNAL FRAME


WINDOWS

No.	width	height	notes.
$\overline{}$			
\mathbb{W}_1	600	600	ALUM. CIRCULAR WINDOW
W2	1210	600	ALUM. SLIDING WINDOW
W3	1210	600	ALUM. SLIDING WINDOW
W4	4210	2100	ALUM. BI-FOLDS
W5	3010	2100	ALUM. BI-FOLDS
W9	1685	2100	ALUM. FRENCH DOORS
_			

SD DENOTES SMOKE DETECTOR

REVISI□N	DESCRIPTION	DATE	UPPER FLOOR PLAN	FOR. TIMOTHY AND LUCY McKNIGHT AT. LOT 25, No.15 QUNILAN PARADE,	DATE. 11-10-20
			OFFER FEBRUARY	MANLY VALE. 2093	
			SCALE, 1 : 100	DP7686	DRWG. No. 062020
			SCHEEL 1 - 100		SHEET NO. 03





75 1 230

TI 1 20 CAVITY

2100 T90 LINEW RETREAT 3335


BATH

NOTE

WHOLE OF EXISTING DWELLING TO BE RE-CLAD WITH CLADDING AS SELECTED BY OWNER.

WHOLE OF EXISTING DWELLING ROOF TO BE SHEETED WITH NEW COLORBOND ROOF AS SELECTED BY OWNER.

FOR EAVES TO COMPLY WITH BASIX THE LEADING EDGE OF THE GUTTER MUST EXTEND A MIN. 600mm FROM OUTER FACE OF EXTERNAL WALL CLADDING.



WINDOWS

No.	width	height	notes.
(W6)	1720	2100	ALUM. FRENCH DOORS
W7	050	000	ALLIM CLIDING WINDOW
(W7)	850	600	ALUM. SLIDING WINDOW
(W8)	1810	1200	ALUM. DOUBLE HUNG

REVISI□N	DESCRIPTION	DATE	I NWER FINNR PLAN
			SCALE, 1:100

1730

ROBE

90 _{LL}2890

11 4800 0/A

beaches

THIS PLAN IS TO BE READ IN

CONJUNCTION WITH
THE CONDITIONS OF DEVELOPMENT
CONSENT


DA2020/1373


FOR. TIMOTHY AND LUCY McKNIGHT AT. LOT 25, No.15 QUNILAN PARADE, MANLY VALE. 2093


DP7686

DATE. 11-10-20
REV

DRWG. No. 062020
SHEET NO. 04







WHOLE OF EXISTING DWELLING TO BE RE-CLAD WITH CLADDING AS SELECTED BY OWNER.

WHOLE OF EXISTING DWELLING ROOF TO BE SHEETED WITH NEW COLORBOND ROOF AS

FOR EAVES TO COMPLY WITH BASIX THE LEADING EDGE OF THE GUTTER MUST EXTEND A MIN. 600mm FROM OUTER FACE OF EXTERNAL

SELECTED BY OWNER.

WALL CLADDING.



REVISI□N	DESCRIPTION	DATE	SECTION, X,	F□R. AT.		DATE. 11-10-20 REV .
			SECTION, A.		MANLY VALE. 2093	
			SCALE. 1:100		JP / 686	DRWG. No. 062020 Sheet No. 07

