

BASIX[®] Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 578708M_03

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 18/09/2014 published by Planning & Infrastructure. This document is available at www.basix.nsw.gov.au

This certificate is a revision of certificate number 578708M lodged with the consent authority or certifier on 05 November 2014 with application DA2014/1171.

It is the responsibility of the applicant to verify with the consent authority that the original, or any revised certificate, complies with the requirements of Schedule 1 Clause 2A, 4A or 6A of the Environmental Planning and Assessment Regulation 2000

Director-General

Date of issue: Friday, 21 August 2015

To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning &
Infrastructure

Project summary

Project name	Old Chapel, 2 ILU's_03
Street address	6 Endeavour Drive Narrabeen 2101
Local Government Area	Warringah Council
Plan type and plan number	deposited 774980
Lot no.	1
Section no.	-
No. of residential flat buildings	0
No. of units in residential flat buildings	0
No. of multi-dwelling houses	2
No. of single dwelling houses	0

Project score

Water	✓ 40	Target 40
Thermal Comfort	✓ Pass	Target Pass
Energy	✓ 40	Target 40

Certificate Prepared by

Name / Company Name: Efficient Living

ABN (if applicable): 82116346082

Description of project

Project address	
Project name	Old Chapel, 2 ILU's_03
Street address	6 Endeavour Drive Narrabeen 2101
Local Government Area	Warringah Council
Plan type and plan number	deposited 774980
Lot no.	1
Section no.	-
Project type	
No. of residential flat buildings	0
No. of units in residential flat buildings	0
No. of multi-dwelling houses	2
No. of single dwelling houses	0
Site details	
Site area (m ²)	500
Roof area (m ²)	302
Non-residential floor area (m ²)	0
Residential car spaces	0
Non-residential car spaces	0

Common area landscape		
Common area lawn (m ²)	125	
Common area garden (m ²)	10	
Area of indigenous or low water use species (m ²)	0	
Assessor details		
Assessor number	BDAV/12/1473	
Certificate number	14732134	
Climate zone	56	
Project score		
Water	✓ 40	Target 40
Thermal Comfort	✓ Pass	Target Pass
Energy	✓ 40	Target 40

Description of project

The tables below describe the dwellings and common areas within the project

Multi-dwelling houses

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
Unit1	2	131.0	5.0	0	0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
Unit2	2	107.0	8.0	0	0

No common areas specified.

Schedule of BASIX commitments

1. Commitments for multi-dwelling houses

(a) Dwellings

- (i) Water
- (ii) Energy
- (iii) Thermal Comfort

2. Commitments for single dwelling houses

3. Commitments for common areas and central systems/facilities for the development (non-building specific)

- (i) Water
- (ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for multi-dwelling houses

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	✓	✓	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		✓	✓
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		✓	✓
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	✓
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	✓
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	✓	✓	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✓	
(g) The pool or spa must be located as specified in the table.	✓	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	✓	✓	✓

Dwelling no.	Fixtures					Appliances		Individual pool				Individual spa		
	All shower-heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish-washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	-	-	-	-	-	-	-	-

Alternative water source								
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	✓	✓	✓
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		✓	✓
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		✓	✓
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		✓	✓

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	✓	✓	✓
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must: (aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and (bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓ ✓	
(h) The applicant must install in the dwelling: (aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below; (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓ ✓ ✓	✓
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		✓	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	✓	✓	✓

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	gas instantaneous 6 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	natural ventilation only, or no laundry	-

Dwelling no.	Cooling		Heating		Artificial lighting						Natural lighting	
	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
Unit1	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	3 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	1	yes
Unit2	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	1-phase airconditioning 3.5 Star (new rating)	3 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	2	yes

Dwelling no.	Individual pool		Individual spa		Appliances & other efficiency measures							
	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	electric cooktop & electric oven	-	yes	-	-	-	no	yes

Alternative energy	
Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)
All dwellings	-

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.			
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.			
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		✓	✓
(g) Where there is an in-slab heating or cooling system, the applicant must: (aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or (bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.	✓	✓	✓
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	✓	✓	✓

Dwelling no.	Thermal loads	
	Area adjusted heating load (in mJ/m ² /yr)	Area adjusted cooling load (in mJ/m ² /yr)
Unit1	47	59
All other dwellings	31	34

Dwelling no.	Construction of floors and walls				
	Concrete slab on ground(m ²)	Suspended floor with open subfloor (m ²)	Suspended floor with enclosed subfloor (m ²)	Suspended floor above garage (m ²)	Primarily rammed earth or mudbrick walls
Unit1	55	81	-	-	No
All other dwellings	56	59	-	-	No

3. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✓	✓
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✓	✓	✓
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✓	✓	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✓	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✓	✓
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✓	✓

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for...)
Central water tank - rainwater or stormwater (No. 1)	3500	To collect run-off from at least: - 300 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	- irrigation of 135 square metres of common landscaped area on the site - car washing in 0 car washing bays on the site

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✓	✓
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✓	✓
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✓	✓	✓

Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

1. Commitments identified with a "✓" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✓" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✓" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).



Efficient Living Pty Ltd
ABN: 82 116 346 082
ACN: 116 346 082

13/13 Lagoon St,
NARRABEEN NSW 2101

RSL Lifecare Pty Ltd Old Chapel

To be built at:

**6 Endeavour Drive,
Narrabeen, 2101 NSW**

BASIX Assessment

Issue No.	Description	Author	Date
DRAFT	Draft assessment for review	TMC	30/09/14
No. 01	BASIX certification	TMC	20/10/14
No. 02	R4.1 ceiling insulation & exhaust fans to bathrooms	TMC	18/02/15
No. 03	Floor layout and window changes	TMC	21/08/15
No. 04	Reduced R-value for ceiling	TMC	25/08/15



This report has been prepared by Efficient Living Pty Ltd on behalf of our client RSL Lifecare. Efficient Living prepares all reports in accordance with the BASIX Thermal Comfort Protocol and is backed by professional indemnity insurance. This report takes into account our client's instructions and preferred building inclusions.

P. 9970 6181

F. 9970 6181

E. office@efficientliving.com.au



PREPARED FOR :	PREPARED BY :
Humel Architects Redman Rd, DEE WHY NSW 2099 Contact : Info@humel.com.au Phone : (02) 9981 6511 Fax : (02) 9981 1913	Efficient Living 13/13 Lagoon St, Narrabeen, NSW, 2101 Contact: tracey@efficientliving.com.au Phone : (02) 9970 6181 Fax : (02) 9970 6181

COVER SHEET
TABLE OF CONTENTS
ANALYSIS WATER USAGE THERMAL COMFORT ENERGY USAGE
INCLUSIONS SUMMARY
THERMAL COMFORT RESULTS
BERS ASSESSOR CERTIFICATE
BERS MODEL SPECIFICATION (Note: Proxies used in this table, refer to inclusions summary for accurate specification)
BASIX CERTIFICATES



INTRODUCTION

Efficient Living has investigated the estimated thermal comfort, water and energy usage of the proposed development to be built at 6 Endeavour Drive, Narrabeen, NSW 2101.

Heating and cooling loads for the development have been determined using BERS thermal simulation software. The report is based on the architectural drawings provided by Humel Architects. For further details, refer to the individual BASIX certificates and Efficient Living Inclusions Summary respectively.

ANALYSIS

The BASIX assessment is divided into three sections, each independently measuring the efficiency of the development. These are Water, Thermal Comfort and Energy.

BASIX requires a minimum target of 40% for the Water section. A BERS pass or fail is required for the thermal comfort section and a minimum required target of 40% for the energy section.

WATER

The proposed development has achieved the BASIX Water target of 40%.

The water usage of the development is calculated based on the number and efficiency of permanent fixtures and appliances such as: taps, showerheads and toilets, the dish washer and clothes washing machine.

The size of the rain tank and number of connections has a huge impact on your water score as does the area of gardens and lawns and whether or not low-water plant species are incorporated.

THERMAL COMFORT

Thermal Comfort targets are set by the department of planning in the form of heating and cooling caps. The buildings thermal physics is measured using BERS thermal performance assessment tools. This equates an expected level of energy consumption to heat and cool each dwelling per annum expressed in MJ (mega joules) per square meter of floor area.

Each unit has individual heating and cooling caps and a weighted average heating and cooling load for the whole development. The weighted average caps are a lot harder to achieve than the individual unit caps.

ENERGY

The proposed development has achieved the energy target of 40% to pass this section.

The energy usage of the development is calculated based on the efficiency of fixed appliances that will be used. This includes the air conditioning system, hot water system, lighting, exhaust fans and the cook top, oven, and clothes drying facilities.

6 Endeavour Drive - Inclusions Summary

All units at 6 Endeavour Drive have reached the targets as set for new dwellings in NSW. The inclusions as outlined in the table below have been incorporated in each unit to allow them to reach their environmental sustainability targets.

Construction general	
Glazing	Doors / windows/ clerestory: Aluminium frame low-e glazing to throughout U-Value: 4.48 (equal to or lower than) SHGC: 0.56 (+ or - 10%) Given values are NFRC, total window values
Roof / ceiling insulation	Roof: Concrete roof tiles - No insulation Colour: medium (SA 0.475 - 0.7) Ceiling: Raked plasterboard ceiling – R3.2 bulk insulation (consisting of 75mm existing insulation & 70mm R2.0 bulk insulation) It has been assumed at DA stage that the area of all ceiling penetrations is less than 0.5% of the total ceiling area. If down lights are proposed at a later stage, BCA loss of insulation calculations will be required.
Wall / floor insulation	External Wall: Brick cavity with no insulation Hardieplank primeline Newport weatherboard with R2.0 insulation Internal walls within units: Plasterboard on studs – R2.0 insulation to internal walls shared with electrical room & existing laundry only. Inter-tenancy walls: 16mm fire check plasterboard, 90mm stud with insulation, 20mm cavity, 90mm stud with insulation, 16mm fire check plasterboard Floors: Concrete - R1.0 insulation to areas of suspended floor Floor coverings: Tiles to wet areas and carpet to living areas and bedrooms.

**Thermal Comfort - The average score for all units means they are using:
0% less energy to cool and 31% less energy to heat the units then the allowable BASIX caps**

BASIX Water inclusions – Score 40/40

Fixtures (within units)	Showerheads: 3 star (>6.0 but <=7.5 L/min) medium flow Toilets: 4 star Kitchen taps: 4 star Bathroom vanity taps: 4 star
Central rainwater storage	3,500L rain water tank harvested from 100% of the roof used for the irrigation of landscaping



BASIX Energy inclusions – Score Pass 40/40	
Hot water systems	Individual gas instantaneous 6 star hot water systems
Appliances & other efficiency measures (within units)	Electric cooktop & electric oven Well ventilated fridge space Private outdoor clothes drying line
Heating & cooling (within units)	All units to have individual single phase reverse cycle air conditioning: 3.5 star – Cooling and 3.5 star - Heating [new rating]
Artificial lighting (within units)	Dedicated fluorescent or LED lighting to be provided throughout in all units
Ventilation systems (within units)	Bathroom ventilation: Individual fan, ducted to roof or façade – manual on/manual off Laundry ventilation: natural ventilation Kitchen range hood: Individual fan, ducted to roof or façade – manual on/manual off



Thermal Comfort Results

Old Chapel

6 Endeavour Drive, Narrabeen, NSW 2101



Issued in accordance with BASIX Thermal Comfort Simulation Method

Certificate # 14732134

Issued: 21/08/15

Accreditation #

VIC/BDAV/12/1473

Thermal performance specifications

Page 1 of 1

Unit number	Number of Bedrooms	Floor area (M ²)		Predict. loads (MJ/M ² /y)		Star Rating	Window in Bathroom	Window in Kitchen	Thermal Comfort Upgrades
		Con.	Uncon.	Heat	Cool (Sens & Lat)				
Unit 1	2	131	5	47	59	3.0	1	Yes	R1.0 insulation to open floor Low-e glazing throughout
Unit 2	2	107	8	31	34	5.0	2	No	R1.0 insulation to open floor Low-e glazing throughout



NatHERS Certificate

New Dwelling



5.0 Stars

Simulation Software

Software Name BERS Pro 4.2
Software Version Release 110811/A
Engine Version CHENATH V2.13

Simulation Details

Project Name Unit 2_1
Date 21/08/2015
Location NARRABEEN PC 2101
Climate file climat56.TXT
Adjusted Star Rating 5.0 Stars
Conditioned Area 107.12 m²
Unconditioned Area 8.10 m²
Adjusted Cooling 34.4 MJ/m²
Adjusted Heating 31.0 MJ/m²
Adjusted Total 65.4 MJ/m²

Dwelling Address

DP Number 774980
Unit Number
Lot Number 1
House Number
Street Name 6
Development Name Old Chapel ILU's
Suburb Narrabeen NSW 2101

Client Details

Name Humel Architects
Phone 02 9981 6511 Fax 02 9981 1913
Email info@humel.com.au
Postal Address PO Box 1666 Dee why NSW 2099
Street Details

Assessor Details

Name Tracey Cools
Phone 02 9970 6181 Fax 02 9970 6181
Email admin@efficientliving.com.au
Postal Address
Street Details 13/13 Lagoon Street, Narrabeen NSW 2101

		Energy Rating		Certificate Number 14732134	
☐	single-dwelling rating			3.5 stars	
☒	multi-unit development (attach listing of ratings)	heating	40	MJ/m ²	
If selected, data specified is the average across the entire development		cooling	48	MJ/m ²	
Recessed downlights confirmation:		☐ Rated with	☒ Rated without		
Assessor Name/Number		Tracey Cools VIC/BDAV/12/1473			
Assessor Signature				Date 21/08/15	

Signed by the Assessor..........Date..... 21/08/15

*Tilted roof windows with blinds cannot be modelled using this version of BERSPro.
All windows are modelled with Holland Blinds for regulatory purposes.*

Building Element Details

Project Unit 2 Run 1
NARRABEEN PC 2101 Lat -33.70 Long 151.30 Climate File climat56.TXT

Summary

Conditioned Area	107.1 m ²
Unconditioned Area	8.1 m ²
Total Floor Area	115.2 m ²
Total Glazed Area	33.4 m ²
Total External Solid door Area	1.9 m ²
Glass to Floor Area	29.0 %
Gross External Wall Area	129.7 m ²
Net External Wall Area	94.3 m ²

Window

33.4 m² AIR-05-017a Airlite Windows Uval 4.48 SHGC 0.56
Glass 4mm Clear/8mm Air Gap/3mm Clear
Frame Airlite: Aluminium Awning Window - Double Glazed

External Wall

32.4 m² Cavity Brick No Insulation
24.5 m² Weatherboard Cavity Panel Bulk Insulation R 2.0
37.4 m² Fibro Cavity Panel 70mm gap to neighbour No Insulation

Internal Wall

96.2 m² Cavity Panel 70mm gap No Insulation

External Floor

45.3 m² Suspended Concrete Slab Carpet 10mm Bulk Insulation in Contact with Floor R 1.0
13.6 m² Suspended Concrete Slab Ceramic Tiles 8mm Bulk Insulation in Contact with Floor R 1.0
56.2 m² Concrete Slab on Ground 60/40 Carpet 10mm/Ceramic No Insulation

External Ceiling

117.8 m² Plasterboard Bulk Insulation R4.1 Unventilated roofspace

Roof (Horizontal area)

115.2 m² Roof Tiles No Insulation, Only an Air Gap 12° slope Skillion roof

	Energy Rating	Certificate Number 14732134
☐ single-dwelling rating		3.5 stars
☒ multi-unit development (attach listing of ratings) If selected, data specified is the average across the entire development	heating 40 MJ/m ² cooling 48 MJ/m ²	
Recessed downlights confirmation: ☐ Rated with ☒ Rated without		
Assessor Name/Number Tracey Cools VIC/BDAV/12/1473		
Assessor Signature 	Date 21/08/15	