


DEMOLITION FLOOR PLAN

JJ

Email. enquiries@jjdrafting.com.au

www.jjdrafting.com.au

by a practicing engineer.



TRUE NORTH:

NOTES (E & OE)

- All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work. specifications.

 • All workmanship & materials shall be in accordance with the requirements of current editions
- New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

JJ Drafting ^{Australia} P/L.

26/90 Mona Vale Road, Mona Vale, NSW, 2103 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	04.10.2024	DA DRAWINGS
	В	08.10.2024	DA DRAWINGS REVISED
3	С	17.10.2024	DA DRAWINGS REVISED
-	D	25.10.2024	DA DRAWINGS REVISED
- 1			


PROPOSED ALTERATIONS AND ADDITIONS	JOB No:
19 ST ANDREWS GATE, ELANORA HEIGHTS	407
CLIENT:	127
LARISSA AND HUGH ALLEN	
DDAWING TITLE:	

PROPOSED FLOOR PLAN WITH DEMOLITION

DRAWN BY: SCALE: ВС 1:50 @ A3 1275/24 DRAWING No: DATE:

JULY/24

ACCREDITED BUILDING DESIGNER CHECKED BY: **DA.06** JJ



TRUE NORTH:

NOTES (E & OE)

- All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and

- New materials are to be used throughout unless otherwise noted.
 Romanda are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

JJ Drafting ^{Australia} P/L. 26/90 Mona Vale Road, Mona Vale, NSW, 2103

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	04.10.2024	DA DRAWINGS
	В	08.10.2024	DA DRAWINGS REVISED
3	С	17.10.2024	DA DRAWINGS REVISED
	D	25.10.2024	DA DRAWINGS REVISED


	PROPOSED ALTERATIONS AND ADDITIONS
	19 ST ANDREWS GATE, ELANORA HEIGHTS
ı	CLIENT:
	LARISSA AND HUGH ALLEN
l	DRAWING TITLE:

PROPOSED FLOOR PLAN

DRAWN BY: SCALE: JOB No: BC 1275/24 DRAWING No: DATE:

JULY/24

1:50 @ A3 ACCREDITED BUILDING DESIGNER CHECKED BY: **DA.07** JJ



TRUE NORTH:

NOTES (E & OE)

- All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
- specifications.

 All workmanship & materials shall be in accordance with the requirements of current editions
- New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

JJ Drafting ^{Australia} P/L. 26/90 Mona Vale Road, Mona Vale, NSW, 2103

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	04.10.2024	DA DRAWINGS
	В	08.10.2024	DA DRAWINGS REVISED
)3	С	17.10.2024	DA DRAWINGS REVISED
	D	25.10.2024	DA DRAWINGS REVISED


PROPOSED ALTERATIONS AND ADDITIONS
19 ST ANDREWS GATE, ELANORA HEIGHTS
CLIENT:
LARISSA AND HUGH ALLEN

JOB No:	DRAWN B
1275/24	В
	DATE:


SCALE:

1:100 @ A3 ACCREDITED BUILDING DESIGNER DRAWING No: CHECKED BY: JJ

DRAWING TITLE: JULY/24 **DA.08** PROPOSED FLOOR PLAN SITE



PROPOSED NORTH ELEVATION



PROPOSED SOUTH ELEVATION





NOTES (E & OE)

All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.

 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

JJ Drafting ^{Australia} P/L.

26/90 Mona Vale Road, Mona Vale, NSW, 2103 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	04.10.2024	DA DRAWINGS
	В	08.10.2024	DA DRAWINGS REVISED
	С	17.10.2024	DA DRAWINGS REVISED
	D	25.10.2024	DA DRAWINGS REVISED
-			

PROPOSED ALTERATIONS AND ADDITIONS 19 ST ANDREWS GATE, ELANORA HEIGHTS CLIENT: LARISSA AND HUGH ALLEN

PROPOSED ELEVATIONS SHEET 1

DRAWING TITLE:


DRAWN BY: JOB No: ВС 1275/24 DATE:

JULY/24


SCALE: 1:100 @ A3

ACCREDITED BUILDING DESIGNER DRAWING No: CHECKED BY:

DA.09 JJ



PROPOSED EAST ELEVATION



PROPOSED WEST ELEVATION

TRUE NORTH:



NOTES (E & OE)

All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.

specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions

 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

JJ Drafting Australia P/L. 26/90 Mona Vale Road, Mona Vale, NSW, 2103

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	04.10.2024	DA DRAWINGS
	В	08.10.2024	DA DRAWINGS REVISED
3	С	17.10.2024	DA DRAWINGS REVISED
	D	25.10.2024	DA DRAWINGS REVISED
- 1			

PROPOSED ALTERATIONS AND ADDITIONS
19 ST ANDREWS GATE, ELANORA HEIGHTS
CLIENT:
LARISSA AND HUGH ALLEN

PROPOSED ELEVATIONS SHEET 2


DRAWING TITLE:


JOB No:	DRA
1275/24	
	DAT

DRAWN BY: SCALE: ВС

1:100 @ A3 ACCREDITED BUILDING DESIGNER DRAWING No: CHECKED BY:

JULY/24 **DA.10** JJ





SPECIFICATION NOTES

PROVIDE PLASTERBOARD LINING

- INSTALL TO MANUFACTURERS SPECIFICATIONS & AS 2589

BRICK VENEER WALLS WITH SELECTED BRICKS TO DWELLING.

- ALL EXTERNAL WALL CLADDINGS MUST BE COMPLIANT WITH THE REQUIREMENTS OF NCC 2022 - ABCB HOUSING PROVISIONS PART 7, AS1684 AND ALL RELEVANT CODEMARK CERTIFICATES.

- ROOF AND WALL CLADDING INSTALLATION TO NCC 2022 H1D7 & AS 1562 DESIGN AND INSTALLATION OF SHEET ROOF AND WALL CLADDING.

CONDENSATION MANAGEMENT:
- CONDENSATION MANAGEMENT MUST BE ADHERED TO IN ACCORDANCE WITH NCC 2022 - HOUSING

FLOOR:
- GROUND FLOOR TO BE REINFORCED CONCRETE SLAB IN ACCORDANCE WITH AS2870.

- ALL WATERPROOFING TO NCC 2022 - ABCB HOUSING PROVISIONS PART 10, AS3740 AND PROVIDE A GUARANTEED FLEXIBLE WATERPROOF MEMBRANE TO ALL WET AREA FLOORS & SHOWER WALLS TO MANUFACTURED SPECIFICATIONS AND INSTALL ATION INSTRUCTIONS

- WATERPROOF INSTALLATION NCC (2022): HOUSING PROVISIONS PART 10, AS 3740 WATERPROOFING OF DOMESTIC WET AREAS (INTERNAL) & ÁS 4654 WATERPROOF MEMBRANES FOR EXTERNAL USE.

- SHALL BE INSTALLED TO COMPLY WITH AS1684 AS AMENDED FOR TIMBER COMPONENTS OR AS3620 FOR LIGHTWEIGHT STEEL FRAMING SECTIONS OR AS PER THE NASH ALTERNATIVES TO AS 3623.

SHALL BE INSTALLED IN ACCORDANCE WITH AS3660.

PROFILED STEEL ROOF:

- METAL ROOF DESIGN AND INSTALLATION SHALL BE IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 7. AS 1562.

ROOF TILES OR SHINGLES:

- NCC 2022 -ABCB HOUSING PROVISIONS PART 7.3.

SHALL BE IN ACCORDANCE WITH NCC 2022 - ABCB HOLISING PROVISIONS PART 4, 2, 10. - ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH CURRENT EDITIONS OF THE

BRICK AND BLOCKWORK:

MASONRY STRUCTURES TO NCC 2022 - ABCB HOUSING PROVISIONS PART 5 & AS 3700 MASONRY STRUCTURES.

- FOOTINGS TO BE IN ACCORDANCE WITH AS1480
- FOOTINGS TO BE IN ACCORDANCE WITH NCC VOL.2 PARTS H1D4
- ALL REINFORCEMENTS SHALL CONFORM TO AS1302, AS1303 AND AS1304

- RESIDENTIAL SLABS, FOOTINGS AND CONCRETE STRUCTURES TO NCC 2022 - ABCR HOUSING PROVISIONS PART 3 & 4. AS 2870 RESIDENTIAL SLABS AND FOOTING & AS 3600 CONCRETE STRUCTURES.

CARPENTRY:

TIMBER TO COMPLY WITH AS1170.2 OR AS4055.

- ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH AS1684 AND 1720 AS APPLICABLE. -TERMITE MANAGEMENT INSTALLATION OF PERIMETER & COLLARS TO NCC 2022 - ABCB HOUSING PROVISIONS PART 3.4 & AS 3660.1 TERMITE MANAGEMENT - NEW BUILDING WORK

TIMBER FRAMING:
-ALL EXTERNAL TIMBER FRAMED WALLS TO BE WRAPPED IN A BREATHABLE VAPOUR PERMEABLE MEMBRANE IN ACCORDANCE WITH NCC VOL.2 PART H1D6 , INSTALLED WITH AS/NZS 4200.1 & AS/NZS 4200.2 -TIMBER FRAMING INSTALLATION TO NCC 2022 - VOL.2 PART HAD6(4), AS 1684.4 RESIDENTIAL TIMBER

FRAMED CONSTRUCTION & AS/NZS 1170 STRUCTURAL DESIGN ACTIONS. GROUND FLOOR TIMBERS SHALL BE ONLY OF HARDWOOD, CYPRESS PINE OR PRESSURE TREATED.

RADIATA OR CANADA PINE BELOW A HEIGHT OF 300mm ABOVE FINISHED GROUND LEVEL AND MUST NOT

- SUBELOOR VENTILATION SHALL CONFORM TO NCC 2022 ARCB HOUSING PRIVIONS PART 6.2
- IN BUSHFIRE PRONE AREAS SPECIAL CONDITIONS APPLY.
- WHERE TERMITE BARRIERS NEED TO BE INSPECTED, 400mm CLEARANCE IS REQUIRED BETWEEN THE UNDERSIDE OF BEARER AND GROUND SURFACE
- USE TREATED TIMBER WHERE REQUIRED FOR DURABILITY
- DO NOT USE TIMBER UNSUITABLE FOR EXPOSURE TO MOISTURE IN EXPOSED LOCATION.
- PROVIDE STRUCTURE BRACING IN ACCORDANCE WITH AS1684
- PROVIDE STRUCTURE TIEDOWN IN ACCORDANCE WITH AS1684
- USE GALVANISED FIXINGS WHERE EXPOSED TO WEATHER.

ALL STEEL FRAMING TO NCC 2022 - VOL.2 PARTH1D6(3), AS 4100 STEEL STRUCTURES, AS/NZS 4600 COLD-FORMED STEEL STRUCTURES & NASH STANDARD.

TO BE IN ACCORDANCE WITH TO AS3660.1

SHALL BE IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISION PART 3.4

FLASHING AND CAPPINGS

- SELECTION AND INSTALLATION OF METAL RAINWATER GOODS REFER TO AS2180

- FLASH PROJECTIONS ABOVE THE ROOF WITH TWO PART FLASHINGS CONSISTING OF AN APRON FLASHING AND OVER FLASHING, WITH AT LEAST 100mm OVERLAP.

PROVIDE FOR INDEPENDENT MOVEMENT BETWEEN ROOF AND PROJECTION. DAMP PROOF COURSE AND FLASHINGS TO NCC 2022 - VOL.2 PART H2 & AS/NZS 2904 DAMP-PROOF

CONCRETE BLOCKS OR BRICKS:
- TO COMPLY WITH TO AS4455 MASONRY BUILDING BLOCKS/PAVER.

- 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT, OR LIGHT-EMITTING-DIODE (LED) LAMPS

DOORS & WINDOWS:

- ALL FRAMED WINDOWS SHALL BE INSTALLED IN ACCORDANCE WITH AS2047-48 FOR ALUMINIUM WINDOWS AND AS2047 FOR TIMBER WINDOWS.
- ALUMINIUM FRAMED WINDOWS AND DOORS
- WEATHER STRIPPING IS TO BE PROVIDED TO ALL EXTERNAL WINDOWS AND DOORS.
- ALL WINDOWS ARE TO BE RESTRICTED IN ACCORDANCE WITH NCC 2022 ABCB HOUSING PROVISIONS PART 11.3.7 & PART 11.3.8 PROTECTION OF OPENABLE WINDOWS WHERE SURFACE BELOW IS MORE THAN 2M.

PROVIDE LIFT-OFF HINGES WHERE THE TOILET PAN IS WITHIN 1.2 METRES OF THE HINGED SIDE OF THE DOOR IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 10.4.

STAIRS, HANDRAILS AND BALUSTRADES:

- RELATIONSHIP OF RISER TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED OR AS PERMITTED IN

- BALUSTRADES SHALL BE PROVIDED TO ALL LANDINGS, RAMPS, DECKS, ROOFS AND OTHER ELEVATED PLATFORMS WHERE THE VERTICAL DISTANCE FROM THAT LEVEL IS MORE THAN 1m ABOVE THE ADJOINING FLOOR OR FINISHED GROUND LEVEL

- THE HEIGHT OF BALUSTRADE MUST BE A MINIMUM OF 1m HIGH ABOVE LANDING AND NOT LESS THAN 365mm ABOVE THE NOSINGS OF ANY STAIR TREADS OR FLOOR RAMP AND HAVE NO OPENING GREATER THAN 125mm.

- THE HEIGHT OF BALUSTRADE TO THE NEW STAIRCASES IS TO BE MEASURED A MINIMUM 865mm ABOVE THE NOSING LINE AND HAVE NO OPENING GREATER NO OPENING GREATER THAN 125mm

- ALL BALUSTRADES & PRIVACY SCREENS TO COMPLY WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 11, AS 1684, AS 1170, AS 1288 & AS/NZS 2208

SLIP RESISTANCE:

- MATERIALS TO BE USED FOR SURFACES OF FLOORS, STAIR LANDING, STEPS AND NOSINGS SHALL BE IN ACCORDANCE WITH THE CLASSIFICATIONS FOR SLIP RESISTANCE AS APPLY IN AS4586 AND HR198 - ALL STAIRS PROVIDING ACCESS TO COMPLY WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 11, AS 4586 INCLUDING SLIP RESISTANCE P3 / R10 FOR DRY OR P4 / R11 FOR WET.

EAVES GUTTERS, VALLEY GUTTERS AND DOWPIPES

- TO COMPLY WITH AS/NZS 2179 FOR METAL AND AS1273 FOR UPVC COMPONENTS.
- IN ACCORDANCE WITH NCC VOL 2 PART 3.5.3
- NEW DOWNPIPES TO BE CONNECTED INTO EXISTING STORMWATER LINE
- COLORBOND GUTTERS AND DOWNPIPES
- MINIMUM SLOPE OF FAVES AND GUTTERS 1:200

NCC VOL2 PART H1D8, ABCB HOUSING PROVISIONS PART 8.3

-ALL WINDOW GLAZING AND DOOR GLAZING TO BE INSTALLED IN ACCORDANCE TO NCC 2022 - ARCB HOUSING PROVISIONS PART 8, AS 1288 GLASS IN BUILDINGS, AS/NZS 2208 SAFETY GLAZING MATERIALS IN BUILDINGS & AS 2047 WINDOWS AND EXTERNAL DOORS IN BUILDINGS.

- SHOWER SCREEN/MIRRORS / WARDROBE GLASS INSTALLATION TO NCC 2022 - HOUSING PROVISIONS PART 8 AS 1288 & AS/N7S 2208

GLASS BALUSTRADE INSTALLATION TO NCC 2022 - HOUSING PROVISIONS PART 11, AS 1288 GLASS IN BUILDINGS, AS/NZS 2208 SAFETY GLAZING MATERIALS IN BUILDINGS & AS 1170 STRUCTURAL DESIGN

SECTION / BASIX

WATERPROOFING FOR EXTERNAL TILED BALCONIES:

- WATERPROOFING TO COMPLY WITH AS4654

- ALL WATERPROOFING TO NCC 2022 - ABCB HOUSING PROVISIONS PART 10 AS3740 AND PROVIDE A GUARANTEED FLEXIBLE WATERPROOF MEMBRANE TO ALL WET AREA FLOORS & SHOWER WALLS TO MANUFACTURED SPECIFICATIONS AND INSTALLATION INSTRUCTIONS

FIRE SAFETY, SMOKE DETECTORS/ALARMS:

- PROVIDE HARDWIRED & INTERCONNECTED SMOKE ALARM DEVICES COMPLYING WITH THE REQUIREMENTS OF THE LOCAL GOVERNMENT ACT AND/OR STATE OR TERRITORY REGULATIONS MUST BE FITTED IN THE LOCATIONS REQUIRED AND APPROVED BY THE AUTHORITY. SMOKE ALARMS TO BE INSTALLED TO NCC 2022 - ABCB HOUSING PROVISIONS PART 9.5, NSW 9.5.1 & AS 3786

- INSTALLATIONS IN BUILDINGS OTHER THAN CLASS 1 AND 10 MUST BE INSTALLED AND MANAGED TO COMPLY WITH NCC SPEC. E2.2a.

FIRE SEPARATING WALL, A WALL WITHIN 900MM OF BOUNDARY INSTALLATION CERTIFICATE (FRL60/60/60) INCL ACOUSTIC SOUND (RW) + CTR50 TO NCC 2022 - ABCB HOUSING PROVISIONS PART 9 & PART 10.7. AS 1530 ALL PARTS.

BUSHFIRE-PRONE AREAS CERTIFICATE FOR BUILDING - NCC 2022 - VOL. 2 PART NSW H7D4 CONSTRUCTION IN BUSHFIRE PRONE AREAS - AS 3959 CONSTRUCTION OF BUILDING IN BUSHFIRE-PRONE AREAS & PLANNING FOR BUSHFIRE PROTECTION 2019.

WASTE MANAGEMENT:

- ALL WASTE SHALL BE TAKEN AWAY BY TRUCKS TO A SUITABLE LANDFILL OR RECYCLE DEPOT. - ALL WASTE SHALL BE COVERED DURING TRANSPORTATION.

- WASTE GENERATED DURING CONSTRUCTION SHALL BE PLACED IN STEEL BINS AND TAKEN AWAY BY AN APPROVED CONTRACTOR TO A APPROVED LANDFILL SITE.

SEDIMENT CONTROL:

- A FILTER CLOTH SYSTEM SHALL BE INSTALLED TO STOP ANY SEDIMENT ENTERING COUNCILS

MISCELLANEOUS ITEMS:

- ALLOW FOR SEPARATE TAPS FOR THE WASHING MACHINE AND KEEP THEM SEPARATE FROM THOSE OF THE LAUNDRY TUB. A DEDICATED LAUNDRY SPACE COMPRISING OF ONE WASHTUB AND A SPACE FOR A WASHING MACHINE MUST BE PROVIDED IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISIONS

- GAS FIRE SUPPLY AND INSTALLATION TO COMPLY WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 12.4, AS/NZS 5601 GAS INSTALLATIONS.

ALL PLANS ARE TO BE READ IN CONJUNCTION AND COMPLY WITH THE BASIX CERTIFICATE, BUSHFIRE AND GEOTECH REPORTS

NOTES (E & OE)

All structures including stormwater & drainage to engineer's de
Do not obtain dimensions by scaling drawings.
All dimensions are to be checked on site prior to starting work

- These drawings are to be read in conjunction with all other consultant's drawings and
- All workmanship & materials shall be in accordance with the requirements of current editions luding amendments of the National Construction Code, relevant Australian Standards & loca

- ouncil requirements.

 New materials are to be used throughout unless otherwise noted.

 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.



PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

l	REV:	DATE:	DESCRIPTION:
l	Α	04.10.2024	DA DRAWINGS
l	В	08.10.2024	DA DRAWINGS REVISED
l	С	17.10.2024	DA DRAWINGS REVISED
l	D	25.10.2024	DA DRAWINGS REVISED
l			
l			

PROPOSED ALTERATIONS AND ADDITIONS 19 ST ANDREWS GATE, ELANORA HEIGHTS LARISSA AND HUGH ALLEN DRAWING TITLE:

DRAWN BY BC 1275/24 DATE: JULY/24

SCALE: 1:100 @ A3 DRAWING No:

DA.11

BUILDING DESIGNER CHECKED BY:

JJ