

PROJECT NAME:	HOUSE DENT	PROJECT PHASE: DEVELOPMENT APPLICATION										
SITE ADDRESS:	53 TIMARU ROAD TERREY HILLS NSW 2084	ARCHITECT:		D.D.		DR	DRAWN:		D.D.			
CLIENT:	KAREN DENT	SCALE: 0m	2	4	6	8	10	12	14	16	18	



DRWG#: 0364 - 2001 ISSUE: A


DATE LAST PRINTED: 28/3/2025











DRAWING LEGEND									
EXISTING ELEMENTS TO BE DEMOLISHED IN RED. MAKE GOOD TO AFFECTED ARE									
EXISTING EXTERNAL CAVITY WA									
EXISTING INTERNAL STUD WALL									
	NEW INTERNAL STUD WALL WITH INSULATION								
······································	NEW EXTERNAL PAINTED MASONRY WALI WITH SARKING, INSULATION AND INTERNALLY LINED STUD WALL ALL TO COMPLY WITH AS 1580.8.2								
*****************	NEW EXTERNAL WALL WITH 9MM FC CLADDING BY JAMES HARDIE OR SIMILAR, SARKING, INSULATION AND INTERNALLY LINED STUD WALL ALL TO COMPLY WITH AS 1580.8.2								
₩*	NEW AWS ALUMINIUM FRAMED WINDOW TO BAL-FZ RATING OR EQUALLY APPROVED SYSTEM WITH FIRE SHUTTER. * DENOTES WINDOW NUMBER								
D*	NEW DOOR. * DENOTES WINDOW NUMBER								

DEMOLITION NOTES

ALL FINAL LEVELS TO BE CONFIRMED ON SITE.

MAKE GOOD TO EXISTING BUILDING REMAINING AFTER DEMOLITION WORKS.

CAP-OFF / REMOVE EXISTING SERVICES THAT BECOME REDUNDANT AS A RESULT OF THE WORKS.

DEMOLITION WORKS TO COMPLY WITH AS 2601.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATION OF ALL SERVICES.

ESSENTIAL FIRST STEP IS CARRY OUT DIAL BEFORE YOU DIG PROCEDURE VISIT www. I 100.com.au.

GENERAL NOTES

ALLOW FOR ACOUSTIC INSULATION IN ALL LIGHTWEIGHT

PROVIDE MOISTURE RESISTANT PLASTERBOARD TO ALL WET

PROVIDE SARKING TO ALL EXTERNAL WALLS AS REQUIRED

REFER TO STRUCTURAL ENGINEERS DETAILS FOR LOAD BEARING AND PRIMARY / SECONDARY STRUCTURE.

NEW CONSTRUCTION WORKS TO COMPLY WITHTHE RECOMMENDATIONS SET OUT IN THE ACCOMPANYING BUSHFIRE REPORT

ALL DOWNPIPES AND RAINWATER GOODS TO BE SIZED TO CIVIL / HYDRAULIC ENGINEERS DETAIL.

ALL PENETRATIONS THROUGH ROOF ARE TO BE FULLY FLASHED.

N	
Α	PROJECT NOR



DRWG TITLE: GROUND FLOOR - DEMOLITIO **DEVELOPMENT APPLICATION HOUSE DENT PROJECT NAME: PROJECT PHASE:** 0364 - 3100 ISSUE: A 53 TIMARU ROAD TERREY HILLS NSW 2084 D.D. D.D. SITE ADDRESS: ARCHITECT: DRWG #: DRAWN:

DATE LAST PRINTED:

10


28/3/2025

scale: 0m

KAREN DENT

CLIENT:





DRAWING LEGEND EXISTING ELEMENTS TO BE DEMOLISHED IN RED. MAKE GOOD TO AFFECTED AREA EXISTING EXTERNAL CAVITY WALL EXISTING INTERNAL STUD WALL NEW INTERNAL STUD WALL WITH INSULATION NEW EXTERNAL PAINTED MASONRY WALL WITH SARKING, INSULATION AND INTERNALLY LINED STUD WALL ALL TO COMPLY WITH AS 1580.8.2 NEW EXTERNAL WALL WITH 9MM FC CLADDING BY JAMES HARDIE OR SIMILAR, SARKING, INSULATION AND INTERNALLY LINED STUD WALL ALL TO COMPLY WITH AS 1580.8.2 NEW AWS ALUMINIUM FRAMED WINDOW TO BAL-FZ RATING OR EQUALLY APPROVED SYSTEM WITH FIRE SHUTTER. * DENOTES WINDOW NUMBER NEW DOOR. * DENOTES WINDOW NUMBER (D*)

DEMOLITION NOTES

ALL FINAL LEVELS TO BE CONFIRMED ON SITE.

MAKE GOOD TO EXISTING BUILDING REMAINING AFTER DEMOLITION WORKS.

CAP-OFF / REMOVE EXISTING SERVICES THAT BECOME REDUNDANT AS A RESULT OF THE WORKS.

DEMOLITION WORKS TO COMPLY WITH AS 2601.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATION OF ALL SERVICES.

ESSENTIAL FIRST STEP IS CARRY OUT DIAL BEFORE YOU DIG PROCEDURE VISIT www. I 100.com.au.

GENERAL NOTES

ALLOW FOR ACOUSTIC INSULATION IN ALL LIGHTWEIGHT

PROVIDE MOISTURE RESISTANT PLASTERBOARD TO ALL WET

PROVIDE SARKING TO ALL EXTERNAL WALLS AS REQUIRED

REFER TO STRUCTURAL ENGINEERS DETAILS FOR LOAD BEARING AND PRIMARY / SECONDARY STRUCTURE.

NEW CONSTRUCTION WORKS TO COMPLY WITHTHE RECOMMENDATIONS SET OUT IN THE ACCOMPANYING BUSHFIRE REPORT

ALL DOWNPIPES AND RAINWATER GOODS TO BE SIZED TO CIVIL / HYDRAULIC ENGINEERS DETAIL.

ALL PENETRATIONS THROUGH ROOF ARE TO BE FULLY FLASHED.



DRWG TITLE: FIRST FLOOR - DEMOLITION **PROJECT PHASE:** 0364 - 3101 ISSUE: A

53 TIMARU ROAD TERREY HILLS NSW 2084 D.D. D.D. SITE ADDRESS: ARCHITECT: DRAWN: **KAREN DENT** scale: 0m


CLIENT:

10 DATE LAST PRINTED:

DRWG #:

28/3/2025

28/3/2025



9


10


DATE LAST PRINTED:

scale: 0m

KAREN DENT

CLIENT:





DEMOLITION NOTES

ALL FINAL LEVELS TO BE CONFIRMED ON SITE.

MAKE GOOD TO EXISTING BUILDING REMAINING AFTER DEMOLITION WORKS.

CAP-OFF / REMOVE EXISTING SERVICES THAT BECOME REDUNDANT AS A RESULT OF THE WORKS.

DEMOLITION WORKS TO COMPLY WITH AS 2601.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATION OF ALL SERVICES.

ESSENTIAL FIRST STEP IS CARRY OUT DIAL BEFORE YOU DIG

GENERAL NOTES

ALLOW FOR ACOUSTIC INSULATION IN ALL LIGHTWEIGHT

PROVIDE MOISTURE RESISTANT PLASTERBOARD TO ALL WET

PROVIDE SARKING TO ALL EXTERNAL WALLS AS REQUIRED

REFER TO STRUCTURAL ENGINEERS DETAILS FOR LOAD BEARING AND PRIMARY / SECONDARY STRUCTURE.

NEW CONSTRUCTION WORKS TO COMPLY WITHTHE RECOMMENDATIONS SET OUT IN THE ACCOMPANYING BUSHFIRE REPORT

ALL DOWNPIPES AND RAINWATER GOODS TO BE SIZED TO CIVIL / HYDRAULIC ENGINEERS DETAIL.

ALL PENETRATIONS THROUGH ROOF ARE TO BE FULLY FLASHED.



HOUSE DENT PROJECT NAME: 53 TIMARU ROAD TERREY HILLS NSW 2084 SITE ADDRESS:

KAREN DENT

CLIENT:

DEVELOPMENT APPLICATION PROJECT PHASE: D.D. D.D. ARCHITECT: DRAWN: scale: 0m 10

DRWG #:


DATE LAST PRINTED:


DRWG TITLE: GROUND FLOOR - PROPOSED

0364 - 4000 ISSUE: A

28/3/2025







DEMOLITION NOTES

ALL FINAL LEVELS TO BE CONFIRMED ON SITE.

MAKE GOOD TO EXISTING BUILDING REMAINING AFTER DEMOLITION WORKS.

CAP-OFF / REMOVE EXISTING SERVICES THAT BECOME REDUNDANT AS A RESULT OF THE WORKS.

DEMOLITION WORKS TO COMPLY WITH AS 2601.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATION OF ALL SERVICES.

ESSENTIAL FIRST STEP IS CARRY OUT DIAL BEFORE YOU DIG PROCEDURE VISIT www.1100.com.au.

GENERAL NOTES

ALLOW FOR ACOUSTIC INSULATION IN ALL LIGHTWEIGHT WALLS

PROVIDE MOISTURE RESISTANT PLASTERBOARD TO ALL WET

PROVIDE SARKING TO ALL EXTERNAL WALLS AS REQUIRED

REFER TO STRUCTURAL ENGINEERS DETAILS FOR LOAD BEARING AND PRIMARY / SECONDARY STRUCTURE.

NEW CONSTRUCTION WORKS TO COMPLY WITHTHE RECOMMENDATIONS SET OUT IN THE ACCOMPANYING BUSHFIRE REPORT

ALL DOWNPIPES AND RAINWATER GOODS TO BE SIZED TO CIVIL / HYDRAULIC ENGINEERS DETAIL.

ALL PENETRATIONS THROUGH ROOF ARE TO BE FULLY FLASHED.






RTH TRUE NORT

FIRST FLOOR - PROPOSED DEVELOPMENT APPLICATION HOUSE DENT DRWG TITLE: **PROJECT NAME: PROJECT PHASE:** 0364 - 4001 ISSUE: A 53 TIMARU ROAD TERREY HILLS NSW 2084 D.D. D.D. SITE ADDRESS: ARCHITECT: DRAWN: DRWG #: 28/3/2025 **KAREN DENT** CLIENT: scale: 0m 10 DATE LAST PRINTED:







28/3/2025

ARCHITECT:

scale: 0m

D.D.

D.D.

9

10

DRWG #:

DATE LAST PRINTED


DRAWN:


53 TIMARU ROAD TERREY HILLS NSW 2084


KAREN DENT


SITE ADDRESS:

CLIENT:












DA2025/0375





PROJECT NAME:	PROJECT PHA	ASE:	DEVELOPMENT APPLICATION									DRWG TITLE: SECTION A-A				
SITE ADDRESS:	53 TIMARU ROAD TERREY HILLS NSW 2084	ARCHITECT:			D.D.		DR	AWN:		D.D.			DRWG #:	0364 - 6000 ISSUE: A		
CLIENT:	KAREN DENT	SCALE: 0m	11	2	3	4	5	6	7	8	9	10	DATE LAST PRINTED:	28/3/2025		

