Certificate number: 0003290715 Certificate Date: 26 Oct 2018 ★ Star rating: 6.9



Assessor details

Accreditation

number: 20945

Name: **Dimitrios Harakidas**

Organisation: AENEC

Email: info@aenec.com.au

Phone: 0416 316 204

Declaration No potential conflicts of interest to

of interest: declare

AccuRate Sustainability V2.3.3.13 SP4 Software:

ABSA AAO:

Overview

Lot/DP

Dwelling details

Unit 4, 24 Aitken Avenue Street:

Suburb: Queenscliff

State: Postcode: 2096 **NSW**

NCC Class: 2 New Type:

NatHERS climate zone: **56**

number: Lot SP30021 Exposure: Suburban

Key construction and insulation materials

(see following pages for details)

Construction: Concrete wall/Fibre-cement sheet

Soil (average)/Concrete roof/Plasterboard

Slab/Timber

Insulation: **R2.5** wall insulation

> R1.0 ceiling insulation **R1.0 floor insulation**

Aluminium B SG High Solar Gain Glazing:

Low-E

Net floor area (m²)

Conditioned: 132.3 Unconditioned: 3.3

Garage:

TOTAL: 135.6


Annual thermal performance loads (MJ/m²)

Heating: 21.7 Cooling: 18.0 TOTAL: 39.7

Plan documents

1801 / Issue D / 25.10.2018 Plan ref/date:

Prepared by:



Ceiling penetrations

(see following pages for details)

Sealed: 33 Unsealed: 0 TOTAL:**

**NOTE: This total is the maximum number of ceiling penetrations allowed to a ceiling (under a roof) for this certificate. If this number is exceded in construction then this certificate IS NOT VALID and a new certificate is required. Loss of ceiling insulation for the penetrations listed has been taken into account with the rating.

Principle downlight type: Light-emitting diode (LED)

33

Window selection default windows only

Note on allowable window values: With a 10% tolerance to the nominated SHGC window values shown on page 2, the following ratings are achieved:

-10% SHGC **6.8**

+10% SHGC 6.9

NB: This tolerance ONLY applies to SHGC, the U-value can always be lower but not higher than the values stated on page 2.

If the rating listed above falls below 6.0 stars or the required rating, then the window with this tolerance can NOT be selected.

Scan to access this certificate online and confirm this is valid.



Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Certificate number: **0003290715** Certificate Date:

26 Oct 2018

★ Star rating:



6.9

venetians

Outdoor venetians

Outdoor venetians

Building features

CORRIDOR GF ALM-002-03 A

ALM-002-03 A

ES2

W28

W43

Window type and performance value						
Window ID	Window type				U-value	SHGC
ALM-002-03 A		uminium B SG H	igh Solar Gain Lo	ow-E	5.4	0.58
Window sche	dule					
Location	Window ID	Window no.	Height (mm)	Width (mm)	Orientation	Outdoor shade
KLD	ALM-002-03 A	W46	2300	1800	NW	Outdoor venetians
KLD	ALM-002-03 A	W47	2700	6400	SW	None
KLD	ALM-002-03 A	W36	2300	2400	SE	Outdoor venetians
ES1	ALM-002-03 A	W45	2300	1200	NW	Outdoor venetians
B1	ALM-002-03 A	W44	2300	2400	NW	Outdoor venetians
B2	ALM-002-03 A	W42	2300	2400	NW	Outdoor venetians
B3	ALM-002-03 A	W26	2700	2400	NW	None
ENTRY - CORRIDOR	ALM-002-03 A	W50	2300	1200	SE	Outdoor venetians
ENTRY - CORRIDOR	ALM-002-03 A	W41	2300	1000	NW	Outdoor venetians
WC	ALM-002-03 A	W49	2300	1200	SE	Outdoor venetians
ES3	ALM-002-03 A	W30	2300	1200	NW	Outdoor

ID	Window type			U-value	SHGC
None Present					
Roof window	and skylight sch	edule			
				Outdoor shade	

2300

2300

1000

1200

NW

NW

External wa	II type					
ID	Wall type		Insulation		Wa	III wrap or foi
EW-001	Concrete wall/F	ibre-cement sheet	Polystyrene e	xtruded: R2.5	Ye	S
External wa	II schedule					
Location	ID	Width (mm)	Height (mm)	Orientation	Fixed Shade	Eaves (mm)
KLD	EW-001	6450	2700	NW	Yes	350
KLD	EW-001	6400	2700	SW	Yes	1780

^{*} Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Certificate number: 0003290715 Certificate Date: 26 Oct 2018 ★ Star rating: 6



KLD	EW-001	11650	2700	SE	Yes	350
ES1	EW-001	2600	2700	NW	Yes	350
B1	EW-001	6000	2700	NW	Yes	350
B2	EW-001	3750	2700	NW	Yes	350
B3	EW-001	3785	2700	NW	Yes	350
ENTRY - CORRIDOR	EW-001	1595	2700	SE	Yes	350
ENTRY - CORRIDOR	EW-001	1000	2700	NW	No	
WC	EW-001	1800	2700	SE	Yes	350
ES3	EW-001	1910	2700	NW	Yes	350
CORRIDOR GF	EW-001	1000	3250	NW	No	
ES2	EW-001	1915	2700	NW	Yes	350

Internal wall type				
ID	Wall type	Area (m²)	Insulation	Wall wrap or foil
IW-001	Concrete wall	8.4		No
IW-002	Plasterboard	104.4		No
IW-003	Concrete wall	67.7		No
IW-004	Retaining Bituminous roof membrane/Concrete wall	23.6		No

Floors					
Location	Construction	Area (m²)	Sub floor ventilation	Added insulation	Covering
KLD/Neighbour	TM-01 & CN-01	57.2		R1.0	-
ES1/Neighbour	TM-01 & CN-01	8.3		R1.0	
B1/Neighbour	TM-01 & CN-01	17.0		R1.0	
B2/B3	TM-01 & CN-01	11.6		R1.0	
B3/Outdoor Air	CN-01	11.6		R2.0	
ENTRY - CORRIDOR/Neigh bour	TM-01 & CN-01	15.8		R1.0	
ENTRY - CORRIDOR/COR RIDOR GF	TM-01 & CN-01	3.2		R1.0	
WC/Neighbour	TM-01 & CN-01	3.3		R1.0	
ES3/Outdoor Air	CN-01	3.8		R2.0	
CORRIDOR GF/Outdoor Air	CN-01	3.2		R2.0	
ES2/ES3	TM-01 & CN-01	3.8		R1.0	

Ceiling type			
Location	Construction	Added insulation	Roof space above
B2/B3	TM-01 & CN-01	R1.0	No

^{*} Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Certificate number: 0003290715 Certificate Date:

26 Oct 2018

★ Star rating:

6.9

D	(4	s continued
RIIIAIN	N TASTIIFA	e continuad
Bullalli	u lealule	3 COHUHUCU
	9	

ES2/ES3	TM-01 & CN-01	R1.0	No	
ENTRY - CORRIDOR/COR RIDOR GF	TM-01 & CN-01	R1.0	No	

Ceiling penetrations			
Location	Number	Туре	Diameter (mm) Sealed/unsealed
KLD	16	Downlight	Sealed
ES1	1	Downlight	Sealed
B1	6	Downlight	Sealed
B2	2	Downlight	Sealed
B3	2	Downlight	Sealed
ENTRY - CORRIDOR	6	Downlight	Sealed
WC	1	Downlight	Sealed
ES3	1	Downlight	Sealed
CORRIDOR GF	1	Downlight	Sealed
ES2	1	Downlight	Sealed

ber Diameter (mm)	
be	er Diameter (mm)

Roof type		
Construction	Added insulation	Roof colour
Green roof - Concrete - plasterboard - R2.5	R2.5	Medium



Additional information	

Explanatory notes

About this report

Residential energy ratings address the quality of the building fabric i.e. walls, windows, floors and roof/ceilings. Ratings do not cover the energy or water efficiency of appliances including heating and cooling, hot water, dishwashers, ovens, fridges, TVs etc. or solar panel or water tank requirements. The efficiency or specification of these items is generally covered by other regulations, standards or guidelines.

General Information

A NatHERS House Energy Rating is a comprehensive, dynamic computer modelling evaluation of the floorplans, elevations and specifications to predict an energy load of a home. Not all of us use our homes in the same way, so ratings are generated using standard assumptions. This means homes can be compared across the country.

The actual energy consumption of your home may vary significantly from the predicted energy load figures in the report depending on issues such as the size of your household and your personal preferences, e.g. in terms of heating or cooling.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparative purposes between different house designs and for demonstrating that the design meets the required regulatory compliance.

Homes that are energy efficient use less energy, are warmer in winter, cooler in summer and cost less to run. The higher the star rating the more energy efficient.

This NatHERS House Energy Rating report was carefully prepared by your assessor on the basis of comprehensive modelling using standard procedures to rate your home using the underlying engine developed by the Australian Commonwealth Scientific and Industrial Research Organisation (CSIRO).

All information relating to energy loads presented in this report is based on a range of standard assumptions in order to allow for comparisons with reports prepared for other homes and to demonstrate minimum regulatory compliance.

The standard assumptions include figures for occupancy, indoor air temperature and are based on a unique climate file for your region.

Accredited Assessors

To ensure you get a high-quality, professional NatHERS House Energy Rating report, you should always use an accredited assessor, accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

AAOs have specific quality assurance processes in place and continuing professional development requirements to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any on-going training requirements.

If you have any questions or concerns about this report, please direct them to your assessor in the first instance.

If your assessor is unable to address your questions or concerns, please contact their AAO listed under 'assessor details'. You can also find a range of information about accredited assessors on the AAO websites.

Disclaimer

The energy values quoted are for comparison purposes only; they are not a prediction of actual energy use. This rating only applies to the floor plan, construction details, orientation and climate as submitted and included in the attached drawing set that bears a stamp with the same number as this certificate. Changes to any of these details could affect the rating.

Contact

For more information on the Nationwide House Energy Rating Scheme (NatHERS), visit www.nathers.gov.au For more information on energy efficient design and insulation visit www.yourhome.gov.au

^{*} Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au