

CRYSTAL **POOLS** PTY.

LTD.

1 Central Ave, Thornleigh 2120

Ph: 9875 4555 Fax: 9484 1019


Builder Licence No: 34505


Mikael & Nicole Dahlgren 10 Dobroyd Rd, Balgowlah, NSW 2093

В	01.06	CHANGED LOCATION OF POOL TO BOUNDARY	CMF
Α	16.05	ISSUED FOR CONSTRUCTION	CMF
REV.	DATE	AMENDMENT	DRAWN

JOB #: 12459

This is the plan/spec. referred to Fitzgerald Certificate No COC 2011





LEVELS FOR COUNCIL APPROVAL DATUM: FFL of House Downstairs 600 BELOW TOP OF FINISHED POOL RELATIVE TO DATUM +150HEIGHT ABOVE EXISTING +1300GROUND LEVEL AT CHANGED LOCATION OF POOL TO BOUNDARY CMF +1300RL ____ 16.05 ISSUED FOR CONSTRUCTION CMF +150REV. DATE **AMENDMENT** DRAWN

DATE 16.05.2011



Innovative Building Systems Australia Pty Ltd

14 Monterey Parade, Ermington Helghts NSW 2115 ACN: 44 124 486

CHRISTIAAN FITZSIMON BSc BE MIEAust # 987546

APPROVED (

Ph: 0414 555 991 Fax: 02 9804 8724

Ph: DATE

POOLS

SIXCL 1957

THIS DRAWING IS SUBJECT OF COPYRIGHT AND MAY NOT BE USED OR REPRODUCED EITHER IN WHOLE OR PART WITHOUT THE EXPRESS PERMISSION OF THE OWNER CRYSTAL POOLS P/L.

SEPTEMBER 2007

POOL LOCATION:

CUSTOMERS MUST SATISFY THEMSELVES TO THE CORRECT LOCATION OF THE POOL SET OUT PEGS PRIOR TO THE COMMENCEMENT OF THE EXCAVATION.

DIMENSIONS:

FIGURED DIMENSIONS ARE TO BE TAKEN IN PREFERENCE TO SCALE.

FOUNDATIONS:

- TO BE NATURALLY OCCURING MATERIAL CAPABLE OF BEING EXCAVATED TO A VERTICAL FACE AND OF MINIMUM SAFE BEARING CAPACITY OF 50KPd.
- 2. UNDERSIDE OF THE CONCRETE FLOOR TO BE SEPARATED FROM THE UNDERLYING MATERIAL BY A LAYER OF APPROVED MEMBRANE.

REINFORCEMENT

- ALL RODS TO BE GRADE 230 DEFORMED BARS IN ACCORDANCE WITH A.S.1302 UNLESS NOTED OTHERWISE.
- RODS TO BE LAPPED A MINIMUM OF 400mm AND TO BE WIRE TIED AT EACH 2ND INTERSECTION.
- REINFORCEMENT SHALL HAVE THE FOLLOWING CLEAR COVER OF CONCRETE:
 - (a) WALLS AND STEPS 50mm INSIDE FACE.
 - (b) FLOOR AND COPING 50mm TO TOP OF CONCRETE. WIDTH OF COPING FINISH IS APPROXIMATE.
 - (c) EARTH FACES 65mm.
 - (d) FORMWORK FACES 40mm.
- 4. WHERE COPING IS MORE THAN 150mm ABOVE NATURAL GROUND LEVEL THE HORIZONTAL REINFORCEMENT IS TO BE INCREASED TO S12 AT 200 FOR A DISTANCE OF 400mm BELOW NATURAL GROUND LEVEL.

CONCRETE

- MATERIALS AND WORKMANSHIP GENERALLY TO CONFORM TO THE REQUIREMENTS OF A.S. 3600-2001 & A.S. 2783-1992.
- CONCRETE DESIGN STRENGTH (f'c) TO BE MIN. 25 MPa AT 28 DAYS, UNLESS OTHERWISE STATED.
- 3. CONCRETE TO BE PNUEMATICALLY PLACED PREFERABLY IN A SINGLE UNINTERRUPTED OPERATION. SHOULD A BREAKDOWN OF PLANT OCCUR THE CONSULTING ENGINEERS MUST BE NOTIFIED IMMEDIATELY.

CONCOURSE

ONLY OPEN TYPE OR GLASS PANEL FENCING TO 1.2m HIGH MAY BE SUPPORTED OFF CONCOURSE AS DESIGNED. ALL FENCING TO BE IN ACCORDANCE WITH A.S. 1926.1—2007, AS 1926.2—1995 AND THE ERECTION OR ALTERATION TO BE THE RESPONSIBILITY OF THE APPLICANT. THE FENCING IS PART OF THE APPLICATION.

EMPTYING POOL

POOL TO BE EQUIPPED WITH HYDROSTATIC PRESSURE RELIEF VALVE TO SAFEGUARD AGAINST EXTERNAL WATER PRESSURE WHEN POOL IS EMPTY. DESPITE THIS PROVISION THE APPROVAL OF CRYSTAL POOLS PTY LTD MUST BE OBTAINED BEFORE EMPTYING POOL.

DIVINO

THIS POOL IS NOT DESIGNED FOR DIVING.

PROPOSED SWIMMING POOL

FOR: Mikael & Nicole Dahlgren

AT: 10 Dobroyd Rd, Balgowlah, NSW 2093



CRYSTAL POOLS PTY.

DATE 16.05.2011


JOB NUMBER 12459

1 Central Ave, Thornleigh 2120

DWG. No. **P02**

Ph: 9875 4555 Fax: 9484 1019
Builder Licence No: 34505 This plan

REV



EQUIPMENT LIST

FILTER - CP 360S PUMP - CTX360


HEATER - DELUXE HEATING PROVISION
CLEANING - JET-VAC + AUTO TIMER
CHEMICAL CONTROLLER - 7T + RC1A ACID DOSER

CIRCULATION - 2 x RTP'S

LIGHTS - 3 x UNDERWATER LIGHTS

FILTER BOX

POOL COVER - SERIES 8 + ROLLER



No. S Bar =	112 S
Volume of Pool =	35,874 L
Concrete Volume =	15.22 m3
Volume of Pool = Concrete Volume = Concrete Strength =	32 Mpa

NOTE: EVEN BEARING ASSUMED THROUGHOUT UNLESS NOTED OTHERWISE. ANY VARIATION CHECK WITH ENGINEER.

	+				DATUM:
					TOP OF PO
					TOP OF P
F	3	01.06	CHANGED LOCATION OF POOL TO BOUNDARY	CMF	STRUCTUR
	A	16.05	ISSUED FOR CONSTRUCTION	CMF	APPROX. N GROUND L
R	EV.	DATE	AMENDMENT	DRAWN	ON COND L

Innovative Building Systems

APPROVED

Innovative Building Systems Australia Pty Ltd

DATUM: FFL of House Downstairs

TOP OF POOL STRUCTURAL RELATIVE TO DATUM: 600 BELOW

TOP OF POOL STRUCTURE RELATIVE TO APPROX. NATURAL GROUND LEVELS

ALLOW 30mm FOR PAVER

A +150 RL ---B +1300 RL ---C +1300 RL ---D +150 RL ----

DATE 16.05.2011

| CRISTAL POOLS | CRISTAL POO

THIS DRAWING IS SUBJECT OF COPYRIGHT AND MAY NOT BE USED OR REPRODUCED EITHER IN WHOLE OR PART WITHOUT THE EXPRESS PERMISSION OF THE OWNER CRYSTAL POOLS P/L.

SEPTEMBER 2007

PROPOSED SWIMMING POOL

FOR: Mikael & Nicole Dahlgren

AT: 10 Dobroyd Rd, Balgowlah, NSW 2093



CRYSTAL POOLS PTY.

16.05.2011 JOB NUMBER 12459


DATE

1 Central Ave, Thornleigh 2120

Ph: 9875 4555 Fax: 9484 1019 Builder Licence No: 34505 DWG. No.

P03
forms part of the ar

Carried as issued by
Fitzgerald Building Certifiers Pty Limited



01.06 CHANGED LOCATION OF POOL TO BOUNDARY CMF ISSUED FOR CONSTRUCTION 16.05 **AMENDMENT** DRAWN REV. DATE REV. DATE **AMENDMENT** DRAWN



IF NEAT EXCAVATION,

REINFORCE STEPS AS

FOR STANDARD WALL,

S12 AT 300 EACH WAY. ENGINEER TO APPROVE BEARING.

Innovative Building Systems Australia Pty Ltd

STEPS DETAIL

14 Monterey Parade, Ermington Heights NSW 2115

DATE 16.05.2011

CHRISTIAAN FITZSIMON BSc BE MIEAust # 987546



REINFORCEMENT

THIS DRAWING IS SUBJECT OF COPYRIGHT AND MAY NOT BE USED OR REPRODUCED EITHER IN WHOLE OR PART WITHOUT THE EXPRESS PERMISSION OF THE OWNER CRYSTAL POOLS P/L.

FOR COPINGS OF WIDTH GREATER THAN 300mm

CHANGES TO THE OUTSIDE OF THE VERTICAL

NOTE THAT POSITION OF THE HORIZONTAL REINFORCEMENT

SEPTEMBER 2007

PROPOSED SWIMMING POOL FOR: Mikael & Nicole Dahlgren

AT: 10 Dobroyd Rd, Balgowlah, NSW 2093



CRYSTAL


16.05.2011 JOB NUMBER

12459

DATE

1 Central Ave, Thornleigh 2120 plan forms par P 0 4 approved

Ph: 9875 4555 Fax: 9484 1019 ertificate as issued by Builder Licence No: 34505 Fitzgerald Build REVertifiers Pty L



SEWER ZONE OF INFLUENCE (Scale 1:30)

01.06 CHANGED LOCATION OF POOL TO BOUNDARY **CMF** ISSUED FOR CONSTRUCTION CMF 16.05 DRAWN **AMENDMENT AMENDMENT** REV. DATE DATE DRAWN

Innovative Building Systems

Innovative Building Systems Australia Pty Ltd

DATE 16.05.2011 CHRISTIAAN FITZSIMON BSc BE MIEAust # 9875

CRYSTAL POOLS

THIS DRAWING IS SUBJECT OF COPYRIGHT AND MAY NOT BE USED OR REPRODUCED EITHER IN WHOLE OR PART WITHOUT THE EXPRESS PERMISSION OF THE OWNER CRYSTAL POOLS P/L.

SEPTEMBER 2007

PROPOSED SWIMMING POOL FOR: Mikael & Nicole Dahlgren

CRYSTAL

SINCE 1957

AT: 10 Dobroyd Rd, Balgowlah, NSW 2093

CRYSTAL POOLS PTY. LTD.

DATE 16.05.2011

JOB NUMBER 12459

Ph: 9875 4555 Fax: 9484 1019 This plan forms of the approved Certificate as issued by

DWG. No.

Fitzgerald BENdin Certifier

Builder Licence No: 34505