


AMENDMENTS TO DA APPROVED STUDIO

17 Old Sydney Road, Seaforth



**CALCULATIONS
REMAIN AS PER
APPROVED DA
NO: DA2021/1835**

SITE AREA 1062 m²



ACID SULPHATE:	N/A
BAS/BOS:	N/A
BAL RATING:	N/A
FLOOD:	N/A
HERITAGE:	N/A
MARINE GRADE:	N/A

GENERAL NOTES

THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF GRANNYFLAT SOLUTIONS PTY LTD & NEW SOUTH HOMES PTY LTD.
DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS TO TAKE PRECEDENCE.
ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF GRANNYFLAT SOLUTIONS/NEW SOUTH HOMES, PRIOR TO WORKS COMMENCING.

DATE	DRAWN BY	REVISION	ISSUE	CUSTOMER SIGN	JOB REF
25/05/2022	AM	A	DA AMENDMENT		1349
			DESIGN DEVELOPMENT		
			CONSTRUCTION ISSUE		

CLIENT DETAILS

17 Old Sydney Road, Seaforth
Martin O'Conner

LOT B - DP 340085

COVER PAGE

**AS DESIGNED BY:
SITE DESIGN+STUDIOS
REDRAFTED BY:
GRANNY FLAT SOLUTIONS**

LEGEND FOR WORKING WITHIN THE SYDNEY WATER MAIN SEWER LINE

ZONE OF INFLUENCE (ZOI)-
ANY WORKS WITHIN THE **ZOI** WILL REQUIRE ADDITIONAL PIERING OR
ENCASING, AS WELL AS ADDITIONAL APPROVALS & INSPECTIONS BY A
WATER SERVICES COORDINATOR



FENCE LOCATION

BEFORE ENTERING THE SITE, PLEASE REVIEW AND MAKE YOURSELF FAMILIAR WITH THE EMERGENCY CONTACTS, AND SITE INDUCTION INFORMATION. IF YOU HAVE ANY TROUBLES UNDERSTANDING THE INSTRUCTIONS, PLEASE CONTACT YOUR SITE SUPERVISOR BEFORE ENTERING THE SITE.

THE PROJECT MANAGER WILL ADVISE IF SERVICES/EXTERNAL CONDUITS WILL NEED TO BE LOCATED ELSEWHERE.

PLEASE NOTE THAT UNLESS INCLUDED IN OUR TENDER, GFS WILL
CONNECT ALL THE ROOF WATER FROM THE GRANNY FLAT ROOF ONLY AS
PER THE HYDRAULIC ENGINEERS PLANS.
IF THE OWNER IS UNDERTAKING THEIR OWN LANDSCAPING WORKS AFTER
HANDOVER, IT IS THE OWNER'S RESPONSIBILITY TO ENSURE ALL
SURROUNDING GROUND WATER IS COLLECTED AND DRAINED AWAY FROM
THE GRANNY FLAT.
IT IS HIGHLY RECOMMENDED TO ENGAGE A REPUTABLE LANDSCAPER AND
INSTALL ADEQUATE DRAINAGE AROUND THE PERIMETER OF THE BUILDING
TO AVOID ANY WARRANTY ISSUES.
FOR MORE INFORMATION, PLEASE ASK YOUR PROJECT MANAGER DURING
CONSTRUCTION.

DIAL 1100
BEFORE YOU DIG



DATE	DRAWN BY	REVISION	ISSUE	CUSTOMER SIGN	JOB REF	1349
25/05/2022	AM	A	DA AMENDMENT		SCALE A3	1:20
			DESIGN DEVELOPMENT			
			CONSTRUCTION ISSUE		SHEET	DA

SITE PLAN

STUD OPENING SIZE

ADD 60mm TO HEIGHT AND 50mm TO WIDTH OF ALL WINDOWS

FLYSCREEN NOTES

ALL FLYSCREEN FOR SLIDING DOORS TO HAVE MID BARS

GLAZING NOTES

ALL GLAZING TO COMPLY WITH AS1288 & BASIX CERTIFICATE.
ALL WINDOWS WILL HAVE A FIXED PANEL ON THE RIGHT AND OPENING PANEL ON THE LEFT, WHEN VIEWED FROM THE OUTSIDE, UNLESS REQUESTED OTHERWISE. SLIDING DOORS WILL OPEN IN DIRECTION AS SHOWN ON PLAN.

DIVIDING MULLIONS WILL BE REQUIRED ON LARGE WINDOWS, AND LOCATIONS ARE SUBJECT TO MANUFACTURERS SPECIFICATIONS

WINDOW FLASHING NOTES

ALL WINDOWS ON CLADDED WALLS, INCLUDING ACRYLIC RENDERED WALLS TO HAVE FLASHINGS ON ALL SIDES.



0006495006-02 27 May 2022
Assessor Tracey Cools
Accreditation No. HERA10033
Address
17 Old Sydney Road ,
Seaforth , NSW , 2092



hstar.com.au


BIFOLD WINDOW MOVED TOWARDS FB
WIDTH CHANGED FROM
1370 mm TO 1810 mm (H 1029)

BI-FOLDING DOORS WILL HAVE
ITS TWO CENTER PANELS HINGED

BATHROOM WINDOW MOVED
TO THE MIDDLE

BATHROOM LAYOUT
CHANGED

DOOR REMOVED



BAL RATING ON PAGE 1

FLOOR FINISHES NOTES

PLEASE NOTE THAT THERE MAY BE A SMALL STEP WHEN THERE IS A CHANGE IN FLOOR FINISHES BETWEEN ROOMS

EXTERNAL DOOR WARRANTY

GRANNY FLAT SOLUTIONS CANNOT PROVIDE WARRANTY ON ENTRANCE DOORS IF THE COLOUR CHOSEN HAS A LIGHT REFLECTIVE VALUE (LRV) OF 50 OR BELOW (THESE COLOURS REPRESENT THE DARKER COLOURS IN THE PAINT SPECTRUM). THE MANUFACTURERS DO NOT WARRANT DOORS PAINTED IN DARK COLOURS AS THEY ABSORB MORE HEAT THAN COLOURS GREATER THAN 50 LRV RATING, CAUSING THEM TO WARP OR BEND. FURTHERMORE, THE MANUFACTURER'S WARRANTY IS ALSO VOID IF THE EXTERNAL DOOR IS NOT COVERED BY AT LEAST 1 METER WIDE ROOF / EAVE OVERHANG / PATIO, DUE TO THE DOOR HAVING DIRECT EXPOSURE TO WEATHER ELEMENTS (WIND, RAIN, SUN ETC.) WHICH MAY CAUSE THE DOOR TO SWELL, WARP OR BEND.



GENERAL NOTES

THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF GRANNYFLAT SOLUTIONS PTY LTD & NEW SOUTH HOMES PTY LTD
DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS TO TAKE PRECEDENCE

ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF GRANNYFLAT SOLUTIONS/NEW SOUTH HOMES, PRIOR TO WORKS COMMENCING.

DATE	DRAWN BY	REVISION	ISSUE	CUSTOMER SIGN	JOB REF	1349
25/05/2022	AM	A	DA AMENDMENT		SCALE A3	1:100
			DESIGN DEVELOPMENT		SHEET	DA 03
			CONSTRUCTION ISSUE			

CLIENT DETAILS

17 Old Sydney Road, Seaforth
Martin O'Conner






LOT B - DP 340085

FLOOR PLAN

ROOF VENTILATION METHOD: EAVE VENTS

ROOF SCHEDULE

Surface Area	Eaves Length
7.44	5,360
7.44	5,360
24.08	11,360
24.08	11,360
63.04 m²	33,440 mm



SITE BENCHING NOTES:

WHERE POSSIBLE/APPROPRIATE, EXISTING SOIL TO BE REUSED AS COMPACTED FILL TO AVOID ANY DROP EDGE BEAMS.
IF EXCAVATED SOIL IS NOT APPROPRIATE FOR USE, DROP EDGE BEAMS OR ADDITIONAL IMPORTED SOIL MAY BE REQUIRED.
PLEASE REFER TO YOUR TENDER VARIATION FOR ANY RELEVANT ALLOWANCES.

LANDSCAPING NOTE

UNLESS SPECIFIED IN YOUR CONTRACT, NO LANDSCAPING WORKS HAVE BEEN ALLOWED FOR AROUND THE BUILDING. AT COMPLETION OF LANDSCAPE WORKS, THE SLAB HEIGHT MUST REMAIN A MIN. OF 75mm ABOVE THE FINISHED LANDSCAPED LEVEL.

GUTTER & VALLEY NOTE

WHEN BUILDING NEAR TREES, WE STRONGLY RECOMMEND YOU INSTALL GUTTER-GUARD OR A SIMILAR PRODUCT IN ALL GUTTERS AND VALLEYS, TO PREVENT LEAF BUILD-UP AND WATER OVERFLOW UNDER THE ROOF TILES OR SHEETING

FLOOR LEVEL NOTE

THE FLOOR LEVEL SHOWN ON THE ELEVATIONS MAY VARY SLIGHTLY ON SITE, DUE TO SITE CONDITIONS AND FINAL LEVELS AFTER EXCAVATION AND REMOVAL OF SOIL.

UNLESS SPECIFIED IN YOUR TENDER AND BUILDING CONTRACT, NO DIRT REMOVAL HAS BEEN ALLOWED FOR WHEN LEVELLING THE SITE FOR A CONCRETE SLAB. WHEN ACCESS IS TIGHT, A DECISION WOULD NEED TO BE MADE AS TO WHERE TO STOCKPILE ON SITE TO AVOID ACCESS INTERRUPTIONS OR A COST TO REMOVE THE SOIL CAN BE ARRANGED OR YOU.

FURTHERMORE, NO EXTERNAL STEPS TO PORCHES, DROP EDGE BEAMS OR RETAINING WALLS HAVE BEEN ALLOWED FOR, UNLESS SPECIFIED IN YOUR TENDER.

GENERAL NOTES

THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF GRANNYFLAT SOLUTIONS PTY LTD & NEW SOUTH HOMES PTY LTD
DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS TO TAKE PRECEDENCE

ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF GRANNYFLAT SOLUTIONS/NEW SOUTH HOMES, PRIOR TO WORKS COMMENCING.

DATE	DRAWN BY	REVISION	ISSUE	CUSTOMER SIGN	JOB REF
25/05/2022	AM	A	DA AMENDMENT		1349
			DESIGN DEVELOPMENT		SCALE A3 1:100
			CONSTRUCTION ISSUE		SHEET DA 04

CLIENT DETAILS

17 Old Sydney Road, Seaforth
Martin O'Conner

LOT B - DP 340085

ELEVATIONS & SECTION

Thermal Comfort Specifications	
Glazing Doors/windows/cl erestory	Aluminium framed single clear glazing throughout: Windows and glazed doors: W01 & W02: U-value: 4.10 (equal to or lower than) SHGC: 0.47 (±10%) W03: U-value: 4.30 (equal to or lower than) SHGC: 0.53 (±10%) Given values are AFRC, total window system values (glass and frame)
Roof	Metal roof with foil/sarking (R0.0 up and R0.0 down) External Colour: Light (SA<0.475)
Ceiling	Plasterboard ceiling with R4.0 insulation (insulation value only) where roof is above Note: All ceiling penetrations have been modelled in accordance with NatHERS protocols, all downlights are assumed sealed LED downlights.
External Walls	Brick veneer with R2.5 insulation (insulation only value) No insulation required to garage walls External Colour: Light (SA<0.475)
Floors	Waffle Pod Slab Floor coverings: Tiles
External Shading	Covered Porch. Eaves as per stamped plans
BASIX Water Commitments	
Fixtures	Install showerheads minimum rating of 4 stars-High flow (>4.5 and <= 6 Litres/min) Install toilet flushing system with a minimum rating of 5 stars in each toilet Install tap with minimum rating of 6 stars in the kitchen Install taps with minimum rating of 6 stars in each bathroom
Alternative Water	Install rainwater tank, minimum 2,000L capacity collected from minimum 61 m ² roof area. Tank connected to – At least one outdoor tap, laundry, toilets and swimming pool
BASIX Energy Commitments	
Hot water System	Electric Instantaneous
Cooling system	1400mm Ceiling fan included to Kitchen/Living
Heating system	No heating system
Ventilation	Kitchen– Natural Ventilation Bathrooms - Individual fan, externally ducted to roof or façade, manual on/off switch Laundry- Natural Ventilation
Lighting	Recessed (sealed) LED downlights include to all rooms at a rate of 1 per 2.5m2
Appliances	Electric cooktop with Electric oven
Other	Minimum 3.0 kW PV system

NatHERS Certificate Number: 0006495006-01



0006495006-02 27 May 2022

Assessor Tracey Cools

Accreditation No. HERA10033

Address
17 Old Sydney Road ,
Seaforth , NSW , 2092

41.5 MJ/m²

www.nathers.gov.au



hstar.com.au

GENERAL NOTES					
THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF GRANNYFLAT SOLUTIONS PTY LTD & NEW SOUTH HOMES PTY LTD					
DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS TO TAKE PRECEDENCE					
ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF GRANNYFLAT SOLUTIONS/NEW SOUTH HOMES, PRIOR TO WORKS COMMENCING.					
DATE	DRAWN BY	REVISION	ISSUE	CUTOMER SIGN	JOB REF
25/05/2022	AM	A	DA AMENDMENT		1349
			DESIGN DEVELOPMENT		SCALE A3
			CONSTRUCTION ISSUE		SHEET DA 05

CLIENT DETAILS
17 Old Sydney Road, Seaforth
Martin O'Conner
LOT B - DP 340085
BASIX COMMITMENTS