







	1	2	3			4	5	6	
Α			TELSTRA ANTE						А
В		ANTENNA No	ANTENNA TYPE & SIZE H x W x D	ANTENNA ACTION	ANTENNA HEIGHT	ANTENNA BEARING	SECTOR NO. & TECHNOLOGY		
		A1	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	REQUIRED	C/L A.G.L. 40.0m	(x°T) 70°	S1: LTE700 S1: LTE700 SPARE SPARE SPARE SPARE		В
		A2	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	INSTALL	40.0m	160°	S2: LTE700 S2: LTE700 SPARE SPARE SPARE SPARE		
С		А3	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	INSTALL	40.0m	260°	S3: LTE700 S3: LTE700 SPARE SPARE SPARE SPARE		С
		A4	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	INSTALL	40.0m	70°	SPARE SPARE S1: LTE1800 S1: LTE1800 S1: LTE1800 S1: LTE1800		
D		A5	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	INSTALL	40.0m	160°	SPARE SPARE S2: LTE1800 S2: LTE1800 S2: LTE1800 S2: LTE1800		
		A6	ARGUS RVVPX310.11B-T2 PANEL 2533 x 350 x 208mm	INSTALL	40.0m	260°	SPARE SPARE S3: LTE1800 S3: LTE1800 S3: LTE1800 S3: LTE1800		D
		A200	GPS ANTENNA KRE 101 2082/1 Ø68 x 96	INSTALL	BASE OF GPS 3.0m	0°	-		
E	COMPLIANCE BOX COMPLETED AS PER DESIGN ALTERATIONS IN RED NAME (PRINT) SIGNATURE DATE								E
F	TO BE READ IN CONJUNCTION WITH SHEETS \$1, \$1-1, \$1-2 & \$3. ORDER DRAWN CHKD AMENDMENT EXAM APPD DATE ISS MOBILE NETWORK SITE 312090 NARRABEEN 1 LAKESHORE DRIVE ANTENNA CONFIGURATION TABLE 1 LAKESHORE DR, NARRABEEN, NSW 2101								