

FACADE CODE:

SCALES:

1:300

SHEET No.:

5/31

F-BROCYPA01

PRELIM. CONSTRUCTION DRAWING

© 2024 MCDONALD JONES HOMES PTY LTD (ABN 82 003 687 232). THIS DRAWING IS AN ORIGINAL ARTISTIC WORK WITHIN THE MEANING OF THE COPYRIGHT ACT 1968 (CTH). MCDONALD JONES HOMES PTY LTD IS THE OWNER OF COPYRIGHT IN THIS DRAWING. YOU HEREBY AGREE AND UNDERTAKE THAT YOU WILL NOT IN ANY WAY REPRODUCE, COPY, MODIFY, USE OR TAKE ADVANTAGE OF THE DRAWING TO BUILD A HOUSE BASED ON THIS PLAN (WHÉTHER IN WHOLE OR IN PART) WITHOUT THE PRIOR WRITTEN CONSENT OF MCDONALD JONES HOMES PTY LTD.

OVERHEAD POWER LINES ARE PRESENT

GRASS

8,451

SIP 178.88LIL

CONC

179.4

179.91BASE PP

170 00

THREE LAYERS OF

ENDS OVERLAPPED

SANDBAGS WITH

NGL 179.472

NGL 178.694

27,397 O/H POWER LINE 30,494 52
30,70/H POWER LINE
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,195 211
30,

179.04 N

NGL 178.400

178,55

TENNIS

COURT

31,527

1/2 2/20

PAD RÍ

178.985

FILL

CUT

GRA 3

GROUND

179,395

GARAGE

FFL

179,325

FLOOR FFL

- SEDIMENT CONTROL FENCE

NGL 178.039

CUT 0.033 DEB 0.429

NGL 178.437

178.6

WATER

FEATURE

179.30FCE 47.CE

SANDBAGS OVERLAP

GAP BETWEEN SANDBAGS

ONTO KERB

ACTS AS SPILLWAY

TYD

SANDBAG KERB INLET

SEDIMENTATION TRAP

۵×

BM 24

DI

118.73

178.82

178.85

9.11FCF PERL184.68 3

EXISTING

NGL 178.032

NGL 178.426

PAD RL 178.435

GROUND

FLOOR FFL

178.745

1100

178.69

NGL 178.443 CUT 0.008

1.380 ha

WYATT AVENUE

TEMPORARY CONSTRUCTION EXIT

CONSTRUCTION SITE

GEOTEXTILE

RUNOFF FROM PAD

DIRECTED TO SEDIMENTATION TRAP

HS 3H

7%

178.2

GRASS

GRASS

9.084

4.081

180.40F

DIAO.2M HT6M

WEATHERED ROCK @ APPROX. 450mm

BELOW THE NATURAL GROUND LEVEL

EXISTING 35,000L WATER TANK

17.2

1. V. V.

AVIARY

178.6

178.65

WATER

TANK

10.19 m² TPZ ENCROACHMENT ARE (SHOWN HATCHED)

179.38

NGL 179.506

る

EXISTING TREE TO BE

REMOVED BY OWNER

EXISTING TREE TO REMAIN

NGL 178.519



SILT FENCING DETAIL

+/- 100mm TOLERANCE TO NOMINATED FINISHED FLOOR LEVELS.

178.49

NGL 178.333

CUT 0.070 DEB 0.172

NGL 178.400

CUT 0.051 DEB 0.086

10,000

78

EDGE

807 + 3,193

MEMBRANE TO BE BIDIM U24

OR APPROVED EQUIVALENT

NATURAL SURFACE LEVEL

BURY APPROXIMATELY 150mm OF MEMBRANE AND TEMPORARILY

IT4M

SUBJECT TO MAXIMUM DRIVEWAY PROFILE AND/OR ANY FLOOD RELATED LEVELS

- 100

NGL 178.400 178.56

GARAGE

" FFL

178,675

(124m² TO BDY 150m² TO KERB)

ALL BUILDING INFORMATION REGARDING

SUSTAINABILITY REQUIREMENTS SITE CLASSIFICATION

GENERAL BUILDING INFORMATION

AS TO THE AS-BUILT LOCATION OF STORMWATER ASSETS (INCLUDING

SURFACE INLET PITS) OR THE TYPE OF

SYSTEM USED (CHARGED OR GRAVITY

CHANGES AT THE DISCRETION OF THE BUILDER. THE STORMWATER SYSTEM IS

NOT SUITABLE FOR ANY OTHER USE, ALL

MANAGED BY OWNER INCLUDING INSTALLATION OF ADDITIONAL DISCHARGE

177.64FCE

J77.68

SURFACE WATER DRAINAGE MUST BE

LINES AND INLETS AS REQUIRED. THE

RESPONSIBILITY FOR OVERFLOW OR

ADDITIONAL DISCHARGE LOADS TO

EXISTING STANDARD PROVISIONS

SELECTIONS DOCUMENTATION.

DRIVEWAY AND RETAINING WALLS BY

OWNER UNLESS NOTED OTHERWISE IN

THE SCOPE OF WORK AND/OR COLOUR

PROPOSED TREES BY OWNER AFTER

IN THE TENDER DOCUMENTATION

APPROX. CUT/FILL

DIFFERENCE

50 x 25 x 1000 STAKE OR

STAR PICKET

NATURAL SURFACE

DOWNHILL OF MEMBRANE

NOT TO BE DISTURBED

HANDOVER UNLESS NOTED OTHERWISH

30 15m³

32.61m3

2.46m³

EVEN CUT & FILL

northern

beaches

67 84

73.37t

5.54t

THIS PLAN IS TO BE READ IN

CONJUNCTION WITH

THE CONDITIONS OF DEVELOPMENT

CONSENT

DA2023/1549

DAMAGE TO PROPERTY IF OWNER ADDS

BUILDER PROVIDES CAPACITY FOR DISPOSAL OF ROOF COLLECTED STORMWATER ONLY AND TAKES NO

FED), ALL STORMWATER DESIGN IS

RECOMMENDATIONS AND/OR ANY CONSTRUCTION CONSTRAINTS OR

SUBJECT TO CONTRACTORS

STORMWATER LAYOUT IS DIAGRAMMATIC ONLY AND NO REPRESENTATION IS MADE

That To Mile No Mile N							
SPECIFICATION:	REVISION	DRAWN CLIENT:	HOUSE DESIGN:				
COUNTRY LIVING	13 ARBORIST COORDINATION	LFL 20.10.2023 MS DOROTHY FRANCESS BLOOM	BRONTE EXEC GRANDE MANOR ONE				
	14 SLAB AND DRAINAGE CHECK	JVA 2023.10.23 ADDRESS:	FACADE DESIGN:				
© 2024	15 PCV 012 ADDED- NCC	JVA 2023.10.31 24 WYATT AVE, BELROSE NSW 2085	COUNTY PAVILION FACADE				
	16 AMENDED AS PER PCV13	LFL 09/02/2024 LOT / SECTION / DP: COUNCIL:	SHEET TITLE:				
	17 AMENDED AS PER PCV14 - HYDRAULICS	LFL 13/02/2024 2568 / - / 752038 TO BE ADVISED	SITE PLAN				

DATE: 17/10/2023 **DRAFTING OFFICE: SYDNEY**

DO NOT SCALE DRAWINGS, USE IGURED DIMENSIONS ONLY, CHEC H-BROCLAS11421 AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. 606935

_ 8<u>20 (887)</u>_ 2406H

GUEST BED

4.10 4.10 NS 4

UPGRADE

COMBUSTIBLE IN ACCORDANCE WITH NCC 2022

ALL EXTERIOR SLABS TO BE GRADED BY CONCRETER TO ACHIEVE APPROX. 1:100 FALL TO OUTSIDE EDGE WITH

MAXIMUM CROSSFALL OF 30mm OVER ENTIRE SLAB.

SUIT AN N3 (W41N) WIND CLASSIFICATION

beaches

DISCHARGED TO OUTDOOR AIR AS PER NCC 2022 REQUIREMENTS FIRE RESISTANT PLASTERBOARD TO BE INSTALLED BEHIND COOKTOP

ALL BUILDING INFORMATION REGARDING

SUSTAINABILITY REQUIREMENTS

ALL MECHANICAL VENTILATION TO BE

SITE CLASSIFICATION

ALL EXTERIOR STEPS AND LANDINGS BY CUSTOMER UNLESS NOTED OTHERWISE

ALL GROUND FLOOR BULKHEAD AND SQUARE SET OPENING FRAMES TO BE 2455 ABOVE FFL UNLESS NOTED

ALL GROUND FLOOR INTERNAL DOORS TO BE 2340 HIGH UNLESS NOTED OTHERWISE

REFER TO WINDOW AND DOOR WINDOWS AND DOORS, PLEASE NOTE MANUFACTURERS SPECIFICATIONS AT SLIGHTLY TO THE SIZES NOMINATED IN THE SCOPE OF WORKS DUE TO MANUFACTURING CHANGES AT THE TIME

UNLESS NOTED OTHERWISE ALL ROOMS ARE REFERENCED AS FOLLOWS:

THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMEN CONSENT 450

DA2023/1549

WALL FRAMES AND TRUSSES TO BE UPGRADED TO

850 , 350 1,704 350 , 850 2,220 ENS

75, 1,450 B'PTY ,,75 6,415 MASTER SUITE 10,720 BUTLER'S PANTRY / KITCHEN / DINING .75 850 .75 1,500 75 2,280 B'PTY

W13

KITCHEN

WIR

ENS 2

BED 2

MASTER SUITE

₩ENS WIR

HS / WS HOB SPOUT / WALL SPOUT FACE BRICK / COMMON BRICK

SOUND INSULATION BRICK ARTICULATION JOINT STANDARD DOWNPIPE

CHARGED DOWNPIPE EXHAUST FAN

LEGEND

LOAD BEARING WALL THIS DOOR OPENS FIRST INTERCONNECTED S)

SMOKE ALARM LIFT OFF HINGE / UNDERCUT WATER POINT

WP FRIDGE WATER POINT GAS BAYONET

© 2024 MCDONALD JONES HOMES PTY LTD (ABN 82 003 687 232). THIS DRAWING IS AN ORIGINAL ARTISTIC WORK WITHIN THE MEANING OF THE COPYRIGHT ACT 1968 (CTH). MCDONALD JONES HOMES PTY LTD IS THE OWNER OF COPYRIGHT IN THIS DRAWING. YOU HEREBY AGREE AND UNDERTAKE

HEBEL ARTICULATION JOINT LOCATION

TO MANUFACTURERS SPECIFICATIONS

FAMILY/

DINTNG

520 830

75, 3,000 BED 3 4,445 CHILDREN'S ACTIVITIES 75, 1,615 ROBE 75 1,310

SF/FF1818

W10

BED 3

350 x 350mm HEBEL PIER -WITH RENDERED FINISH A 75mm EZI POST TO CORE

FSS2436 RECESSED (D-HEBL-DOOR02)

D03

CHILDREN'S **ACTIVITIES**

BED 4

DD1816

STUDY / LIBRARY

VERANDAH

ALL DIMENSIONS ARE FRAME DIMENSIONS

THAT YOU WILL NOT IN ANY WAY REPRODUCE, COPY, MODIFY, USE OR TAKE ADVANTAGE OF THE DRAWING TO BUILD A HOUSE BASED ON THIS PLAN (WHÉTHER IN WHOLE OR IN PART) WITHOUT THE PRIOR WRITTEN CONSENT OF MCDONALD JONES HOMES PTY LTD.

mcdonald jones FIND YOURSELF AT HOME

THE TOTAL THE TOTAL THE TOTAL TOTAL TO THE TOTAL TOTAL TO THE TOTAL TOTA								iī		
SPECIFICATION:		REVISION	D	RAWN CLIENT:			HOUSE DESIGN:		HOUSE CODE:	DO NOT SCALE DRAWINGS, USE
COUNTRY LIVING	13	ARBORIST COORDINATION	LFL	20.10.2023 MS DOROTHY FRANC	ESS BLOOM		BRONTE EXEC GRANDE MANOR ONE		H-BROCLAS11421	FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND
COPYRIGHT:	14	SLAB AND DRAINAGE CHECK	1 '	2023.10.23 ADDRESS:			FACADE DESIGN:		FACADE CODE:	COMMENCEMENT OF ANY WORK. ALL
© 2024	15	PCV 012 ADDED- NCC	JVA	2023.10.31 24 WYATT AVE, BELR	OSE NSW 2085		COUNTY PAVILION FACADE		F-BROCYPA01	DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
	16	AMENDED AS PER PCV13	LFL	09/02/2024 LOT / SECTION / DP:	COUNCIL:		SHEET TITLE:	SHEET No.:	SCALES:	60602E #
	17	AMENDED AS PER PCV14 - HYDRAULICS	LFL	13/02/2024 2568 / - / 752038	TO BE ADVISED		GROUND FLOOR PLAN	7 / 31	1:150	606935

SUBJECT TO NCC 2022

(1 MAY 2023)

WATERPROOFING & PLUMBING

PRELIM. CONSTRUCTION DRAWING

DATE: 17/10/2023

DRAFTING OFFICE: SYDNEY

ALL EXTERIOR STEPS AND LANDINGS BY CUSTOMER UNLESS NOTED OTHERWISE

ALL GROUND FLOOR BULKHEAD AND SQUARE SET OPENING FRAMES TO BE 2455 ABOVE FFL UNLESS NOTED

ALL GROUND FLOOR INTERNAL DOORS TO BE 2340 HIGH UNLESS NOTED OTHERWISE

REFER TO WINDOW AND DOOR SCHEDULES FOR FULL DETAILS OF ALL WINDOWS AND DOORS. PLEASE NOTE MANUFACTURERS SPECIFICATIONS AT DEPOSIT STAGE AND MAY DIFFER SLIGHTLY TO THE SIZES NOMINATED IN THE SCOPE OF WORKS DUE TO MANUFACTURING CHANGES AT THE TIME OF CONSTRUCTION.

beaches

THIS PLAN IS TO BE READ IN

CONJUNCTION WITH

CONSENT

DA2023/1549

UNLESS NOTED OTHERWISE ALL ROOMS ARE REFERENCED AS FOLLOWS:

LEGEND

WP

HS / WS HOB SPOUT / WALL SPOUT

SOUND INSULATION

CHARGED DOWNPIPE

LOAD BEARING WALL

INTERCONNECTED

FRIDGE WATER POINT

FIND YOURSELF AT HOME

SMOKE ALARM LIFT OFF HINGE / UNDERCUT

WATER POINT

GAS BAYONET

THIS DOOR OPENS FIRST

EXHAUST FAN

HEBEL

FACE BRICK / COMMON BRICK

BRICK ARTICULATION JOINT STANDARD DOWNPIPE

WALL FRAMES AND TRUSSES TO BE UPGRADED TO **SUIT AN N3 (W41N) WIND CLASSIFICATION**

MIN. 1200mm CEILING FANS WITHOUT LIGHTS TO STUDIO GAMES ROOM

HEBEL ARTICULATION JOINT LOCATION TO MANUFACTURERS SPECIFICATIONS

9,520

, 790 ₊

3,990

2,410

3,620 LOUNGE

790

185, ,

5,530

5,530 ALFRESCO


BAL-29 BUSHFIRE REQUIREMENTS SEE SHEET 1 (COVER SHEET) FOR DETAILS


PROVIDE FLATBACK GUTTER **UPGRADE**

PROVIDE AND INSTALL SINGLE PHASE SPLIT SYSTEM AIR CONDITIONER, EXACT LOCATION TO BE DETERMINED IN CONJUNCTION WITH CONTRACTORS RECOMMENDATIONS AND/OR ANY CONSTRUCTION CONSTRAINTS

ANY PART OF THE FASCIA, GUTTERING OR DOWNPIPE THAT IS WITHIN 450mm OF ANY BOUNDARY IS TO BE NON-COMBUSTIBLE IN ACCORDANCE WITH NCC 2022

ALL EXTERIOR SLABS TO BE GRADED BY CONCRETER TO ACHIEVE APPROX. 1:100 FALL TO OUTSIDE EDGE WITH MAXIMUM CROSSFALL OF 30mm OVER ENTIRE SLAB.





© 2024 MCDONALD JONES HOMES PTY LTD (ABN 82 003 687 232). THIS DRAWING IS AN ORIGINAL ARTISTIC WORK WITHIN THE MEANING OF THE COPYRIGHT ACT 1968 (CTH). MCDONALD JONES HOMES PTY LTD IS THE OWNER OF COPYRIGHT IN THIS DRAWING. YOU HEREBY AGREE AND UNDERTAKE

ALL DIMENSIONS ARE FRAME DIMENSIONS

SPECIFICATIO COUNTR COPYRIGHT: © 2024 mcdonald jones

THAT	T YOU WILL NOT IN ANY WAY REPRODUCE, COPY, MODIFY, L	USE OR TAKE ADVANTAGE OF THE DRAWING TO BUILD A HOUSE BASED ON THIS PLAN (WHETHER IN WHOLE OR IN	N PART) WITHOUT THE PRIOR WRITTEN CONSENT OF MCDONALD JONES HOMES PTY LTD.			ı≝
TRY LIVING	REVISION 13 ARBORIST COORDINATION	DRAWN CLIENT: LEL 20.10.2023 MS DOROTHY FRANCESS BLOOM	HOUSE DESIGN: BRONTE EXEC GRANDE MANOR ONE	HOUSE CODE: H-BROCLAS11421	DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND	76
IT:	14 SLAB AND DRAINAGE CHECK	JVA 2023.10.23 ADDRESS:	FACADE DESIGN:	FACADE CODE:	LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK, ALL DISCREPANCIES TO BE REPORTED	ion: 24.0
•	15 PCV 012 ADDED- NCC 16 AMENDED AS PER PCV13	JVA 2023.10.31 24 WYATT AVE, BELROSE NSW 2085 LFL 09/02/2024 LOT/SECTION/DP: COUNCIL:		F-BROCYPA01 SHEET No.: SCALES:	TO THE DRAFTING OFFICE.	olate Vers
	17 AMENDED AS PER PCV14 - HYDRAULICS	LEI 13/02/2024 2568 / - / 752038 TO BE ADVISED	STUDIO FLOOR PLAN	8 / 31 1.100	000300	Ē

SUBJECT TO NCC 2022

(1 MAY 2023)

WATERPROOFING & PLUMBING

PRELIM. CONSTRUCTION DRAWING

DATE: 17/10/2023

DRAFTING OFFICE: SYDNEY



COLORBOND CORRUGATED / CUSTOM ORB METAL ROOFING + FOIL FACED BLANKET



THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

-LOCATION OF SOLAR PANELS

DA2023/1549

ROOF PLAN SCALE: 1:175

SUSTAINABILITY REQUIREMENTS SITE CLASSIFICATION GENERAL BUILDING INFORMATION

REFER TO SHEET 1 (COVER SHEET) FOR ALL BUILDING INFORMATION REGARDING: SEE SHEET 1 (COVER SHEET) FOR DETAILS

© 2024 MCDONALD JONES HOMES PTY LTD (ABN 82 003 687 232). THIS DRAWING IS AN ORIGINAL ARTISTIC WORK WITHIN THE MEANING OF THE COPYRIGHT ACT 1968 (CTH). MCDONALD JONES HOMES PTY LTD IS THE OWNER OF COPYRIGHT IN THIS DRAWING. YOU HEREBY AGREE AND UNDERTAKE THAT YOU WILL NOT IN ANY WAY REPRODUCE, COPY, MODIFY, USE OR TAKE ADVANTAGE OF THE DRAWING TO BUILD A HOUSE BASED ON THIS PLAN (WHETHER IN WHOLE OR IN PART) WITHOUT THE PRIOR WRITTEN CONSENT OF MCDONALD JONES HOMES PTY LTD.

mcdonald jones

FIND YOURSELF AT HOME


SPECIFICATION:	REVISION	- 1	PRAWN CLIENT:		HOUSE DESIGN:		HOUSE CODE:	DO NOT SCALE DRAWINGS, USE
COUNTRY LIVING 1:	3 ARBORIST COORDINATION	LFL	20.10.2023 MS DOROTHY FRANCI	ESS BLOOM	BRONTE EXEC GRANDE MANOR ONE		H-BROCLAS11421	FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND
	4 SLAB AND DRAINAGE CHECK	1 ' 1	2023.10.23 ADDRESS:		FACADE DESIGN:	FACADE COD F-BROC		LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL
© 2024	5 PCV 012 ADDED- NCC	JVA	2023.10.31 24 WYATT AVE, BELROSE NSW 2085		COUNTY PAVILION FACADE	COUNTY PAVILION FACADE		DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
10	6 AMENDED AS PER PCV13		09/02/2024 LOT / SECTION / DP:	COUNCIL:	SHEET TITLE:		.: SCALES:	606025 g
1	7 AMENDED AS PER PCV14 - HYDRAULICS	LFL	13/02/2024 2568 / - / 752038	TO BE ADVISED	ROOF PLAN	9 / 31	1:175	606935 stephen

SUBJECT TO NCC 2022 (1 MAY 2023) WATERPROOFING & PLUMBING

PRELIM. CONSTRUCTION DRAWING

DATE: 17/10/2023

DRAFTING OFFICE: SYDNEY



TO BE ADVISED


LFL 13/02/2024 2568 / - / 752038

17 AMENDED AS PER PCV14 - HYDRAULICS

ELEVATIONS

11 / 31 | 1:100

FIND YOURSELF AT HOME



TO BE ADVISED

LFL 13/02/2024 2568 / - / 752038

17 AMENDED AS PER PCV14 - HYDRAULICS

FIND YOURSELF AT HOME

12 / 31 | 1:100

ELEVATIONS / SECTION

