



NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2006/1206

DEVELOPMENT APPLICATION DETAILS

Applicant Name: A V Jennings Limited

Applicant Address: John Khoury Po Box 129 Liverpool NSW 1871

Land to be developed (Address): Lot 2, DP 6171, 4 Welch Street, North Manly

Proposed Development: Construction of a two storey dwelling and driveway

DETERMINATION

Made on (Date): 15th June 2007

Consent to operate from (Date): 15th June 2007

Consent to lapse on (Date): 15th June 2010

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
01-1	Site plan/analysis	-	17.05.07	AV Jennings Properties Limited
01-2	Site plan (demolition)	-	17.05.07	AV Jennings Properties Limited
02gl	Ground floor plan	-	17.05.07	AV Jennings Properties Limited
02fl	First floor plan	-	17.05.07	AV Jennings Properties Limited
03-1	External elevations	-	17.05.07	AV Jennings Properties Limited
03-2	Ext. elevations/Section	-	17.05.07	AV Jennings Properties Limited
03-3	Ext elevations/Section	-	17.05.07	AV Jennings Properties Limited
SW6102-S1	Site/ground floor layout	D	22.05.07	Alw design
SW6102-S2	Engineering details	D	22.05.07	Alw design

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

3. Damage to Public Infrastructure

The applicant shall bear the cost of all restoration works to Council's property damaged during the course of this development. The applicant shall advise Council, in writing, of any existing damage to Council property before commencement of the development. A dilapidation survey of Council's assets, including photographs and written record, must be prepared by a suitably qualified person and submitted to Council prior to the issuing of any Construction Certificate.

Note: This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

Reason: *To ensure the protection of existing built public infrastructure. [C6]*

4. Stormwater Disposal

The stormwater drainage works are to be generally in accordance with the drainage plan submitted by ALW Design, drawing numbers SW6102 - S1 and SW6102 - S2 dated 22.05.07. The completed works shall be certified as being built in accordance with the approved drawings and compliant with Australian Standard 3500.3.2, National Plumbing and Drainage Code, by the design engineer.

Reason: *To ensure appropriate provision for stormwater disposal and management arising from the development. [C8] Modified*

5. Kerb Security Bond

A bond of \$1,100 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: *To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

6. Protection of Footpaths and Roadways

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Protection of footpath and roadways. [C22]*

7. Vehicle Crossings

Provision of one vehicle crossing/s 3 metres wide in accordance with Warringah Council Drawing No A4-3330/ 5 EL and specifications. An Application for Street Levels is to be made prior to the issue of the Construction Certificate. Vehicle crossings and associated works within the road reserve shall be constructed in **plain concrete** by an Authorised Vehicle Crossing Contractor, for details see Warringah Council's website <<http://www.warringah.nsw.gov.au>> or phone (02) 9942 2111. All redundant laybacks and crossings are to be restored to footpath/grass.

Prior to the pouring of concrete, the vehicle crossing/s are to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

Reason: *To facilitate suitable vehicular access to private property. [C32]*

8. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
4 Welch Street, North Manly	
DEVELOPMENT APPLICATION NUMBER: 2006/1206 DA	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	\$1,100
TOTAL BONDS	\$1,100
FEES	
Kerb Security Inspection Fee	\$200
Section 94 contribution	\$3,140
Long Service Levy	\$1,099
TOTAL FEES	\$4,439
Progress Inspections if Council is the PCA	\$1,925

Reason: *Compliance with the development consent. [C71]*

9. Bonds

Council will accept a bank guarantee for the purpose of any security bond imposed by these conditions of consent. Such bank guarantee shall be in a form acceptable to the Council and shall be in place prior to the issuing of any construction certificate and shall remain in place until the submission of the certificate required prior to the occupancy of the completed works. To be provided prior to issue of Construction Certificate.

Reason: *Information, Protection of infrastructure and the environment. [C72]*

10. BASIX Certification

Prior to the issue of the Construction Certificate, certification is to be provided by the architect/design consultant to the Council / Accredited Certifier stating that the plans and specifications for the development meet the commitments of the BASIX Certificate lodged with the Development Application.

Reason: *To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). [C81]*

11. S94A Contribution

The payment of \$ as a 94A levy prior to the approval/release of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan 2006. It is current at the time of issue of this Consent. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated. (see schedule)

The basis for the contributions is as follows:

<i>Warringah Section 94A Development Contributions Plan</i>			
Contribution based on total development cost of		\$314,000.00	
Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$2,983	6923
S94A Planning and Administration	0.05%	\$157	6924
Total	1.0%	\$3,140	

Reason: *To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. [C82]*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

12. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: *To avoid siltation to adjoining properties and waterways. [D1]*



13. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: *Legislative requirements. [D3]*

14. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: *Legislative requirement for the naming of the PCA. [D4]*

15. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: *Statutory requirement. [D5]*

16. Structural adequacy and Excavation work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required.

All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Before excavation, the responsible person must notify their intention to the adjoining owner/s and shall at the same time furnish to such owner/s particulars of the work proposed to be carried out.

Reason: *Safety. [D9]*



17. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

***Reason:** To ensure compliance with statutory provisions. [D13]*

18. Cigarette Butt Receptacle - Residential

A cigarette butt receptacle is to be provided on the site for the duration of demolition/construction process, for convenient use of site workers.

***Reason:** To ensure adequate provision is made for builders' waste. [D16]*

19. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

(Note: Applications for hoarding permits, vehicular crossings etc will require evidence of insurance upon lodgement of the application.)

***Reason:** To ensure the community is protected from the cost of any claim for damages arising from works on public land. [D17]*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

20. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

***Reason:** Public Safety. [E4]*



21. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.



Reason: Prescribed mandatory inspections under legislation. [E7]

22. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

23. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

24. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E17]

25. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E18]

26. Benchmarks

All permanent survey markers shall be retained, undamaged, and not relocated.

Reason: *Protection of existing environmental infrastructure and community assets.*
[E23]

27. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community.* **[E26]**

28. Out of Hours Work Permits

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk.

Any further variation shall require the lodgement and favourable determination of a modification application pursuant to Section 96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community.* **[E27]**

29. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

30. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: *To ensure the health and safety of the community and workers on the site. [E30]*

31. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths; roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: *To ensure public safety and amenity on public land. [E35]*

32. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. [E36]*

33. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.



Reason: *To ensure the proper management of public land and funds. [E38]*

34. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Public Safety [E39]*

35. Sediment and Erosion Control Signage

A durable sign, which is available from Council, shall be erected during building works in a prominent location on site, warning of penalties should appropriate erosion and sedimentation control devices not be maintained.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E41]*

36. Asbestos Clearance Certificate

Prior to issuing any Occupation Certificate for building works where asbestos based products have been removed or altered, an asbestos clearance certificate signed by an appropriately qualified person (such as an Occupational Hygienist or Environmental Consultant) must be submitted to the Principal Certifying Authority (and a copy forwarded to Council) for the building work certifying the following:

- The site is free of asbestos.

The certificate must also be accompanied by tipping receipts, which detail that all asbestos waste has been disposed of at an approved asbestos waste disposal depot. If asbestos is retained on site the certificate must identify the type, location, use, condition and amount of such material.

(Note: Further details of licensed asbestos waste disposal facilities can be obtained from the Department of Environment and Conservation (NSW) website at www.dec.nsw.gov.au <<http://www.dec.nsw.gov.au>>)

Reason: *To ensure that building works involving asbestos based products are safe for occupation and will pose no health risks to occupants. [E46]*

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

37. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. [F1]

38. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.



- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: *Prescribed - Statutory. [F2]*

Note: Evidence of insurance required PRIOR to commencement of work.

39. Sydney Water

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Co-ordinator. Please refer to the Building Developing and Plumbing section of the web site www.sydneywater.com.au <<http://www.sydneywater.com.au>> then refer to “Water Servicing Coordinator” under “Developing Your Land” or telephone 13 20 92 for assistance.

Following application a “Notice of Requirements” will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Co-ordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

Reason: *To ensure compliance with the statutory requirements of Sydney Water. [F3]*

40. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]*

41. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;



- (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while building work or demolition work is being carried out, but must be removed when the work has been completed.
 - (3) This condition does not apply to building works being carried out inside an existing building.

Reason: *Statutory requirement. [F9]*

42. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: *Prescribed - Statutory. [F12]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

43. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

44. BASIX Compliance Certification

Prior to the issue of the Occupation Certificate, a compliance certificate is to be prepared by an Accredited Certifier and submitted to the Principal Certifying Authority stating that all the selected BASIX commitments as detailed in the BASIX Certificate, lodged with the Development Application, and the approved plans/specifications have been completed.



Reason: *To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). [G31]*

45. Positive Covenant (Absorption System)

Creation of a Positive Covenant of the Title of the land requiring the proprietor of the land to maintain the absorption trench system required by this Consent, in accordance with the standard requirements of Council. The Positive Covenant is to be prepared by the applicant using terms acceptable to, and which are available from Warringah Council. The positive covenant is to be endorsed by Council prior to its lodgement with the 'NSW Land and Property Information Department'.

Reason: *To ensure ongoing maintenance of the stormwater detention structure. [G32-Corrected]*

46. Smoke Alarms

Smoke alarms are to be installed throughout the new and existing portions of the Class 1a building in accordance with the Building Code of Australia prior to the occupation of the new works.

Reason: *Compliance with BCA and safety of occupancies. [G40]*

Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed _____ on behalf of the consent authority

Signature _____
Name Rebecca Fisher
Team Leader

Date 15th June 2007

**2006/1206 DA
4 Welch Street, Manly Vale**