

NORTHERN BEACHES COUNCIL

23 December 2016



Cite Developments Pty Ltd
PO Box 1122
MONA VALE NSW 2103

Dear Sir/Madam

Application Number: DA2016/0792
Address: Lot 1 DP 227990 , 180 South Creek Road, WHEELER HEIGHTS
NSW 2097
Proposed Development: Demolition works, construction of a shop top housing
development, comprising retail premises, residential apartments,
basement carparking and strata subdivision

Please find attached the Notice of Determination for the above mentioned Application.

Please be advised that a copy of the Assessment Report associated with the application is available on Council's eServices website at www.warringah.nsw.gov.au

Please read your Notice of Determination carefully and the assessment report in the first instance.

If you have any further questions regarding this matter please contact the undersigned on (02) 9942 2111 or via email quoting the application number, address and description of works to council@warringah.nsw.gov.au

Regards,

Steven Findlay
Development Assessment Manager

NOTICE OF DETERMINATION

Application Number:	DA2016/0792
Determination Type:	Development Application

APPLICATION DETAILS

Applicant:	Cite Developments Pty Ltd
Land to be developed (Address):	Lot 1 DP 227990 , 180 South Creek Road WHEELER HEIGHTS NSW 2097
Proposed Development:	Demolition works, construction of a shop top housing development, comprising retail premises, residential apartments, basement carparking and strata subdivision

DETERMINATION - APPROVED

Made on (Date)	14/12/2016
Consent to operate from (Date):	14/12/2016
Consent to lapse on (Date):	14/12/2021

Detail of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

Note:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

DEVELOPMENT CONSENT OPERATIONAL CONDITIONS

1. **Approved Plans and Supporting Documentation**

The development must be carried out in compliance (except as amended by any other condition of consent) with the following:

a) Approved Plans

Architectural Plans - Endorsed with Council's stamp		
Drawing No.	Dated	Prepared By
A-02 Issue B	29 July 2016	Gartner Trovato Architects
A-03 Issue A	29 July 2016	Gartner Trovato Architects
A-04 Issue A	29 July 2016	Gartner Trovato Architects
A-05 Issue B	29 July 2016	Gartner Trovato Architects
A-06 Issue A	29 July 2016	Gartner Trovato Architects
A-07 Issue A	29 July 2016	Gartner Trovato Architects
A-08 Issue A	29 July 2016	Gartner Trovato Architects
A-09 Issue B	23 November 2016	Gartner Trovato Architects
A-10 Issue B	29 July 2016	Gartner Trovato Architects
A-11 Issue B	29 July 2016	Gartner Trovato Architects
Schedule of Finishes	Undated	Gartner Trovato Architects

Reports / Documentation – All recommendations and requirements contained within:		
Report No. / Page No. / Section No.	Dated	Prepared By
BCA Assessment Report (DA Stage)	28 July 2016	BCA Logic
Geotechnical Report	20 July 2016	Crozier Geotechnical Consultants
Traffic and Parking Assessment Report	28 July 2016	Terraffic Pty Ltd
Acoustic Impact Letter	25 October 2016	Wilkinson Murray Pty Ltd

b) Any plans and / or documentation submitted to satisfy the Conditions of this consent.

c) No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

d) The development is to be undertaken generally in accordance with the following:

Landscape Plans		
Drawing No.	Dated	Prepared By
A-13 Issue A	29 July 2016	Gartner Trovato Architects

Waste Management Plan		

NORTHERN BEACHES COUNCIL

Report Title	Dated	Prepared By
Waste Management Plan	29 July 2016	Sean Gartner

In the event of any inconsistency between conditions of this consent and the drawings/documents referred to above, the conditions of this consent will prevail.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. (DACPLB01)

2. Prescribed Conditions

(a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

(b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);

(c) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:

- (i) showing the name, address and telephone number of the Principal Certifying Authority for the work, and
- (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
- (iii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

(d) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:

- (i) in the case of work for which a principal contractor is required to be appointed:
 - A. the name and licence number of the principal contractor, and
 - B. the name of the insurer by which the work is insured under Part 6 of that Act,
- (ii) in the case of work to be done by an owner-builder:
 - A. the name of the owner-builder, and
 - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

(e) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (i) protect and support the adjoining premises from possible damage from the excavation, and
- (ii) where necessary, underpin the adjoining premises to prevent any such damage.

- (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
- (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative Requirement (DACPLB09)

3. **Prescribed conditions (Demolition):**

- (a) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - (i) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
 - (ii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

(b) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:

- (i) in the case of work for which a principal contractor is required to be appointed:
 - A. the name and licence number of the principal contractor, and
 - B. the name of the insurer by which the work is insured under Part 6 of that Act,
- (ii) in the case of work to be done by an owner-builder:
 - A. the name of the owner-builder, and
 - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

(c) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (i) protect and support the adjoining premises from possible damage from the excavation, and
- (ii) where necessary, underpin the adjoining premises to prevent any such damage.
- (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
- (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

Reason: Legislative Requirement (DACPLB09)

4. **General Requirements**

(a) Unless authorised by Council:

Building construction and delivery of material hours are restricted to:

- 7.00 am to 5.00 pm inclusive Monday to Friday,
- 8.00 am to 1.00 pm inclusive on Saturday,
- No work on Sundays and Public Holidays.

Demolition and excavation works are restricted to:

- 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

(b) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of a final Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.

(c) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.

(d) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.

(e) Prior to the release of the Construction Certificate payment of the Long Service Levy is required. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.

(f) Where works are to be carried out to a Class 1a building, smoke alarms are to be installed throughout all new and existing portions of that Class 1a building in accordance with the Building Code of Australia prior to the occupation of the new works.

(g) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

(h) No building, demolition, excavation or material of any nature and no hoist, plant and machinery (crane, concrete pump or lift) shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.

(i) Demolition materials and builders' wastes are to be removed to approved waste/recycling

centres.

(j) All sound producing plant, equipment, machinery or fittings and the use will not exceed more than 5dB (A) above the background level when measured from any property boundary and/or habitable room(s) consistent with the Environment Protection Authority's NSW Industrial Noise Policy and/or Protection of the Environment Operations Act 1997.

(k) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) or on the land to be developed shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.

(l) Prior to the commencement of any development onsite for:

- i) Building/s that are to be erected
- ii) Building/s that are situated in the immediate vicinity of a public place and is dangerous to persons or property on or in the public place
- iii) Building/s that are to be demolished
- iv) For any work/s that is to be carried out
- v) For any work/s that is to be demolished

The person responsible for the development site is to erect or install on or around the development area such temporary structures or appliances (wholly within the development site) as are necessary to protect persons or property and to prevent unauthorised access to the site in order for the land or premises to be maintained in a safe or healthy condition. Upon completion of the development, such temporary structures or appliances are to be removed within 7 days.

(m) Any Regulated System (e.g. air-handling system, hot water system, a humidifying system, warm-water system, water-cooling system, cooling towers) as defined under the provisions of the Public Health Act 2010 installed onsite is required to be registered with Council prior to operating.

Note: Systems can be registered at www.warringah.nsw.gov.au

(n) Requirements for new swimming pools/spas or existing swimming pools/spas affected by building works.

(1) Child resistant fencing is to be provided to any swimming pool or lockable cover to any spa containing water and is to be consistent with the following;

Relevant legislative requirements and relevant Australian Standards (including but not limited) to:

- (i) Swimming Pools Act 1992
- (ii) Swimming Pools Amendment Act 2009
- (iii) Swimming Pools Regulation 2008
- (iv) Australian Standard AS1926 Swimming Pool Safety
- (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools.

(2) A 'KEEP WATCH' pool safety and aquatic based emergency sign, issued by Royal Life Saving is to be displayed in a prominent position within the pool/spa area.

(3) Filter backwash waters shall be conveyed to the Sydney Water sewerage system in sewerred areas or managed on-site in unsewerred areas in a manner that does not cause pollution, erosion or run off, is separate from the irrigation area for any wastewater system and is separate from any onsite stormwater management system.

(4) Swimming pools and spas must be registered with the Division of Local Government.

(o) New solid fuel burning heaters or existing solid fuel heaters affected by building works must comply with the following:

(1) AS 2918:2001 Domestic Solid Fuel Burning Appliances – Installation.

(2) AS 4013:2014 Domestic Solid Fuel Burning Appliances – Method of Determination of Flue Gas Emissions.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. (DACPLB10)

5. **General requirements (Demolition):**

(a) Unless authorised by Council:

Demolition and excavation works are restricted to:

- 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

(b) At all times after the submission a Notice of Commencement to Council, a copy of the Development Consent is to remain onsite at all times until completion of demolition works. The consent shall be available for perusal of any Authorised Officer.

(c) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.

(d) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.

(e) The applicant shall bear the cost of all works that occur on Council's property.

(f) No building, demolition, excavation or material of any nature shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.

(g) Demolition materials and builders' wastes are to be removed to approved waste/recycling centres.

(h) All sound producing plant, equipment, machinery or fittings will not exceed more than 5dB (A) above the background level when measured from any property boundary and will comply with the Environment Protection Authority's NSW Industrial Noise Policy.)

(i) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) or on the land to be developed shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. (DACPLB10)

6. **Operational Management Plan**

An Operational Management Plan (OMP) is required to be prepared and submitted to Council detailing the operation of the development. The OMP shall include, but not be limited to the following:

- Truck and loading vehicle movements.
- The location and content of parking signage in the loading dock.
- Complaints management.
- Noise management.
- Truck delivery times and methods of control to manage the sequencing of the loading dock in South Creek Lane.
- Van and courier delivery times and methods of control to manage the sequencing of the two loading docks in the basement carpark.
- Waste management.
- Regular waste area cleaning program.
- Restrictions non time for loading/unloading and garbage removal (see separate condition relating to times for loading/unloading and garbage removal).

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure that the development operates with minimal disruption to the surrounding area. (DACTRBOC1)

7. **Loading Bays**

Loading bays within the basement carpark are to be signposted and linemarking appropriately.

Reason: To ensure loading bays are available. (DACTRBOC2)

FEES / CHARGES / CONTRIBUTIONS

8. **Policy Controls**

Northern Beaches Council Section 94A Development Contribution Plan

The proposal is subject to the application of Council's Section 94A Development Contributions Plan.

The following monetary contributions are applicable:

Northern Beaches Council Section 94 Development Contributions Plan		
Contribution based on a total development cost of \$ 12,424,948.00		
Contributions	Levy	Payable

NORTHERN BEACHES COUNCIL

	Rate	
Total Section 94A Levy	0.95%	\$ 118,037.01
Section 94A Planning and Administration	0.05%	\$ 6,212.47
Total	1%	\$ 124,249.48

The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated.

This fee must be paid prior to the issue of the Construction Certificate. Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To provide for contributions in accordance with Northern Beaches Council's Development Contributions Plan.

9. Security Bond

A bond (determined from cost of works) of \$10,000 and an inspection fee in accordance with Council's Fees and Charges paid as security to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection).

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.warringah.nsw.gov.au/your-council/forms).

Reason: To ensure adequate protection of Council's infrastructure.

10. Works Bonds

(a) Construction, Excavation and Associated Works Bond (Road, pavement, footpath, car parking, kerb and gutter, kerb ramps)

A Bond of \$200,000 as security against any damage or failure to complete the construction of road pavement/shoulder reconstruction works as part of this consent.

(b) Construction, Excavation and Associated Works Bond (Drainage)

A Bond of \$5,000 as security against any damage or failure to complete the construction of stormwater drainage works as part of this consent.

(c) Construction, Excavation and Associated Works Bond (Pollution)

A Bond of \$2,000 as security to ensure that there is no transmission of material, soil etc off the site and onto the public road and/or drainage systems.

(e) Construction, Excavation and Associated Works Bond (Failure to Remove Waste)

A bond of \$3,000 as security against damage to Council's road(s) fronting the site caused by the transport and disposal of materials and equipment to and from the site.

(f) Construction, Excavation and Associated Works Bond (Maintenance for civil works)

The developer/applicant must lodge with Council a Maintenance Bond of \$20,000 for the construction of all civil works within the public road reserve. The Maintenance Bond will only be refunded on completion of the Maintenance Period, if work has been completed in accordance with the approved plans to the satisfaction of Council.

(Note: This bond may be refunded and replaced by the Maintenance Bond upon submission to Council of the final Compliance Certificate or Subdivision Certificate.)

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection)

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.warringah.nsw.gov.au/your-council/forms).

Reason: To ensure adequate protection of Council's infrastructure. (DACENZ01)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

11. **On-site Stormwater Detention Compliance Certification**

Drainage plans detailing the provision of On-site Stormwater Detention in accordance with Warringah Council's "On-site Stormwater Detention Technical Specification" and the concept drawing by iSTRUCT, drawing number 160611 D01, D02 and D03 dated 3 November 2016.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure appropriate provision for the disposal of stormwater and stormwater management arising from the development. (DACENC03)

12. **Application for Works to be Approved within Council's Roadway**

An application for works to be approved within Council's roadway under Sections 138 & 139 of the Roads Act 1993 is to be submitted to Council for approval. The submission is to include four (4) copies of Civil Engineering plans for the following Civil works fronting the site in South Creek Road, Penrith Avenue and South Creek Lane to the following requirements:-

1. Construction of kerb return on the northern kerb return of Penrith Avenue and South Creek Road to reduce road carriageway for eastbound traffic on South Creek Road. Distance from existing centreline in South Creek Road to the new kerb return is to be 3.6m.
2. Construction of kerb extension on the north side of South Creek Road between the angle parking spaces No.8 and No.9 to reduce road carriageway for eastbound traffic on South Creek Road. Distance from existing centrelines to the new kerb extension is to be 3.6m.

3. Construction of Kerb extension from the western property boundary including the driveway to reduce road carriageway for eastbound traffic on South Creek Road. Distance from existing centrelines to the driveway lay back is to be 3.6m-4.2m.
4. Provision of line marking and raised pavement markers to assist vehicle delineation.
5. Construction of kerb access ramp on the north side of South Creek Road between the angle parking spaces No.8 and No.9 and aligning with a kerb access ramp on the south side near No.209 South Creek Road. Kerb access ramp is to be constructed in accordance to Council's specifications.
6. Reconstruction of kerb & gutter, pavement and dish drain and 16 car parking spaces inclusive to 2 disable car parking fronting the entire street frontage to South Creek Road. The parking design must comply with AS 2890.1 and AS 2890.6.
7. Reconstruction of kerb & gutter, pavement and dish drain for 2 parallel parking spaces for the entire street frontage to Penrith Avenue.
8. Reconstruction of dish drain for the entire street frontage to South creek Lane.
9. The kerb returns both sides on the north side of South Creek lane way requires reconstruction and shall be designed for a Medium Rigid Truck turning movement to AS2890.2.
10. All Existing Council pits and lintel may require to be reconstructed.
11. Construction of 1.5 metres for the entire street frontage to South Creek Road and Penrith Avenue.
12. Construction of Pram ramps.
13. Construction of vehicular crossings.

The fee associated with the assessment and approval of the application is to be in accordance with Council's Fees and Charges.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure compliance with Council's specification for engineering works.
(DACENC08)

13. **Vehicle Driveway Gradients**

Driveway gradients within the private property are not to exceed a gradient of 1 in 4 (25%) with a transition gradient of 1 in 10 (10%) for 1.5 metres prior to a level parking facility. Access levels across the road reserve are to comply with the allocated vehicle profile detailed in Council's Minor Works Policy.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure suitable vehicular access to private property. (DACENC13)

14. **Waterproofing/Tanking of Basement Level**

The basement area is to be permanently tanked or waterproofed. Details of the waterproofing/ tanking are to be prepared by a suitably qualified Engineer.

Where dewatering works are required on the development site during construction, the developer/applicant must apply for and obtain a bore license from the NSW Department of

Primary Industries - Water. The bore license must be obtained prior to commencement of dewatering works. All requirements of the NSW Department of Primary Industries - Water are to be complied with and a copy of the approval must be submitted to the Certifying Authority.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To prevent ingress of sub-surface flows into the basement area and to comply with State Government Requirements. (DACENC14)

15. **Structural Adequacy and Excavation Work**

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required.

All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: Safety. (DACENC19)

16. **Shoring of Adjoining Property**

Should the proposal require shoring to support an adjoining property or Council land, owner's consent for the encroachment onto the affected property owner shall be provided with the engineering drawings. Council approval is required if temporary rock anchors are to be used within Council land.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that owners consent is obtained for ancillary works, and to ensure the protection of adjoining properties and Council land. (DACENCO5)

17. **Detailed Design of Stormwater Quality System**

A certificate from a Civil Engineer, who has membership to the Institution of Engineers Australia, National Professional Engineers Register (NPER-3), stating that the stormwater quality management system has been designed in accordance with the Stormwater Drainage Plans prepared by iStruct Consulting Engineers dated July 2016, Project No. 160611, Drawing No. D01 & D06 Rev. B.

The certificate shall be submitted to the Principal Certifying Authority prior to the release of the Construction Certificate.

Reason: Protection of the receiving environment

18. **Soil and Water Management Plan**

A Soil and Water Management Plan prepared in accordance with Landcom's Managing

Urban Stormwater: Soil and Construction Manual (2004) by a suitably qualified Civil Engineer shall be submitted Principal Certifying Authority prior to the release of the Construction Certificate.

Reason: Protection of the environment

19. **Toilets (sanitary facilities)**

Adequate toilets must be provided for future food business in accordance with the Australia New Zealand Food Standards Code. The number of sanitary facilities must be determined by seating capacities of future food businesses, including outdoor seating areas.

Details are to be submitted for approval by the Principal Certifying Authority prior to any Construction Certificate (CC) being issued. Details should include plans showing the location of all such toilets and calculations showing compliance with the Building Code of Australia.

Hand wash basins are to be provided to all toilets associated with food premises in accordance with Australian Standard AS 4674 Design, construction and fit out of food premises, including provision of warm running water.

Toilet facilities must be separated from all food handling and food storage areas via an air lock or self closing door with mechanical ventilation in accordance with the provisions of the Building Code of Australia Part F 4.9

Note: Future food businesses unable to comply with the Australia New Zealand Food Standards Code and the Building Code of Australia using any existing sanitary facilities will have to make provisions for sanitary facilities within the individual tenancies.

Reason: To ensure adequate provision of toilets to service food premises and their customers and to prevent the risk of microbial contamination. (DACHPCPCC1)

20. **Grease trap provisions**

Plans are to be submitted for approval of the Principal Certifying Authority prior to Construction Certificate (CC) detailing the trade waste /grease trap provisions.

The grease trap system(s) must be appropriately designed to adequately treat all trade waste water produced from food premises and be separated from the residential and non-food retail and commercial waste. The grease trap(s) must have a piped connection to the boundary and must be designed so it does not impede right of way or any pedestrian access. Any grease traps must not be located in any kitchen, food preparation, or food storage area.

Approval for the system(s) must be granted by Sydney Water prior to any Occupation Certificate being issued for a food premises.

Reason: To ensure that provision for commercial trade waste provisions have been considered with the development. (DACHPCPCC2)

21. **Mechanical ventilation for food premises**

All food premises are to be ventilated in accordance with Australian Standard AS1668.2

Adequate provision must be made to accommodate the mechanical ventilation of all future food uses, including provision of communal flue(s).

All mechanical ventilation must be installed in accordance with AS1668.2 for all food premises requiring ventilation for cooking, washing or garbage storage.

Notwithstanding the kitchen exhaust systems must discharge vertically, above roof level, at least 6 metres from any outdoor air intake, natural ventilation device or openings and must be designed to enable installation of smoke and odour control measures to reduce the concentration of potential contaminants.

The use of charcoal, wood or other solid fuels in association with cooking or heating appliances used in connection with an approved food use is not permitted.

Reason: To ensure that adequate mechanical ventilation provisions have been provided to the development and to minimise amenity impacts associated with fumes, smoke and odours. (DACHPCPCC2)

22. **Food stores**

Adequate provision is to be made for storage in relation to future food uses. Plans are to be submitted for approval of the Principal Certifying Authority prior to Construction Certificate (CC) detailing all areas allocated for storage prior to construction certificate. Storage areas associated with approved food uses are to be designed and constructions in accordance with Australian Standard AS 4674 *Design, construction and fit out of food premises*

Reason: To ensure adequate provision is made for the storage needs of food premises. (DACHPCPCC2)

23. **Plans of Kitchen Design, construction and fit out**

Prior to any Construction Certificate (CC) being issued, detailed plans that demonstrate compliance with Standard 3.2.3 of the Australian and New Zealand Food Standards Code, the Food Act 2003 and Australian Standard AS 4674 '*Design, construction and fit out of food premises*', must be submitted to and approved by the Principal Certifying Authority. These plans are to be prepared by a suitably qualified person.

The plans must detail adequate provision for storage including separate storage of food, equipment, chemicals and personal belongings.

Reason: To ensure that the Food premise complies with the design construction and fit-out requirements. DACHPCPCC2)

24. **Tree protection**

- (a) Existing trees which must be retained
 - i) All trees not indicated for removal on the approved plans, unless exempt under relevant planning instruments or legislation
 - ii) Trees located on adjoining land

(b) Tree protection

- i) No tree roots greater than 50mm diameter are to be cut from protected trees unless authorised by a qualified Arborist on site.
- ii) All structures are to bridge tree roots greater than 50mm diameter unless

directed otherwise by a qualified Arborist on site.

iii) All tree protection to be in accordance with AS4970-2009 Protection of trees on

development sites, with particular reference to Section 4 Tree Protection Measures.

iv) All tree pruning within the subject site is to be in accordance with WDCP2011 Clause

E1 Private Property Tree Management and AS 4373 Pruning of amenity trees

v) All tree protection measures, including fencing, are to be in place prior to commencement of works.

Reason: To ensure compliance with the requirement to retain and protect significant planting on the site. (DACLAC01)

25. **Compliance with Standards**

The development is required to be carried out in accordance with all relevant Australian Standards.

Details demonstrating compliance with the relevant Australian Standard are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure the development is constructed in accordance with appropriate standards. (DACPLC02)

Advice to Applicants: At the time of determination in the opinion of Council, the following (but not limited to) Australian Standards are considered to be appropriate:

(a) AS2601.2001 - Demolition of Structures**

(b) AS4361.2 - Guide to lead paint management - Residential and commercial buildings**

(c) AS4282:1997 Control of the Obtrusive Effects of Outdoor Lighting**

(d) AS 4373 - 2007 'Pruning of amenity trees' (Note: if approval is granted) **

(e) AS 4970 - 2009 'Protection of trees on development sites'***

(f) AS/NZS 2890.1:2004 Parking facilities - Off-street car parking**

(g) AS 2890.2 - 2002 Parking facilities - Off-street commercial vehicle facilities**

(h) AS 2890.3 - 1993 Parking facilities - Bicycle parking facilities**

(i) AS 2890.5 - 1993 Parking facilities - On-street parking**

(j) AS/NZS 2890.6 - 2009 Parking facilities - Off-street parking for people with disabilities**

(k) AS 1742 Set - 2010 Manual of uniform traffic control devices Set**

(l) AS 1428.1 - 2009* Design for access and mobility - General requirements for access - New building work**

(m) AS 1428.2 - 1992*, Design for access and mobility - Enhanced and additional requirements - Buildings and facilities**

(n) AS 4674 Design, construction and fit out of food premises

(o) AS1668 The use of mechanical ventilation

*Note: The Australian Human Rights Commission provides useful information and a guide relating to building accessibility entitled "the good the bad and the ugly: Design and construction for access". This information is available on the Australian Human Rights Commission website http://www.humanrights.gov.au/disability_rights/buildings/good.htm

**Note: the listed Australian Standards is not exhaustive and it is the responsibility of the applicant and the Certifying Authority to ensure compliance with this condition and that the relevant Australian Standards are adhered to. (DACPLC02)

26. **Compliance with standards (Demolition):**

The development is required to be carried out in accordance with all relevant Australian Standards.

Details demonstrating compliance with the relevant Australian Standard are to be submitted to Council prior to the commencement of demolition works.

Reason: To ensure the development is constructed in accordance with appropriate standards.

Advice to Applicants: At the time of determination in the opinion of Council, the following (but not limited to) Australian Standards are considered to be appropriate:

- (a) AS2601.2001 - Demolition of Structures**
- (b) AS4361.2 - Guide to lead paint management - Residential and commercial buildings**
- (d) AS 4373 - 2007 'Pruning of amenity trees' (Note: if approval is granted) **
- (e) AS 4970 - 2009 'Protection of trees on development sites**

****Note:** the listed Australian Standards is not exhaustive and it is the responsibility of the applicant and the Certifying Authority to ensure compliance with this condition and that the relevant Australian Standards are adhered to.(DACPLC02)

27. External Colours and Materials (Industrial, Commercial, Mixed & Apartment Buildings)

(a) External Glazing - The reflectivity index of external glazing for windows, walls or roof finishes of the proposed development is to be no greater than 20% (expressed as a per centum of the reflected light falling upon any surface).

(b) External Roofing - The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. Light colours such as off white, cream, silver or light grey colours are not permitted.

(c) Anti Graffiti Coating - The finishes of the walls adjoining South Creek Lane must be finished in heavy duty long life, ultra violet resistant coating with a high resistance to solvents and chemicals as an anti-graffiti coating easily cleaned by solvent wipe.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from glazing does not occur as a result of the development. (DACPLC04)

28. Sewer / Water Quickcheck

The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre prior to works commencing to determine whether the development will affect any Sydney Water asset's sewer and water mains, stormwater drains and/or easement, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the website www.sydneywater.com.au for:

- Quick Check agents details - see Building Developing and Plumbing then Quick Check; and
- Guidelines for Building Over/Adjacent to Sydney Water Assets - see Building Developing and Plumbing then Building and Renovating.
- Or telephone 13 20 92.

Reason: To ensure compliance with the statutory requirements of Sydney Water. (DACPLC12)

29. Dilapidation survey

A photographic survey of adjoining properties within 20m of the excavation perimeter detailing the physical condition of those properties, both internally and externally, including

such items as walls, ceilings, roof, structural members and other similar items, shall be submitted to Council/Accredited Certifier prior to the issue of a Construction Certificate. This survey is to be prepared by an appropriately qualified person.

On completion of the excavation and building works and prior to occupation of the building, a certificate prepared by the appropriately qualified person to the effect that no damage has resulted to adjoining premises, is to be provided to the Principal Certifying Authority.

If damage is identified by the appropriately qualified person which is considered to require rectification, the damage shall be rectified or a satisfactory agreement for rectification of the damage is to be made with the affected person/s as soon as possible and prior to a final Occupation Certificate being issued.

All costs incurred in achieving compliance with this condition shall be borne by the person entitled to act on this Consent.

In the event that access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant must demonstrate, in writing, to the satisfaction of Council/Accredited Certifier that all reasonable steps have been taken to obtain access and advise the affected property owner of the reason for the survey and that these steps have failed.

(Note: This documentation is for record keeping purposes only, and may be used by an applicant or affected property owner to assist in any action required to resolve any dispute over damage to adjoining properties arising from the works. It is in the applicant's and adjoining owner's interest for it to be as full and detailed as possible).

Reason: Proper management of records (DACPLCPCC1)

30. **Mechanical Ventilation**

Prior to issue of Occupation Certificate provide certification from a suitably qualified person certifying that the mechanical ventilation system complies with Australian Standard 1668.2.

Reason: Demonstrate compliance with applicable standards (DACHPFPOC1)

31. **Critical Headroom**

Headroom at a grade change within the basement carpark is to be a minimum 2.2m in accordance to Australian Standards AS2890.1:2004 as shown in figure 5.3 with the wheelbase of the B99 vehicle located longitudinally such that the headroom is at the minimum.

Details demonstrating compliance are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: To ensure compliance to Australian Standards (DACTRCPC2)

32. **Waste and Recycling Requirements**

Details demonstrating compliance with Warringah Development Control Plan – Part C9 Waste Management, including the required Warringah Waste Management Plan, are to be submitted to and approved by the Certifying Authority prior to the issue of any Construction Certificate.

Note: If the proposal, when compliant with Warringah Development Control Plan – Part C9

Waste Management, causes inconsistencies with other parts of the approval i.e. architectural or landscaped plans a modification(s) to the development may be required.

Reason: To ensure adequate and appropriate waste and recycling facilities are provided. (DACWTC01)

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

33. **Public Liability Insurance - Works on Public Land**

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$20 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

Reason: To ensure the community is protected from the cost of any claim for damages arising from works on public land. (DACEND01)

34. **Construction Management Program**

A Construction Management Program shall be prepared which includes the following:

(a) An indicative staging plan.

(b) The proposed method of access to and egress from the site for demolition, excavation and construction vehicles, including access routes through the Council area and the location and type of temporary vehicular crossing for the purpose of minimising traffic congestion and noise in the area, with no access across public parks or reserves being allowed (unless permission is granted under a separate permit).

(c) The proposed method of loading and unloading, demolition, excavation and construction machinery, excavation and building materials, formwork and the erection of any part of the structure within the site. Wherever possible mobile cranes should be located wholly within the site; and

(d) The location and operation of any on site crane.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

(e) Where it is intended to operate traffic control the construction management plan is to provide a traffic management plan authorised by a suitably qualified individual in accordance with the RMS traffic control at worksites manual.

Reason: To ensure appropriate measures have been considered for site access, storage and the operation of the site during all phases of the construction process in a manner that respects adjoining owner's property rights and protects amenity in the locality, without unreasonable inconvenience to the community. (DACPLC13)

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

35. **Progress Certification (Road & Subdivision)**

Written certification is to be provided by a suitably qualified engineer upon completion and/or as and when requested by the Certifying Authority for the following stages of works.

(a) Silt and sediment control facilities

- (b) Construction of pits
- (c) Sub-grade trimmed and compacted **
- (d) Base-course laid and compacted **
- (e) Kerb and gutter construction
- (f) Pavement
- (g) Footpath and vehicular crossing form work inspections.
- (h) Landscaping and vegetation
- (i) Clean-up of site, and of adjoining Council roadway and drainage system.
- (j) Implementation of Traffic control plan.

(**To be tested by a recognised N.A.T.A. approved laboratory).

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To ensure compliance of civil works with Council's specification for engineering works (see www.warringah.nsw.gov.au). (DACENE02)

36. **Vehicle Crossings**

The provision of normal vehicle crossing 6.3 metres wide in accordance with Warringah Council Drawing No A4-3330/1 and specifications. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. Prior to the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To facilitate suitable vehicular access to private property. (DACENE05)

37. **Civil Works Supervision**

All civil works approved in the Construction Certificate are to be supervised by an appropriately qualified and practising Civil Engineer.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To ensure compliance of civil works with Council's specification for engineering works. (DACENE06)

38. **Footpath Construction**

The applicant shall 1.5 metres wide footpath for the entire site frontage to South Creek Road and Penrith Avenue. The works shall be in accordance with the following:

- (a) All footpath works are to be constructed in accordance with Council's minor works policy
- (b) Council is to inspect the form work prior to pouring of concrete to ensure the works are in accordance with Council's specification for footpath.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To ensure compliance of footpath works with Council's specification for engineering works. (DACENE07)

39. **Maintenance of Road Reserve**

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: Public Safety. (DACENE09)

40. **Traffic Control During Road Works**

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others in accordance with RMS Traffic Control Work Site Manual. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works.

Reason: Public Safety. (DACENE11)

41. **Requirement to Notify about New Contamination Evidence**

Any new information revealed during excavation and/or demolition works that has the potential to alter previous conclusions about site contamination or hazardous materials shall be immediately notified to the Council and the Principal Certifying Authority.

Reason: To protect human health and the environment. (DACHPE01)

42. **Trees Condition**

During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected plants on this site shall not exhibit:

- (a) A general decline in health and vigour.
- (b) Damaged, crushed or dying roots due to poor pruning techniques.
- (c) More than 10% loss or dieback of roots, branches and foliage.
- (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
- (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
- (f) An increase in the amount of deadwood not associated with normal growth.
- (g) An increase in kino or gum exudation.
- (h) Inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition.
- (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions.

Any mitigating measures and recommendations required by the Arborist are to be implemented.

The owner of the adjoining allotment of land is not liable for the cost of work carried out for the purpose of this clause.

Reason: Protection of Trees. (DACLAE03)

43. **Waste/Recycling Requirements (Waste Plan Submitted)**

During demolition and/or construction the proposal/works shall be generally consistent with the submitted Waste Management Plan.

Reason: To ensure waste is minimised and adequate and appropriate waste and recycling facilities are provided. (DACWTE01)

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE

OCCUPATION CERTIFICATE

44. Authorisation of Legal Documentation Required for On-site Stormwater Detention

The original completed request forms (Department of Lands standard forms 13PC and/or 13RPA) must be submitted to Council, with a copy of the Works-as-Executed plan (details overdrawn on a copy of the approved drainage plan), hydraulic engineers certification and Compliance Certificate issued by an Accredited Certifier in Civil Works.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To create encumbrances on the land. (DACENF01)

45. Registration of Encumbrances for On-site Stormwater Detention

A copy of the certificate of title demonstrating the creation of the positive covenant and restriction for on-site storm water detention as to user is to be submitted.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To identify encumbrances on land. (DACENF02)

46. Reinstatement of Kerb

All redundant laybacks and vehicular crossings shall be reinstated to conventional kerb and gutter, footpath or grassed verge as appropriate with all costs borne by the applicant.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To facilitate the preservation of on street parking spaces. (DACENF03)

47. Restriction as to User for On-site Stormwater Detention

A restriction as to user shall be created on the title over the on-site stormwater detention system, restricting any alteration to the levels and/or any construction on the land. The terms of such restriction are to be prepared to Council's standard requirements, (available from Warringah Council), at the applicant's expense and endorsed by Council prior to lodgement with the Department of Lands. Warringah Council shall be nominated as the party to release, vary or modify such restriction.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure modification to the on-site stormwater detention structure is not carried without Council's approval. (DACENF04)

48. Stormwater Disposal

The stormwater drainage works shall be certified as compliant with all relevant Australian Standards and Codes by a suitably qualified person.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Note: The following Standards and Codes applied at the time of determination:

- (a) Australian/New Zealand Standard **AS/NZS 3500.3** - 2003 - Plumbing and drainage - Stormwater drainage
- (b) Australian/New Zealand Standard **AS/NZS 3500.3** - 2003/Amdt 1 - 2006 - Plumbing and drainage - Stormwater drainage
- (c) National Plumbing and Drainage Code.

Reason: To ensure appropriate provision for the disposal of stormwater arising from the development. (DACENF05)

49. **On-Site Stormwater Detention Compliance Certification**

Upon completion of the on-site stormwater detention (OSD) system, certification from a consulting engineer and a “work as executed” (WAE) drawing certified by a registered surveyor and overdrawn in red on a copy of the approved OSD system plans are to be provided to Council. Additionally a Compliance Certificate is to be issued by an Accredited Certifier in Civil Works registered with the Institute of Engineers Australia, stating that the works are in accordance with the approved plans.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure stormwater disposal is constructed to Council’s satisfaction. (DACENF10)

50. **Positive Covenant for the Maintenance of Stormwater Pump-out Facilities**

A Positive Covenant (under the provisions of Section 88B of the Conveyancing Act 1919) is to be created on the property title to ensure the on-going maintenance of the stormwater pump-out facilities on the property being developed.

Warringah Council shall be nominated in the instrument as the only party authorised to release, vary or modify the instrument. Warringah Council’s delegate shall sign these documents prior to the submission to the Land & Property Information Department.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure adequate provision is made for the stormwater pump out system to be maintained to an appropriate operational standard. (DACENF11)

51. **Positive Covenant for On-site Stormwater Detention**

A positive covenant shall be created on the title of the land requiring the proprietor of the land to maintain the on-site stormwater detention structure in accordance with the standard requirements of Council. The terms of the positive covenant are to be prepared to Council’s standard requirements, (available from Warringah Council), at the applicant’s expense and endorsed by Warringah Council’s delegate prior to lodgement with the Department of Lands. Warringah Council shall be nominated as the party to release, vary or modify such covenant.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure ongoing maintenance of the on-site stormwater detention system. (DACENF12)

52. **Creation of Positive Covenant and Restriction as a User**

Where any conditions of this Consent require the creation of a positive covenant and/or restriction as a user, the original completed request forms, (Department of Lands standard forms 13PC and/or 13RPA), shall be submitted to Warringah Council for authorisation.

A certified copy of the documents shall be provided to Warringah Council after final approval and registration has been affected by the "Department of Lands".

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of a Interim / Final Occupation Certificate.

Reason: To identify encumbrances on land. (DACENF14)

53. Civil works construction within the public Road.

The applicant shall construct all Civil works such as pavement, kerb & gutter, dish drain, kerb blisters, vehicular crossings and line marking in accordance with approved S138 Road Act for the development.

Reason: To ensure compliance of Civil works with Council's specification for engineering works (DACENFPO1)

54. Certification for the Installation of Stormwater Quality System

A certificate from a Civil Engineer, who has membership to the Institution of Engineers Australia, National Professional Engineers Register (NPER-3), stating that the stormwater quality management system has been installed in accordance with the Stormwater Drainage Plans prepared by iStruct Consulting Engineers dated July 2016, Project No. 160611, Drawing No. D01 & D06 Rev. B.

The certificate shall be submitted to the Principal Certifying Authority prior to the release of the Occupation Certificate.

Reason: Protection of the receiving environment

55. Stormwater Quality Operation and Maintenance Plan

An Operation and Maintenance Plan is to be prepared to ensure proposed stormwater quality measures remain effective.

The Plan must contain the following:

- a) Inspection and maintenance schedule of all stormwater quality treatment devices
- b) Record keeping and reporting requirements
- c) Funding requirements and arrangements for the maintenance of all stormwater quality treatment devices
- d) Waste management and disposal
- e) Traffic control measures (if required)
- f) Relevant contact information
- g) Renewal and replacement requirements of all stormwater quality treatment devices
- h) Work Health and Safety requirements

Details demonstrating compliance shall be submitted to the Principal Certifying Authority prior to the release of the Occupation Certificate.

Reason: To ensure ongoing maintenance of the stormwater quality management system

56. Positive Covenant for Stormwater Quality Devices

A positive covenant shall be created on the title of the land requiring the proprietor of the land to maintain the stormwater quality devices. The terms of the positive covenant are to be prepared to Council's standard requirements, (available from Council), at the applicant's expense and endorsed by a Northern Beaches Council's delegate prior to lodgement with the Department of Lands. Northern Beaches Council shall be nominated as the party to release, vary or modify such covenant.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure ongoing maintenance of the stormwater quality management system

57. Works as Executed Drawings

Works as Executed Drawings for all stormwater quality devices must be prepared in accordance with Council's Guideline for Preparing Works as Executed Data for Council Stormwater Assets.

The drawings shall be submitted to the Principal Certifying Authority prior to the release of the Occupation Certificate.

Reason: Protection of the receiving environment

58. Road Dedication

The dedication to Council of a strip of land, which is 34 metre long and varied width with limited in height of 3.5 metre over the footpath, on South Creek Road Frontage to ensure the right of access on the footpath.

The dedication is to be registered with the " Department of Land & Property Information prior to occupation or issue of strata plan.

The Original documentation for the dedication is to be submitted to Council for authorisation. All costs associated with the dedication are to be borne by the developer/ applicant.

Reason: To facility foot access to the general public. (DACHEFPOC1)

59. Food premises waste

The waste storage area is to be provided to accommodate all food premises. The waste storage area must be of an appropriate size to adequately contain all waste produced from food premises and be separated from the residential and non-food retail and commercial waste. The construction, fit-out and finishes of the designated food premises waste storage area must comply with Standard 3.2.3 of the Australian and New Zealand Food Standards Code, the Food Act 2003 and Australian Standard AS 4674 '*Design, construction and fit out of food premises*' and Australian Standard AS1668.2. Prior to any Occupation Certificate (OC) being issued certification is to be provided by a suitably qualified person that the fit-out complies with the above requirement.

Reason: To ensure there is adequate storage and collection of waste from food premises and to minimise the risk of pest harbourage. (DACHPFPOC6)

60. Kitchen Design, construction and fit out of food premises

The construction fit-out and finishes of the food premises must comply with Standard 3.2.3 of the Australian and New Zealand Food Standards Code, the Food Act 2003 and Australian Standard AS 4674 '*Design, construction and fit out of food premises*'. Prior to any

Occupation Certificate (OC) being issued certification is to be provided by a suitably qualified person that the fit-out complies with the above requirement.

Reason: To ensure that the kitchen complies with the design requirements. (DACHPFPOC3)

61. Mechanical ventilation

Any cooking equipment with an individual or combined power rating level that triggers the requirement for mechanical ventilation under Australian Standard AS1668.2, including any deep frying equipment, must be provided with mechanical ventilation in accordance with Australian Standard AS1668.2.

Reason: To effectively remove fumes, smoke, steam and vapours from the food premises. (DACHPFPOC4)

62. Required Planting

Trees shall be planted in accordance with the following schedule:

No. of Trees Required.	Species	Location	Pot Size
All trees	As indicated on the approved Landscape Plans	As indicated on the Landscape Plans	As indicated on the Landscape Plans

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To maintain environmental amenity. (DACLAF01)

63. Removal of All Temporary Structures/Material and Construction Rubbish

Once construction has been completed all silt and sediment fences, silt, rubbish, building debris, straw bales and temporary fences are to be removed from the site.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure bushland management. (DACPLF01)

64. Garbage and Recycling Facilities

The garbage room and bulky goods room is to be constructed in accordance with the drawing number A-05 that was submitted to Council on 16 August 2016.

All internal walls of the storage area shall be rendered to a smooth surface, coved at the floor/wall intersection, graded and appropriately drained to the sewer with a tap in close proximity to facilitate cleaning.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To prevent pollution of the environment and to protect the amenity of the area. (DACPLF03)

65. **Unit Numbering for Multi Unit Developments (Residential, Commercial and Industrial)**

The units within the development are to be numbered in accordance with the Australia Post Address Guidelines (<http://auspost.com.au/media/documents/australia-post-addressing-standards-1999.pdf>).

In this regard, the numbering is to be as per the Unit Numbering for Multi Unit Development Table available on Council's website

(<https://www.warringah.nsw.gov.au/sites/default/files/documents/pdf-forms/unit-numbering-multi-unit-developments-residential-commercial-and-industrial-form/unit-numbering-multi-unit-developments-residential-commercial-and-industrial-form.pdf>).

External directional signage is to be erected on site at driveway entry points and on buildings and is to reflect the numbering in the table provided. Unit numbering signage is also required on stairway access doors and lobby entry doors.

It is essential that all signage throughout the complex is clear to assist emergency service providers in locating a destination within the development with ease and speed, in the event of an emergency.

Details are to be submitted with any Interim/Final Occupation Certificate or Strata Subdivision Certificate certifying that the numbering has been implemented in accordance with this condition and the Unit Numbering for Multi Unit Development Table.

Reason: To ensure consistent numbering for emergency services access. (DACPLF05)

66. **Intercom**

An intercom system must be provided in a convenient location adjacent to the visitor parking entry to enable easier and safe access to visitor parking.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure convenient access is available for visitors to the building. (DACPLF05)

67. **Fire Safety Matters**

At the completion of all works, a Fire Safety Certificate will need to be prepared which references all the Essential Fire Safety Measures applicable and the relative standards of Performance (as per Schedule of Fire Safety Measures). This certificate must be prominently displayed in the building and copies must be sent to Council and Fire and Rescue NSW.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Interim / Final Occupation Certificate.

Each year the Owners must send to the Council and Fire and Rescue NSW, an annual Fire Safety Statement which confirms that all the Essential Fire Safety Measures continue to perform to the original design standard.

Reason: Statutory requirement under Part 9 Division 4 & 5 of the Environmental Planning and Assessment Regulation 2000. (DACPLF07)

68. **Sydney Water**

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Co-ordinator. Please refer to the Building Developing and Plumbing section of the web site www.sydneywater.com.au <<http://www.sydneywater.com.au>> then refer to “Water Servicing Coordinator” under “Developing Your Land” or telephone 13 20 92 for assistance.

Following application a “Notice of Requirements” will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Co-ordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure compliance with the statutory requirements of Sydney Water. (DACPLF08)

69. **Allocated Parking Spaces**

Parking allocated in the basement car park for retail shopping, retail tenant parking, and residential parking must be clearly signposted and line-marked.

Reason: To ensure correct allocation of parking spaces (DACTRFPOC1)

70. **Visitor Spaces Located Behind Security Shutter/Door**

The installation of any security roller shutter for parking areas shall not restrict access to any designated visitor car parking space. In the event that the approved visitor car parking spaces are located behind any proposed security roller shutter, an intercom system is required to be installed to enable visitor access into the basement car parking area. This requirement is to be reflected on the Construction Certificate plans and any supporting documentation for the endorsement of the Principal Certifying Authority prior to the release of the Construction Certificate.

Reason: To ensure visitor car parking is accessible to visitors. (DACTRFPC3)

71. **Waste and Recycling Facilities Certificate of Compliance**

The proposal shall be constructed in accordance with Warringah Development Control Plan – Part C9 Waste Management and reflect the drawing number A-05 that was submitted to Council on 16 August 2016.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure waste and recycling facilities are provided. (DACWTF01)

72. **Waste/Recycling Compliance Documentation**

Evidence of disposal for recycling from the construction/demolition works shall be submitted to the Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure waste is minimised and recycled. (DACWTF02)

73. Positive Covenant for Waste Services

A positive covenant shall be created on the title of the land requiring the proprietor of the land to provide access to the waste storage facilities prior to the issue of an Interim/Final Occupation Certificate. The terms of the positive covenant are to be prepared to Council's standard requirements, (available from Warringah Council), at the applicant's expense and endorsed by Council prior to lodgement with the Department of Lands. Warringah Council shall be nominated as the party to release, vary or modify such covenant.

Reason: To ensure ongoing access for servicing of waste facilities (DACWTF03)

74. Authorisation of Legal Documentation Required for Waste Services

The original completed request form (Department of Lands standard form 13PC) must be submitted to Council for authorisation prior to the issue of the Interim/Final Occupation Certificate. A copy of the work-as-executed plan (details overdrawn on a copy of the approved plan) must be included with the above submission. Where required by Council or the Certifying Authority, a Compliance Certificate shall also be provided in the submission to Council.

If Council is to issue the Compliance Certificate for these works, the fee is to be in accordance with Council's Fees and Charges.

Reason: To create encumbrances on the land. (DACWTF04)

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

75. Maintenance period for civil works under the provisions of the Roads Act 1993 and Environmental Planning and Assessment Act 1979

A Maintenance Period of six (6) months shall apply to the all civil works located in, on or over a public road as approved under the provisions of Section 139 of the Roads Act 1993 and Section 80A of the Environmental Planning and Assessment Act 1979, after it has been completed and approved in writing by the appropriate Roads Authority. In that period the applicant shall be liable for any part of the work which fails to perform in the manner outlined in Roads Authority's specifications, or as would be reasonably be expected under the design conditions.

Reason: To ensure works are appropriately constructed and repaired where defective. (DACENG01)

76. Installation of Water Efficient Fittings

For uses not subject to BASIX the following Water Efficiency Labelling and Standards (WELS) Scheme rated fittings must be installed:

- i. 4 star dual-flush toilets
- ii. 3 star showerheads
- iii. 4 star taps (for all taps other than bath outlets and garden taps)
- iv. 3 star urinals
- v. 3.5 star washing machines
- vi. 4 star dishwashers.

A certificate from a licenced plumber shall be submitted to the Principal Certifying Authority prior to the release of the Occupation Certificate demonstrating compliance with this condition.

Reason: To conserve potable water

77. Temporary Dewatering

The discharge of water during the excavation and construction of the basement carpark must achieve the following water quality targets in addition to any conditions/documentation of this consent, and legislation including Protection of The Environment Operations Act 1997 and Contaminated Lands Act 1997.

Parameter	Criterion	Method	Time Prior to Discharge
Oil and grease	None visible	Visual inspection	<1 hour
pH	6.5- 8.5	Probe/meter	<1 hour
Total Suspended Solids (TSS)	<50mg/L	Meter/grab sample measured as NTU	<1 hour

Note: The correlation between NTU and TSS must be established by a NATA accredited laboratory prior to the commencement of dewatering activities.

Dewatering must not occur until the above water quality parameters are met.

All records of water discharges and monitoring results are to be documented and kept on site. Copies of all records shall be provided to the appropriate regulatory authority, including Council, upon request.

Tailwater must be discharged to a stormwater pit and not spread over any road, footpath and the like.

Reason: Protection of the receiving environment

78. Planter boxes and vegetation on road reserve

Planter boxes on road reserve shall be maintained in a safe and satisfactory condition by the owners at their cost.

Any plantings must be kept clear of pedestrian access ways and not create public safety issues at any time.

Reason: To ensure the maintenance of the planter box and vegetation. (DACHEGOG1)

79. Sharps waste management

All commercial premises that require the use of sharps must provide adequate sharps waste disposal facilities. Such premises must be provided with sharps waste disposal containers on site that adequately contain all sharps waste produced and is compliant with AS 4031 – 1992 - *Non-reusable containers for the collection of sharp medical items used in health care areas*.

Reason: To ensure adequate provisions are made for the safe disposal, collection and transport of used sharp objects and to minimise to risk of infectious waste to public health. (DACHPGOG1)

80. Regulated air handling systems

All regulated air handling systems including cooling towers and warm water systems are to be operated and maintained in accordance with AS 3666.2 – 2011 Air-handling and water systems of buildings – Microbial control and Public Health Act 2010 and Regulation 2012.

Prior to operation of the regulated system the owner or occupier of the premises must register the system with Council in accordance with the Public Health Act 2010 and Regulation 2012.

Reason: To ensure effective microbial control, maintain public health and to fulfil the notification requirements of the Public Health Act and Regulation.
(DACHPGOG2)

81. Noise Impact on Surrounding Areas

Any noise from the premise shall not exceed more than 5dB(A) above the background level when measured from within any property boundary and will comply with the Environment Protection Authority's NSW Industrial Noise Policy and any appropriate guidelines to prevent offensive noise.

Reason: To ensure that noise generated from the premise does not create offensive noise
(DACHPGOG5)

82. Visitors Sign

A sign, legible from the street, shall be permanently displayed to indicate that visitor parking is available on the site and the visitor car parking spaces shall be clearly marked as such.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure that visitors are aware that parking is available on site and to identify those spaces to visitors. (DACPLG04)

83. Hours of Operation

The ground floor retail tenancies are subject to the following operating hours:

- **7.00am - 7.00pm - Monday - Sunday**

Modification to these operating hours is to be made through a separate development application.

Reason: Information to ensure that amenity of the surrounding locality is maintained.
(DACPLG08)

84. Commercial Waste and Recycling Storage

Commercial waste and recycling material/storage bins must be stored in a separate area to the residential waste and recycling material/storage bins as shown on the approved plans.

Reason: To ensure that commercial waste and residential waste is not mixed and is properly managed. (DACPLG19)

85. Loading Within Site

All loading and unloading operations shall be carried out wholly within the confines of the site and within the approved loading areas, at all times.

Reason: To ensure that deliveries can occur safely within the site and does not adversely affect traffic or pedestrian safety and amenity. (DACPLG20)

86. **Delivery Hours**

No deliveries, loading or unloading associated with the premises are to take place between the hours of 6pm and 6am on any day.

Reason: To protect ensure the acoustic amenity of surrounding properties. (DACPLG21)

87. **Commercial Waste Collection**

Waste and recyclable material, generated by this premises, must not be collected between the hours of 6pm and 8am on any day.

Reason: To ensure the acoustic amenity of surrounding properties. (DACPLG24)

88. **Compliance with the Operational Management Plan**

The Operational Management Plan (OMP) is to be complied with at all times.

Reason: To ensure that the development operates with minimal disruption to the surrounding area. (DACPLGOG1)

89. **Illumination Intensity and design**

The level of lighting intensity used is to be minimised on the site and the design is to be such to ensure that excessive light spill or nuisance is not caused to any nearby premises.

Reason: To ensure appropriate forms of signage that are consistent with Council's controls and those that are desired for the locality, and do not interfere with amenity of nearby properties. (DACPLG12)

90. **Amenity**

The implementation of this development shall not adversely affect the amenity of the neighbourhood or interfere unreasonably with the comfort or repose of a person who is outside the premises by reason of the emission or discharge of noise, fumes, vapour, odour, steam, soot, ash, dust, waste water, waste products, grit, oil or other harmful products.

Reason: To ensure the surrounding area and people within the neighbourhood are not affected adversely and to ensure compliance with the Protection of the Environment Operations Act 1997. (DACHPBOC5)

91. **Use of Premises**

Separate Development Consent is required for the use of any of the premises as a food and drink premises, as per the Warringah Local Environment Plan 2011 Dictionary definition.

Reason: To ensure compliance with legislative requirements.(DACLAGOG2)

Right to Review by the Council

You may request Council review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979 if it is NOT integrated or designated development. Any request to review the application must be made and determined within 6 months from the date of determination.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 6 months after the date on which you receive this notice.

Signed On behalf of the Consent Authority

Signature _____


Name Steven Findlay, Development Assessment Manager

Date 14/12/2016

GENERAL ADVICE

Advisory Notes (General)

Where are you in the development process?



Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team.

The attached Notice of Determination includes conditions of consent which must be complied with.

(Note: A failure to gain approval prior to the works being carried out is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action.)

Building Certification

The Environmental Planning and Assessment Act 1979 provides that:

- Building work cannot occur unless a construction certificate has been issued;
- Occupation of building works cannot occur unless an occupation certificate has been issued
- Subdivision cannot be registered until a subdivision certificate has been issued
- Mandatory Inspection for building work must be completed

Please refer to process chart for more detail.

(Note: A failure to gain approval prior to the works being carried out is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action.)

Certification Services

Construction Certificates / Occupation Certificates / Subdivision Certificates / Strata Certificates, can be issued by Council or an accredited private certifier (Note Council must be the Principal Certifying Authority (PCA) for subdivisions).

Council is well placed to provide Certification Services. Council can issue Construction Certificates and act as your Principle Certifying Authority at competitive rates. Please visit our web site www.warringah.nsw.gov.au or speak to our Customer Service Officers if you have any further questions about our Certification Services or if you wish to use Council as your certifier.

Charges Associated with the Development Consent

All bonds, fees, (s94A) Development Contributions or the Long Service Levy detailed within the Notice of Determination are required to be paid prior to the issuing of any Construction Certificate.

Bonds are released after:

1. 'Final Occupation Certificate' has been received by Council; and
2. Final inspection by a Council Officer where:
 - the development is complete
 - damage has not been caused to council assets during the works
 - conditions of development consent have been met.

The bond will be released to the person or business who paid the bond to Council (The name that appears on the original receipt)

Acceptable Form of Security Bonds

Council will accept bank guarantee (in a form acceptable to Council) in lieu of cash and is required prior to the issue of a construction certificate.

Modifications to the consent

If you seek to make any changes to the development (which may include internal / external configuration of the building, variation to facades, site layout or any changes to the proposed operation or use), the modifications will require the submission and approval of an application to modify the development consent prior to the issuing of a Construction Certificate and prior to the works being carried out.

(Note: A failure to gain approval prior to the works being carried out is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action.)

Other Matters not detailed within the Notice of Determination

The Notice of Determination does not stipulate every requirement that must be completed to satisfy New South Wales and Commonwealth legislation.

You should check, as may be relevant, with other authorities including but not limited to:

- Workcover NSW for work safety and asbestos requirements
- Sydney Water – Quick Check Agent for the provision of water and sewer services
- Energy & Gas suppliers for utility services
- Department of Fair Trading for advice about builders and licensing
- Building Professionals Board for advice about private certifiers
- NSW Roads and Maritime Services for works on state roads only
- Human Rights and Equal Opportunity Commission for access issues
- NSW Land and Property Information for Land Title matters
- Australia Post for the positioning and dimensions of mail boxes in new commercial and residential developments;

Dial Before You Dig

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

Telecommunications Act 1997 (Commonwealth)

Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution. Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact :Telstra's Network Integrity Team on Phone Number 1800810443.

(1) if the development is likely to disturb or impact upon telecommunications infrastructure, written confirmation from the service provider that they have agreed to the proposed works must be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate or any works commencing, whichever occurs first; and

(2) The arrangements and costs associated with any adjustment to telecommunications infrastructure shall be borne in full by the applicant/developer.

Model

If you submitted a model with the application it must be collected from the Council offices within fourteen (14) days of the date of this determination. Models not collected will be disposed of by Council.

Trade waste agreement

A Trade Waste Agreement must be obtained from Sydney Water prior to the discharge of trade wastewater to the sewer system. Trade wastewater is defined as 'discharge water containing any substance produced through industrial or commercial activities or operation on the premises'.

Waste collection

Liquid and solid wastes generated on the site must be collected, transported and disposed of in

accordance with the requirements of the Protection of the Environment Operations Act 1997. Records must be kept of all waste disposal from the site.

Material to be removed from the site must be source separated on site to maximise recycling, and the material disposed of to an appropriate disposal and recycling facility in accordance with the approved Waste Management Plan.

Aboriginal Heritage

If in undertaking excavation or works and any Aboriginal site or object is, or is thought to have been found, all works are to cease immediately and the applicant is to contact the Aboriginal Heritage Officer for Warringah Council, and the Cultural Heritage Division of the Department of Environment and Climate Change (DECC).

On-Site Sewage Management System

This approval does not authorise the installation or operation of a new or modification of an existing on-site wastewater management system. An On-Site Sewage Management System must not be installed or operated unless an 'Approval to Install an On Site Sewage Management System' is obtained from Warringah Council.

Cost of Works

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Relocation of stormwater drainage

Council is not responsible for the cost of relocating Council's stormwater drainage pipes through the subject property.

Tree preservation

Where tree work has not been approved by this Development Consent the developer is notified that a general Tree Preservation Order applies to all trees in the Warringah Local Government Area. This order prohibits the ringbarking, cutting down, topping, lopping, pruning, transplanting, injuring, or wilful destruction of such trees except without the prior written consent of Council.

Storage bins on footpath and roadway

Approval is required from Council prior to the placement of any storage bin on Council's footpath and/or roadway.

Protection of Public Places

- (1) If the work involved in the erection or demolition of a building:
- (a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient; or
 - (b) building involves the enclosure of a public place,

a hoarding and site fencing must be erected between the work site and the public place.

(2) If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.

(3) The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.

(4) Any such hoarding, fence or awning is to be removed when the work has been completed.

(5) No access across public reserves or parks is permitted.

Note: Prior to the erection of any temporary fence or hoarding over property owned or managed by Council, written approval must be obtained.

Road Opening Permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Special Permits

Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development are to occur entirely on the property. The applicant, owner or builder must apply for specific permits available from Council. A minimum of forty-eight (48) hours notice is required for all permits except work zones, which may require additional assessment time.

- Permit for on-street mobile plant

Restrictions apply to the hours of operation and the area of operation for on street mobile plant equipment (for example cranes, concrete pumps, cherry pickers). Separate permits are required for each occasion and each piece of equipment. It is the responsibility of the applicant, owner and builder to take whatever steps are necessary to ensure that the use of any equipment does not violate adjoining property owner's rights.

- Hoarding Permit

Permits are required to erect Class A, Class B and Class C hoardings. If an 'A' Class hoarding is to alienate a section of Council's property, that section will require a permit for the occupation of Council's property.

- Storage of building materials and building waste containers (skips) on Council's property

Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no additional notice being given.

- Kerbside restrictions, work zones

Existing kerbside restrictions apply. An application must be made to Council for the alteration of existing kerbside restrictions or the provision of a construction zone.

Other permits may include out of construction hours permits.

Licensing requirements for removal of bonded asbestos

Anyone who removes, repairs or disturbs bonded asbestos must hold a bonded or a friable asbestos licence, or a demolition licence in accordance with Workcover requirements and the Occupational Health and Safety Act 2000.

Pool Access

Access to pools are required to be restricted by a child resistant barrier in accordance with the regulations prescribed in all relevant Acts, Regulations and Australian Standards including:

- (i) Swimming Pools Act 1992;
- (ii) Swimming Pools Amendment Act 2012;
- (iii) Swimming Pools Regulation 2008
- (iv) Australian Standard AS1926 Swimming Pool Safety
- (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

It is your responsibility as a land owner to ensure any fencing is maintained.

Dewatering

Where dewatering works are required on the development site during construction, the developer/applicant must apply for and obtain a bore license from the NSW Department of Water and Energy. The bore license must be obtained prior to commencement of dewatering works.

Requirement to Notify about New Contamination Evidence

Any new information revealed during works that has the potential to alter previous conclusions about site contamination or hazardous materials shall be immediately notified to Council and the Principal Certifying Authority.

Flood Evacuation Plan

If your site is on flood prone land you may wish to consider the preparation of a flood evacuation plan.

Generally a Flood Evacuation Plan would be prepared by suitably qualified Engineer (e.g. Hydraulic) with a number of years experience in flood management and who is eligible for Membership to the Australian Institute of Engineers.

Some matters that you may wish to consider (but not limited to) include:

- (i) a route of evacuation to higher ground and / or point of shelter
- (ii) depth of water for a Possible Maximum Flood event surrounding the building
- (iii) details of 'last chance' evacuation water levels / times for evacuation prior to floodwaters surrounding the building
- (iv) provide details of flood warning systems and protocols
- (v) details of how this information will be distributed and people educated for users of the site.

You may seek to discuss this with the State Emergency Service of NSW.

Utility Service Requirements

Where development requires the installation of, or the relocation of utility services being (but not limited to) gas, water, electricity and telecommunications, the installation of, or the relocation of utility services shall be conducted in accordance with the requirements of the relevant service provider / authority (unless stipulated by any other condition of the consent or will result in damage to threatened or endangered species defined under the Threatened Species Conservation Act 1995).

Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This does not prevent any requirement to comply with the Protection of the Environment Operations Act.

Lighting

Illumination of the site is to be arranged in accordance with the requirements of Australian Standard 4282 - 1997 Control of the obtrusive effects of outdoor lighting so as not to impact upon the amenity of the occupants of adjoining and nearby residential premises.

Silt and Sediment Control

During any onsite demolition, excavation and construction works, the site should be maintained in accordance with "The Blue Book - Managing Urban Stormwater (MUS): Soils and Construction".

In managing the site provision shall be made throughout the period of works to prevent transmission of soil to the public road, drainage system, any riparian lands or off site in any manner. Upon completion of the development, any measures to prevent the transition of soil off site to remain in place until the

site is stabilised.

A failure to prevent the transmission of silt and sediment and / or causing, water pollution, air pollution, noise pollution or land pollution may result in a breach of the Protection of the Environment Operations Act and orders, penalties and prosecutions may occur.

Maintenance of Sediment and Erosion Control Erosion and sediment controls are to be adequately maintained and monitored at all times, particularly after periods of rain.

Reason: To avoid erosion and sedimentation impacts that will result in an adverse change in watercourse or riparian land condition

Installation and Maintenance of Sediment and Erosion Control

Sediment and erosion controls must be installed in accordance with Landcom's 'Managing Urban Stormwater: soils and construction (2004).

Techniques used for erosion and sediment control on site are to be adequately maintained and monitored at all times, particularly after periods of rain, and shall remain in proper operation until all development activities have been completed and the site is sufficiently stabilised with vegetation.

Reason: To protect the surrounding environment from the effects of sedimentation and erosion from the site

OTHER MATTERS

Child Care Centres

A license to operate a child care centre must be obtained from the NSW Department of Community Services prior to the commencement of the use of the child care centre.

Disability Access

This decision does not ensure compliance with the Commonwealth Disability Discrimination Act 1992. Applicants are strongly advised to investigate their requirements under that Act

Food Premises

Food premises are required to comply with the requirements of the Food Act 2003, the Food Standards Code and Australian Standards.

The proprietor of a food business must notify the NSW Food Authority of the details of the business. Notification may be done either online at www.foodnotify.nsw.gov.au or by lodging a completed NSW Food Authority notification form to the NSW Food Authority or Council.

Wheel washing facility

All trucks leaving the site, having had access to unpaved or contaminated areas, shall depart via a wheel wash facility in order to prevent mud, dust or debris from being deposited on Council's roads. The wheel wash facility shall be constructed prior to any truck movements occurring. Water from the wheel wash facility must not cause pollution. Any direction of Council with regard to cleaning trucks or the clean up of road pavements adjoining the site shall be complied with immediately.

Monitoring State of Roadways

The applicant shall monitor the state of roadways leading to and from the site and shall take all necessary steps to clean up any adversely impacted road pavements as directed by Council.

Storage of Dangerous Goods

Prior to the storage of any “dangerous goods” on the premises, a copy of a license obtained from the Chemical Safety Branch of Work Cover Authority must be submitted to Council.

Storage of Flammable and Combustible Liquids

Flammable and combustible liquids must be stored in accordance with Australian Standard 1940 The Storage and Handling of Flammable and Combustible Liquids.

Noise and Vibration

The premises, including operation of vehicles, shall be conducted so as to avoid offensive noise or vibration and cause no interference to adjoining or nearby occupants. Special precautions must be taken to avoid nuisance in neighbouring residential areas, particularly from machinery, vehicles, warning sirens, public address systems and the like.

Hairdressing/Beauty Treatment/ Skin penetration Requirements

The premises must comply with the following requirements before the commencement of business:

- i) A hand wash basin with warm water delivered through a common spout must be provided in the treatment area. The hand wash basin must be provided with liquid soap and paper towel.
- ii) The wall behind the hand wash basin from the floor to a height of 450mm above the top of the washbasin and from the centre of the washbasin to a distance of 140mm beyond each side of the wash basin, must be finished with a material that is durable, smooth, impervious to moisture and capable of being easily cleaned (eg tiles).
- iii) The premises must be provided with washing, drainage, ventilation and lighting that are adequate for the carrying out of hairdressing/beauty treatment/skin penetration procedures.
- iv) The floor coverings must be smooth and impervious.
- v) All furniture, shelves and fittings must be constructed of, or covered with a material that is smooth, impervious to moisture and capable of being easily cleaned.
- vi) Adequate lockers must be provided for the storage of employees clothing and personal effects.
- vii) The premises must be provided with facilities that are adequate for the purpose of storing of hairdressing/beauty treatment/skin penetration appliance and utensils.
- viii) The premises must be provided with a sink supplied with hot and cold water for washing equipment.

Food Premises Construction Requirements

The food premises must comply with the following specific construction requirements:

Solid walls must be provided in all food handling areas (solid includes brick, cement and foam filled preformed panels);

- ix) Walls in food preparation and wash up areas must be finished with a smooth and impervious surface to a height of at least 2 metres.
- x) Hand wash basins must be provided with warm water delivered through a common spout with taps that are hands free operation;
- xi) Coving with a radius of 25mm must be provided between all floor and wall joints in food handling areas;
- xii) The open space between the top of the coolroom and the ceiling must be fully enclosed and kept insect and pest proof;
- xiii) The coolroom must be able to be opened from the inside without a key and fitted with an alarm that can only be operated from within the coolroom;
- xiv) The doors to the toilet air lock and toilet compartment must be tight fitting and self closing;
- xv) The rear external door must be self closing or be provided with a fly screen that is self closing;
- xvi) Where cooking or extensive heating processes or such other processes as may be specified are carried out in food preparation areas, an approved mechanical ventilation system shall be installed and operated in accordance with AS 1668 part 1 & 2.

Legionella Control

Cooling towers, warm water systems, water cooling systems must be registered with the Council.

NORTHERN BEACHES COUNCIL

Details of registration are to be provided to the Council prior to operation.

Pool/Spa Safety

Owners of properties with swimming pools and spa's must meet safety compliance and registration requirements. Provisions also apply when renting/selling properties. Details are available from the Division of Local Government.

Grease Trap

Contact Sydney Water to determine what trade waste provisions you are required to provide to your food premises. Should a grease trap be required by Sydney Water, it must be located in an area that is easily accessible for the removal of waste water and must not be installed in any kitchen, food preparation or food stage area. The design and location of the grease trap should also not impede on any commercial right of way or pedestrian access.