



NOTICE OF DETERMINATION

Application Number:	DA2008/0968
----------------------------	-------------

APPLICATION DETAILS

Applicant Name and Address:	S Hardaker, G M Hardaker C/- Clarendon Homes PO Box 7105 Baulkham Hills BC NSW 2153
------------------------------------	---

Land to be developed (Address):	Lot 110 DP 12578 16 Lakeside Crescent NORTH MANLY NSW 2100
--	---

Proposed Development:	Two storey dwelling
------------------------------	---------------------

DETERMINATION - APPROVED

Made on (Date):	26 September 2008
------------------------	-------------------

Consent to operate from (Date):	26 September 2008
--	-------------------

Consent to lapse on (Date):	26 September 2011
------------------------------------	-------------------

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated	Prepared By
Job No. 299.03.064/282202 Sheet 1 Revision H	11.06.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 2 Revision H	29.11.07	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 3 Revision H	8.2.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 4 Revision H	8.2.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 5 Revision H	8.2.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 6 Revision H	8.2.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 7 Revision H	8.2.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 2.2 Revision H	23.04.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 2.3 Revision H	23.04.08	Clarendon Residential Group
Job No. 299.03.064/282202 Sheet 2.4 Revision H	23.04.08	Clarendon Residential Group

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. **(DACGBapasd)**

2. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.



Reason: Prescribed - Statutory. (DACGBbca)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

3. Sydney Water Approval

The approved consent plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au
<<http://www.sydneywater.com.au>> for:

- ☐ Quick Check agents details - see Building Developing and Plumbing then Quick Check; and
- ☐ Guidelines for Building/over Adjacent to Sydney Water Assets - see Building Developing and Plumbing then Building and Renovating

Or telephone 13 20 92.

The Certifying Authority must ensure that a Quick Check agent/ Sydney Water has appropriately stamped the plans prior to the issue of any Construction Certificate.

Reason: To ensure compliance with the statutory requirements of Sydney Water. (DACECswa)

4. Damage to Public Infrastructure

The applicant shall bear the cost of all restoration works to Council's property damaged during the course of this development. The applicant shall advise Council, in writing, of any existing damage to Council property. A dilapidation survey of Council's assets, including photographs and written record, must be prepared by a suitably qualified person and submitted to Council prior to the issue of the Construction Certificate.

Note: This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

Reason: To ensure the protection of existing built public infrastructure. (DACECdpi)

5. BASIX Certification

The development shall fully comply with the schedule of BASIX Commitments. Plans and specifications that reflect those commitments identified on the BASIX Certificate to be satisfied prior to the issue of the Construction Certificate, shall be submitted to the Certifying Authority prior to the release of the Construction Certificate.

Reason: To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). (DACGCbc)

6. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. **(DACGCrnr)**

7. Section 94A Contribution

\$2647 is to be paid to Warringah Council as a Section 94A levy prior to the issue of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated.

The basis for the contributions is as follows:

<i>Warringah Section 94A Development Contributions Plan</i>			
Contribution based on total development cost of		\$	264,690.00
Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$2,515	6923
S94A Planning and Administration	0.05%	\$132	6924
Total	1.0%	\$2,647	

Reason: To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. **(dacgcS94ac)**

8. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work.

The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.

Reason: Prescribed - Statutory. **(DACGCIsI)**



9. Vehicle Crossings Application - Formwork Inspection

An application for street levels and payment of the associated fee shall be made with Council. This application includes the approval and all Council inspections relating to the driveway construction and the associated fee must be paid prior to the issue of the Construction Certificate.

Reason: *To facilitate suitable vehicular access to private property.*

10. Development/Construction Security Bond

A bond (determined from cost of works) of \$1,000 must be deposited with Council and an inspection fee paid of \$200 prior to the issue of any Construction Certificate. This bond is to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

Reason: *To ensure adequate protection to Council infrastructure.*

11. Flood Protection - Habitable Floor Levels

The finished ground floor level shall be Reduced Level = 3.20m AHD. Plans detailing compliance with this requirement are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: *To protect the building from flooding in accordance with Council and NSW Government Policy.*

12. Flood Protection - Structural

All new construction and services to a minimum level of 3.20m AHD shall be designed to withstand flooding as specified in the Department of Natural Resource's (now Department of Water and Energy) Floodplain Development Manual - the management of flood liable land. Buoyancy, flowing water with debris, wave action, the flood compatibility of materials and waterproofing shall be addressed. Structural details for the construction are to be prepared by a suitably qualified Consulting Engineer and submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: *To protect the building from flooding in accordance with Council and NSW Government Policy.*

13. Stormwater Disposal

Plans indicating all details relevant to the collection and disposal of stormwater from the site, buildings, paved areas and where appropriate adjacent catchments, shall be submitted prior to the issue of the Construction Certificate. The plans must indicate the provision of a rainwater tank in accordance with the BASIX certificate. Stormwater shall be conveyed from the site to the kerb in Lakeside Crescent.

Reason: *To ensure appropriate provision for disposal and stormwater management and compliance with the BASIX requirements, arising from the development.*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

14. Special Permits

Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development are to occur entirely on the property. The applicant, owner or builder must apply for specific permits available from Council's Customer Service Centre for the undermentioned activities on Council's property pursuant to Section 138 of the Roads Act 1993. A minimum of forty-eight (48) hours notice is required for all permits except work zones, which may require additional assessment time. (See below)

- **Permit for on-street mobile plant**

Restrictions apply to the hours of operation and the area of operation for on street mobile plant equipment (for example cranes, concrete pumps, cherry pickers). Separate permits are required for each occasion and each piece of equipment. It is the responsibility of the applicant, owner and builder to take whatever steps are necessary to ensure that the use of any equipment does not violate adjoining property owner's rights.

- **Hoarding Permit**

Permits are required to erect Class A, Class B and Class C hoardings. If an 'A' Class hoarding is to alienate a section of Council's property, that section will require a permit for the occupation of Council's property.

- **Storage of building materials and building waste containers (skips) on Council's property**

Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no additional notice being given.

- **Kerbside restrictions, work zones**

Existing kerbside restrictions apply. An application must be made to Council for the alteration of existing kerbside restrictions or the provision of a construction zone.

Reason: *Proper management of public land. (DACEDsp)*

15. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: *To ensure compliance with statutory provisions. (DACGDebw)*

16. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act 1989) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. (DACGDhba)

17. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with Section 81A of the Environmental Planning and Assessment Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.



Reason: Legislative requirement for the naming of the PCA. (DACGDnc)

18. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. (DACGDss)

19. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4 Sub-division 5 of the Local Government (General) Regulation 2005 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in of the Regulation.



approved by the Council means the subject of an approval in force under the Local Government (General) Regulation 2005.

public sewer has the same meaning as it has in the Local Government (General) Regulation 2005.

sewage management facility has the same meaning as it has in the Local Government (General) Regulation 2005.

Reason: *To ensure adequate facilities are provided for workers on the site. (DACGDt)*

20. Protection of Trees During Works

All trees that are to be specifically nominated to be retained by notation or condition as a requirement of development consent shall be maintained and protected during demolition, excavation and construction on the site. Details of required protection methods shall be provided to the Certifying Authority by an appropriately qualified person prior to commencement of any works on the site.

Reason: *To ensure compliance with the requirement to retain significant planting on the site. (DACLDptdw)*

21. Licensing requirements for removal of bonded asbestos

Anyone who removes, repairs or disturbs bonded asbestos must hold a bonded or a friable asbestos licence, or a demolition licence in accordance with Workcover requirements and the Occupational Health and Safety Act 2000.

Licensed contractors must notify WorkCover NSW of work done in relation to bonded asbestos material having a total surface area of more than the maximum allowable area specified in Clause 317 (3) of the Occupational Health and Safety Regulation 2001.

The notification must be given at least 7 days prior to the start of work and should provide the following information:

- Details about the removal contractor and nominated competent person and independent supervisor (building owner's representative)
- Type, quantity and location of bonded asbestos material
- Work method statement of removal procedure s to be carried out
- Commencement and completion dates
- Disposal arrangements

Details demonstrating compliance with these requirements are to be submitted to the Certifying Authority prior to the commencement of works.

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. (DACHDirrba)*

22. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

Reason: *To ensure the community is protected from the cost of any claim for damages arising from works on public land.*

23. Road Opening Permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Reason: *Statutory requirement (Roads Act 1993).*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

24. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: *To ensure the proper management of public land.*

25. Prohibition on Use of Pavements

No building, demolition, excavation or material of any nature shall be placed on Council's footpaths, roadways, parks or grass verges without prior Council Approval.

Reason: *To ensure public safety and amenity on public land. (DACEEpup)*

26. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. (DACGEpekws)*

27. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Certifying Authority.

Reason: *To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. (DACGEpos)*

28. Protection of Public Places

- (1) If the work involved in the erection or demolition of a building:
 - (a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient; or
 - (b) building involves the enclosure of a public place,a hoarding and site fencing must be erected between the work site and the public place.
- (2) If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.
- (3) The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.
- (4) Any such hoarding, fence or awning is to be removed when the work has been completed.
- (5) No access across public reserves or parks is permitted.

Note: Prior to the erection of any temporary fence or hoarding over property owned or managed by Council, written approval must be obtained.

Reason: *To ensure public safety and the proper management of public land. (DACGEppp)*

29. Removal of All Temporary Structures/Material and Construction Rubbish

Once construction has been completed all silt and sediment fences, silt, rubbish, building debris, straw bales and temporary fences are to be removed from site.

Reason: *To ensure bushland management. (DACGErtsmc)*

30. Survey Certificate

A survey certificate prepared by a registered Surveyor is to be submitted to the Principal Certifying Authority at the following stages of construction:

- (a) Commencement of perimeter walls columns and or other structural elements to



Warringah Council

ensure the wall or structure, to boundary setbacks are in accordance with the approved details.

- (b) At ground level to ensure the finished floor levels are in accordance with the approved levels, prior to concrete slab being poured/flooring being laid.
- (c) At completion of the roof frame confirming the finished roof/ridge height is in accordance with levels indicated on the approved plans.

Reason: *To determine the height of buildings under construction comply with levels shown on approved plans. (DACGEsc)*

31. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk.

Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. (DACGEch)*

32. Excavation / Backfilling

All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.

All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. (DACGEeb)*

33. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements.

Reason: *To ensure the health and safety of the community and workers on the site. (DACGEhs)*

34. Requirement to Notify about New Contamination Evidence

Any new information revealed during demolition works that has the potential to alter previous conclusions about site contamination or hazardous materials shall be immediately notified to the Council and the Principal Certifying Authority.

Reason: *To protect human health and the environment. (DACHErnnc)*

35. Removal of Lead

All work involving lead removal must not cause lead contamination of air or ground and must be carried out in accordance with the relevant Australian Standards. Particular attention must be given to the control of dust levels on the site.

Note: The following standard applied at the time of determination:

- Australian Standard AS4361.2 - Guide to lead paint management - Residential and commercial buildings

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. (DACHEri)*

36. Dust emission and air quality

Materials must not be burnt on site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the Landcom's Managing Urban Stormwater: Soils and Construction (The 'Blue Book'). Odour suppression measures must be carried out so as to prevent nuisance occurring at neighbouring properties.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. (DACHEdaq)*

37. Waste Management Plan

Material to be removed from the site must be source separated on site to maximise recycling, and the material disposed of to an appropriate disposal and recycling facility in accordance with the approved Waste Management Plan.

Reason: *To maximise reuse and recycling of material and protect the environment from illegal dumping. (DACHEwmp)*

38. Removal of Friable Asbestos

Anyone who removes, repairs or disturbs friable asbestos material must hold a current friable asbestos removal licence.

Prior to the commencement of work a site-specific permit approving each friable asbestos project must be obtained from WorkCover.

Reason: *To comply with WorkCover requirements. (DACHErfa)*

39. Removing, Handling and Disposing of Asbestos

Any works involving asbestos based products in relation to removal, handling and disposing of material must be undertaken in accordance with all relevant Acts, Regulations, Guides and Codes.

Note: The following standards applied at the time of determination:

- Code of Practice for the Safe Removal of Asbestos [NOHSC:2002 (1998)] and
- Guide to the Control of Asbestos Hazards in Buildings and Structures [NOHSC: 3002 (1998)]

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. (DACHErhda)*

40. Tree Preservation Order

The land is subject to a Tree Preservation Order and no trees other than those expressly granted permission as a result of this development consent, may be removed without the prior consent of Council.

Reason: *Protection of trees. (DACLEtpo)*

41. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Soils and Construction Manual Volume 1 - Managing Urban Stormwater. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites.*

42. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: *Public Safety.*

43. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: *To avoid siltation to adjoining properties and waterways.*

44. Layback Construction

A layback 3.5 metres wide (excluding the wings) is to be constructed in accordance with Warringah Council Drawing No A4-2276 and specifications.



Reason: *To facilitate suitable vehicular access to private property.*

45. Vehicle Crossings

The provision of 1 vehicle crossing 3.5 metres wide in accordance with Warringah Council Drawing No A4-3330/1 Normal and specifications. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. All redundant laybacks and crossings are to be restored to footpath/grass. Prior to the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

For details see Warringah Council's website <<http://www.warringah.nsw.gov.au>> or phone (02) 9942 2111.

Reason: *To facilitate suitable vehicular access to private property.*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

46. Reinstatement of Kerb

Prior to the issue of an Interim/Final Occupation Certificate all redundant laybacks and vehicular crossings shall be reinstated to conventional kerb and gutter, footpath or grassed verge as appropriate with all costs borne by the applicant.

Reason: *To facilitate the preservation of on street parking spaces.*

47. House / Building Number

Prior to the issue of an Interim/Final Occupation Certificate, the house/building number is to be affixed to the building.

Reason: *Proper identification of buildings. (DACGFhbn)*

48. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Note: In issuing an Interim / Final Occupation Certificate the Principal Certifying Authority must be satisfied that the requirements of Section 109H of the Environmental Planning and Assessment Act 1979 have been satisfied.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. (DACGFocr)*

49. BASIX Compliance Certification

Prior to the issue of an Interim/Final Occupation Certificate, all the selected BASIX commitments as detailed in the BASIX Certificate must be completed.



Warringah Council

Reason: To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). (DACGFbcc)

50. Stormwater Disposal Certification

The stormwater drainage works shall be certified as compliant with all relevant Australian Standards and Codes by a suitably qualified professional. The certification is to be submitted to the Principal Certifying Authority prior to the issue of an Interim/Final Occupation Certificate.

Note: The following Standards and Codes applied at the time of determination:

- Australian/New Zealand Standard AS/NZS 3500.3:2003 - Plumbing and drainage - Stormwater drainage
- Australian/New Zealand Standard AS/NZS 3500.3:2003/Amdt 1:2006 - Plumbing and drainage - Stormwater drainage
- National Plumbing and Drainage Code.

Reason: To ensure appropriate provision for disposal of stormwater arising from the development.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

51. Installation of Air Conditioning

The air conditioning unit(s) shall:

- (a) Be located behind the front building line and if visible suitably screened and located in an appropriate location.
- (b) Not be adjacent to neighbouring bedroom windows.
- (c) Not provide noise emissions that exceed 5dBA above the ambient background noise level measured at the property boundary when measured in accordance with the Environment Protection Authority's Industrial Noise Policy.
- (d) Not reduce the structural integrity of the building.

Reason: To maintain residential amenity to adjoining properties. (DACGGiac)



Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed on behalf of the consent authority

Signature _____
Name David Auster – Development Assessment Officer

Date 26 September 2008