

92 LAUDERDALE AVENUE, FAIRLIGHT

LANDSCAPE DOCUMENTATION

DEVELOPMENT APPLICATION

DRAWING REGISTER

Dwg No.	Drawing Title	Scale	Size
General			
L-DA-00	Cover Page & Drawing Schedule	N/A	A1
L-DA-01	Landscape Schedules & Notes	N/A	A1
L-DA-02	Landscape Statement & Diagrams	N/A	A1
Plans			
L-DA-03	Tree Protection and Removal Plan	1:100	A1
L-DA-04	Landscape Plan - Lower Ground	1:100	A1
L-DA-05	Landscape Plan - Ground and Level 1	1:100	A1
Sections			
L-DA-06	Landscape Section	1:50	A1
Palettes			
L-DA-07	Planting Palette	N/A	A1

SITE



LOCATION PLAN





Rev	Amendment	Date	. !
Α	Draft DA	17.08.22	(
В	Draft DA	30.08.22	(
С	Draft DA	30.08.22	(
D	DA	01.09.22	(

BHC

GENERAL NOTES

- * FOR DEVELOPMENT APPLICATION ONLY
- * All tree dimensions and RLs in metres. All other dimensions in mm unless stated otherwise.
- * Do not scale from drawings. Use figured dimensions only. Larger scale drawings and written dimensions take preference.
- * All work shall be carried out in accordance with current versions of Australian Standards, BCA and Local Government Regulations.
- * Structural Details are indicative only and are subject to Structural Engineer's Details and Specifications.
- * Drainage details are subject to Hydraulic / Civil Engineer's Detail and Specification.
- * Subbase details including compaction are to Civil and Structural Engineer's Specification.
- * Lighting Plans are subject to detailed design by a qualified Lighting Consultant or Electrical Contractor.
- * Water Feature Details are indicative only and are subject to detailed design by a specialist Water Feature designer.
- * Service location on plans are indicative only. 360 Degrees Landscape Architects Pty Ltd accepts no responsibility for the accuracy of service locations shown or for services not shown. It is the responsibility of the contractor to determine service locations prior to the commencement of work, including contacting Dial Before You Dig and performing on site service locations. Locate and protect all services on site and in adjacent public domain. Any damages to services and associated damages remains the responsibility of the contractor and shall be rectified at no cost to the client or any other party.
- *All adjoining property elements including but not limited to buildings, walls, trees and paving to be protected. Damaged elements remain the responsibility of the contractor and shall be rectified at no cost to the client or any other party.
- * Existing trees to be retained are to be protected to Council and Project Arborist's requirements. No vehicular traffic, stockpiling or storage of materials within Tree Protection Zones (TPZs).
- * No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction method, materials specified and general specifications without permission from the Project Landscape Architect.
- * This Drawing is copyright to 360 Degrees Landscape Architects Pty Ltd.

IRRIGATION NOTES

- * Irrigation by specialist D&C Irrigation Consultant in accordance with the Performance Specification in the Landscape Technical Specification. Refer to Irrigation Consultant documentation for details and requirements of landscape irrigation system.
- * Irrigation is to comply with Council Conditions of Consent and Water Authorities.
- * All turf and garden beds within the site boundary are to be irrigated unless stated otherwise.
- * Irrigation must be spaced at min. 200 centres and adjusted according to plant setout to provide adequate irrigation to all plants.
- * Drip irrigation is to be fully concealed by 75mm minimum of mulch.

PRELIMINARY NOT FOR CONSTRUCTION

Rev	Amendment	Date	В
Α	Draft DA	17.08.22	С
В	Draft DA	30.08.22	С
С	Draft DA	30.08.22	С
D	DA	01.09.22	С

IMPORTANT NOTES:
Do not scale from drawings
All discrepancies to be brought to the attention of the Project Landscape Architect
Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated. All tree dimensions and RLs in metres.
Use figured dimensions only.
Verify all dimensions on site before the commencement of any works.
Contractors shall locate and protect all services prior to construction.
All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.
Structural Details shall be subject to Engineer's Specifications.
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawing Engineer's Specifications.
No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, constr method, materials specified, and general specifications without permission from the Project Engineer or Landsc. Architect
This Drawing is convigint to 250 Degrees I and come Ambite at Divi I to

	CLIENT Lachlan & Edwi	снескер СВ
ind tion e	ARCHITECT Archer Office	DRAWN BHC
	SCALE N/A @ A1	SIZE A1

PLANT SCHEDULE

Trees

Bac cit

Cup ana

Pan tec

Cha hum

How for

Acm Sub

Alp cae

Bux mic

Hel pet

Hyd mac

Hyd que

Hym Lus

Pit MM

Sal VW

Dia LJ

Lom LT

Cas CI

Ros Ire

Vio hed

Bea gra

Hoy aus

Zam fur

Climbers

Ground Covers

Palms & Bamboo

Shrubs & Perennials

Grasses, Lilies & Aquatic

Ran fit

Botanical Name

Backhousia citriodora

Pandanus tectorius

Chamaerops humilis

Howea forsteriana

Alpinia caerulea

Buxus microphylla

Helichrysum petiolare

Hydrangea macrophylla

Pittosporum 'Miss Muffet'

Hydrangea quercifolia

Alocasia macrorrhiza

Lomandra 'Lime Tuff'

Dichondra repens

Viola hederacea

Hoya australis

Doodia aspera

Zamia furfuracea

Senecio serpens

Crassula ovata 'Minima'

Ferns, Cycads & Bromeliads

Succulents & Cactus

Randia fitzalanii

Cupaniopsis anacardioides

Acmena smithii 'Allyns Magic'

Hymenosporum flavum 'Lushious'

Salvia leucantha 'Velour White'

Dianella caerulea 'Little Jess'

Casuarina glauca 'Cousin It'

Rosmarinus officinalis 'Irene'

Blechnum gibbum 'Silver Lady'

Beaumontia grandiflora

Acmena smithii 'Sublime'

Common Name

Lemon Myrtle

Native Gardenia

Sublime Lilly Pilly

Common Ginger

Japanese Box

Liquorice Plant

Miss Muffet

Oakleaf Hydrangea

Velour White Sage

Little Jess Flax Lily

Lime Tuff Mat Rush

Cousin It Sheoak

Prostrate Rosemary

Nepal Trumpet Flower

Kidney Weed

Native Violet

Australian Hoya

Silver Lady Fern

Cardboard Palm

Prickly Rasp

Baby Jade

Chalksticks

Elephant's Ear

European Fan Palm

Allyns Magic Dwarf Lilly Pilly

Lushious Dwarf Native Frangipani

Tuckeroo

Screw Pine

Kentia Palm

Size

Various heights

100L

200L

400L

100L

100L

300mm

400mm

300mm

200mm

200mm

300mm

300mm

200mm

300mm

200mm

200mm

150mm

150mm

200mm

150mm

200mm

200mm

200mm

200mm

150mm

300mm

200mm

150mm 5

150mm 427

Qty

8

28

34

13

10

32

14

36

17

49

150

427

32

23

20

Notes

Landscape Schedules & Notes

92 Lauderdale Avenue, Fairlight

P 02 9332 3601 **W** 360.net.au **ABN** 90 146 901 322

Level 1, 1 Mary's Place Surry Hills, 2010

LANDSCAPE STATEMENT

The proposed DA Landscape Drawings for 92 Lauderdale Avenue, Fairlight have been designed and set out in accordance with;

- The Client's Brief
- The Northern Beaches Council DCP Documents & LEP
- Architectural plans by Archer Office

As part of a collaborative design team, 360 Degrees Landscape Architects propose to support the client's requirements, architectural function and character through considered and refined landscape design, while also responding to the Northern Beaches Council development guidelines and character within the surrounding area.

The proposed landscape will increase the site's existing landscape offerings while maintaining landscape areas and deep soil zones for all proposed tree and garden beds, providing usable and attractive garden spaces.

The front landscape has been designed to flow from the front entry steps through to the rear garden via the east and west side of the site, creating the effect of a continuous landscape and enveloping the proposed architecture within the site. Proposed retaining walls, steps and steppers are noted as sandstone to maintain the language of the site. Hard elements in the front landscape are also proposed to be recessive in finish to allow the predominately native planting to lend itself to the surrounding Fairlight character.

The proposed rear landscape works hand in hand with the proposed architecture to provide open lawn area and terraced garden beds and steps that lead up to the pool terrace. The proposed planting in the rear landscape is continuous to the style of the front, picking up on coastal and native tones and mixed foliage. The proposed swimming pool has been set at a level which maximises the views to the garden and house and improves the usability of the overall site, allowing for the pool to be used separately to the open lawn area in the rear garden and creating a separate zone of activity. The surrounding planting is intended to nestle the structure in the landscape.


The proposed planting consists of mixed native and exotic shrubs and groundcovers suitable for the site's coastal environment and additional semi-mature planting of native and non-native trees and palms which will provide shade for the garden while maintaining view lines of the harbour for the neighboring properties.

The proposed design meets the required Landscape Area percentages set by Northern Beaches Council. This information is noted specifically within the Landscape DA package.

Ultimately the design seeks to provide an attractive and usable environment that compliments the local character while improving and strengthening its function to create landscaped garden spaces for the residents to enjoy.

PRELIMINARY NOT FOR CONSTRUCTION

Rev	Amendment	Date	Ву	_
Α	Draft DA	17.08.22	СВ	
В	Draft DA	30.08.22	СВ	
С	Draft DA	30.08.22	СВ	
D	DA	01.09.22	СВ	





CLIENT
Lachlan & Edwina Cobon

ARCHITECT
Archer Office

SCALE
1:200

CHECKED
CB


DRAWN
BHC

STAGE
DA

DWG. TITLE
Landscape Statement & Diagrams
PROJECT
92 Lauderdale Avenue, Fairlight


Level 1, 1 Mary's Place Surry Hills, 2010 P 02 9332 3601 W 360.net.au

LANDSCAPE DIAGRAMS TOTAL SITE AREA = 824.90m2



OPEN SPACE AREA


OPEN SPACE AREA = 560 m 2 % OF SITE = 67.88%




PROPOSED LANDSCAPE AREA

LANDSCAPE AREA = 361.5m2 % OF SITE = 43.82% % OF OPEN SPACE = 64.55 %

---- NEW BUILDING OUTLINE



Rev	Amendment	Date
Α	Draft DA	17.08.22
В	Draft DA	30.08.22
С	Draft DA	30.08.22
D	DA	01.09.22




IMPORTANT NOTES: Do not scale from drawings All discrepancies to be brought to the attention of the Project Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.	
All tree dimensions and RLs in metres.	
Use figured dimensions only.	
Verify all dimensions on site before the commencement of any works.	
Contractors shall locate and protect all services prior to construction.	· '
All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.	
Structural Details shall be subject to Engineer's Specifications.	
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.	
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and	$\overline{}$
Engineer's Specifications.	١.
No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction	
method, materials specified, and general specifications without permission from the Project Engineer or Landscape	
Architect.	
This Drawing is convigant to 360 Degrees Landscape Architects Ptv Ltd	

	CLIENT Lachlan & Edwir	СВ		
	ARCHITECT Archer Office	DRAWN BHC		
ngs and struction scape	SCALE 1:100	SIZE A1	STAGE DA	

DWG. TITLE Tree Protection & Removal Plan	
PROJECT 92 Lauderdale Avenue, Fairlight	

REFER TO L-DA-05 -**GROUND LEVEL AND** Existing screen trees
 (Waterhousia 'Sweeper') to be retained LEVEL 1 Steppers in groundcover planting (Dichondra repens and Viola hederacea) —Feature tree Cupaniopsis anacardiodes Hymenosporum flavum 'Luscious' Viola hederacea - *Hydrangea* and *Lomandra* - Small palm - Chamaerops humilis Existing steps and wall to be retained 90 LAUDERDALE + Ex TK 18.99 + Ex GR 18.81 ×22.00 + RL 22.00 ENTRANCE LOWER GROUND FFL 21.70 LAUDERDALE RUMPUS + RL 21.50 92 LAUDERDALE ExRL 21.37+ mounded garden New screen planting
Mixed Shrubs add spillover planting Acmena 'Allyn Magic'
Hymenosporum flavum 'Luscious'
Casuarina 'Cousin It' and Hoya australis
Viola hederacea Indicative location of OSD and RWT (below) to Stormwater Plan 94 LAUDERDALE Hydrangea and Lomandra Hixed screen planting Acmena 'Sublime' Alocasia brisbanensis Dianella 'Little Jess' Blechnum 'Silver Lady' Dichondra repens and Viola hederacea Sandstone steppers in decorative gravel and groundcovers


			T
Rev	Amendment	Date	Ву
Α	Draft DA	17.08.22	СВ
В	Draft DA	30.08.22	СВ
С	Draft DA	30.08.22	СВ
D	DA	01.09.22	СВ
I			




IMPORTANT NOTES: Do not scale from drawings All discrepancies to be brought to the attention of the Project Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated. All tree dimensions and RLs in metres.	CLIENT Lachla
Use figured dimensions only. Verify all dimensions on site before the commencement of any works. Contractors shall locate and protect all services prior to construction. All work shall be carried out in accordance with ASA, BCA and Local Government Regulations. Structural Details shall be subject to Engineer's Specifications. Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.	ARCHITE Arche
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications. No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect. This Drawing is copyright to 360 Degrees Landscape Architects Pty Ltd.	SCALE 1:100

	CLIENT Lachlan & Edwina Cobon		снескед СВ	
and ction pe	ARCHITECT Archer Office		DRAWN BHC	
	scale 1:100	SIZE A1	STAGE DA	

DWG. TITLE Landscape Plan - Lower Ground PROJECT 92 Lauderdale Avenue, Fairlight




Rev	Amendment	Date	Ву	
Α	Draft DA	17.08.22	СВ	
В	Draft DA	30.08.22	СВ	
С	Draft DA	30.08.22	СВ	
D	DA	01.09.22	СВ	



IMPORTANT NOTES: Do not scale from drawings All discrepancies to be brought to the attention of the Project Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated. All tree dimensions and RI is in metres.	
Use figured dimensions only. Verify all dimensions on site before the commencement of any works. Contractors shall locate and protect all services prior to construction. All work shall be carried out in accordance with ASA, BCA and Local Government Regulations. Structural Details shall be subject to Engineer's Specifications. Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.	A
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications. No responsibility will be taken by 360 Degrees Landscape Architects PtyLtd for any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect. This Drawing is copyright to 360 Degrees Landscape Architects PtyLtd.	s 1

	CHECKED CB
Archer Office B	DRAWN BHC
instruction	TAGE DA


DWG. TITLE Landscape Plan - Ground and Level 1
PROJECT 92 Lauderdale Avenue, Fairlight



SCALE 1:50 @ A1 SIZE A1

STAGE DA

92 Lauderdale Avenue, Fairlight



Rev	Amendment	Date	Ву
Α	Draft DA	17.08.22	СВ
В	Draft DA	30.08.22	СВ
С	Draft DA	30.08.22	СВ
D	DA	01.09.22	СВ

PRELIMINARY NOT FOR CONSTRUCTION

IMPORTANT NOTES:
Do not scale from drawings
All discrepancies to be brought to the attention of the Project Landscape Architect
Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.
All tree dimensions and RLs in metres.
Use figured dimensions only.
Verify all dimensions on site before the commencement of any works.
Contractors shall locate and protect all services prior to construction.
All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.
Structural Details shall be subject to Engineer's Specifications.
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications.
No responsibility will be taken by 360 Degrees Landscape Architects PtyLtd for any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architects

CLIENT Lachlan & Edwina Cobon

ARCHITECT Archer Office

SCALE N/A @ A1

A1

CHECKED CB

DWG. TITLE

Planting Palette

PROJECT

92 Lauderdale Avenue, Fairlight