

Telephone (02) 9899 2506
Facsimile (02) 9659 1633
PO Box 6160
Baulkham Hills BC NSW 2153



R Moy & Associates Pty Ltd
T/as Essential Certifiers Castle Hill
ACN 100 924 605
ABN 23 100 924 605

rec: 142376

Construction Certificate

\$ 3000.

**CONSTRUCTION
CERTIFICATE NUMBER** CC2004-03729

Issued in accordance with the Environmental Planning & Assessment Regulation 2000 with reference to the Environmental Planning & Assessment Act 1979 Sections 109C(1)(b), 81A(2) and 81A(4) and Application under CI 79D. (2)(a)

COUNCIL: PITTWATER

APPLICANT

Name Clarendon Residential Communities Pty Ltd
Address Level 15, 56 Pitt Street, SYDNEY 2000
Contact no (telephone/fax) 8273 6000

OWNER

Name Clarendon Residential Communities Pty Ltd
Address Level 15, 56 Pitt Street, SYDNEY

SUBJECT LAND

Address 191 Garden Street, WARRIEWOOD 2102
Lot No 25
DP - 302016

Essential Certifiers Castle Hill Certificate No. CC2004-03729

DESCRIPTION OF DEVELOPMENT

Type of Work



Building work



Subdivision work

Description

Two Storey Dwelling

COUNCIL'S D/A CONSENT

Development Consent No

N0711/03

D.A Approval Date

24/10/03

BUILDING CODE OF AUSTRALIA**BUILDING CLASSIFICATION**

1a

BUILDER or OWNER/BUILDER

Name

Domaine Homes (NSW) Pty Ltd

Contractor Licence No. or

Owner Builder Permit No.

91387C

\$ VALUE OF WORK

Building/Subdivision

\$290,700.00

DATE C.C. APPLICATION RECEIVED

Date Received

11/05/04

DETERMINATION

Decision

Approved

Date of Decision

21/05/04

ATTACHMENTS

Landscape Certification - dated 18 November 2003

Shearwater Material & Colour Specification - dated 26.3.04 -

Revision A

Certificate of Insurance - Vero Construction & Engineering

Council Submission Cheque - \$30.00

Essential Certifiers Castle Hill Certificate No. CC2004-03729

PLANS AND SPECIFICATIONS

APPROVED/REFUSED

List plan no(s) and specifications

Reference:

Stage 1D Sheet No. 1/1 - dated 12.12.03 - Issue A

Sheet No. 1/16 - 6/16 inclusive - dated 12.12.03 - Issue A

RIGHT OF APPEAL

under S109K where the Certifying Authority is a Council an applicant may appeal to the Land and Environmental Court against the refusal to issue a Construction Certificate within 12 months from the date of the decision.

ACCREDITATION BODY

PlanningNSW, 20 Lee Street, Sydney 2000.

CERTIFICATION

I certify that the work if completed in accordance with these plans and specifications (with such modifications verified by the Certifying Authority as may be shown on that documentation) will comply with the requirements of the Environmental Planning and Assessment Regulation 2000 as referred to in s81A(5) of the Environmental Planning and Assessment Act 1979.

CERTIFYING AUTHORITY

Name of Certifying Authority

Essential Certifiers Castle Hill

Name of Accredited Certifier

Kieran Tobin

Accreditation No

44


Contact No

(02) 9899 2506

Address

PO Box 6160 Baulkham Hills BC 2153.

SIGNED



DATED

21/05/04

Essential Certifiers Castle Hill Certificate No. CC2004-03729

Pittwater Council

ABN: 61340837871

TAX INVOICE

OFFICIAL RECEIPT

27/05/2004 Receipt No 142376

R/142376

To R MOY & ASSOCIATES

\$ 30.00

ESSENTIAL CERTIFIERS
PO BOX 6160
BOULKHAM HILLS 2153

Qty/ Applic	Reference	Amount
1	RMIC-Rord	\$27.27
GL Rec 1 X	n0711/03	
	GST	\$2.73
GL Rec		
To GL Receipt:		

Total Amount:	\$30.00
Includes GST of:	\$2.73

Amounts Tendered

Cheque	\$30.00
Total	\$30.00
Rounding	\$0.00
Change	\$0.00
Nett	\$30.00

Printed 27/05/2004 11:39:15 AM
Cashier AClarka

COUNCIL COPY



Essential Certifiers Castle Hill

Construction/Complying Development Certificate Application Form

Issued under the Environmental Planning & Assessment Act 1979

R Moy & Associates Pty Ltd
Trading as Essential Certifiers Castle Hill
ACN 100 924 605
ABN 23 100 924 605

Postal Address: PO Box 6160 Baulkham Hills BC NSW 2153

Telephone (02) 9899 2506
Facsimile (02) 9659 1633

Email HayleySweis@ecch.com.au
Website www.ecch.com.au

Privacy Policy - The information you provide in this application will enable your application to be assessed by the certifying authority under the Environmental Planning and Assessment Act 1979. If the information is not provided, your application may not be accepted. The application can potentially be viewed by members of the public. Please contact Essential Certifiers Castle Hill if the information you have provided in your application is incorrect or requires modification..

CHECKLIST - DOCUMENTS TO ACCOMPANY THIS APPLICATION

For Construction Certificate Applications:

- ☐ Complete all sections of this application form
- ☐ 1 copy of Council DA approved plans
- ☐ 1 copy of Council development consent
- ☐ 3 copies of architectural plans with amendments satisfying conditions
- ☐ 3 copies of building specifications
- ☐ Completion of Owners Consent Form to be signed by ALL owners
- ☐ Completion of Notice to Commence Building Work & Appointment of PCA form
- ☐ Copy of Home Owners Warranty insurance if using a licensed builder & work is valued over \$12,000 (N/A for commercial or industrial development)
- ☐ Copy of Owner-Builder permit if not using a licensed builder & work is valued over \$5,000 (N/A for commercial or industrial development)
- ☐ Proof of payment of Long Service Levy if work is valued \$25,000 or over
- ☐ Cheque made payable to Council for Private Certifier Certificate Archiving/Handling Fee - schedule of Council fees can be provided on request.

For Complying Development Applications:

- ☐ Complete all sections of this application form
- ☐ 3 copies of architectural plans
- ☐ 3 copies of building specifications
- ☐ Completion of Owners Consent Form to be signed by ALL owners
- ☐ Completion of Notice to Commence Building Work & Appointment of PCA form
- ☐ Copy of Home Owners Warranty insurance if using a licensed builder & work is valued over \$12,000 (N/A for commercial or industrial development)
- ☐ Copy of Owner-Builder permit if not using a licensed builder & work is valued over \$5,000 (N/A for commercial or industrial development)
- ☐ Long Service Levy will apply if work is valued \$25,000 or over
- ☐ Copy of relevant Water Authority Approval (if applicable)
- ☐ Cheque made payable to Council for Private Certifier Certificate Archiving/Handling Fee - schedule of Council fees can be provided on request.

TYPE OF APPLICATION

It has been determined that this is a:

- ☐ Complying Development Certificate application
Issued under the Environmental Planning & Assessment Act 1979 sections 85 and 85A
- ☒ Construction Certificate Application
Issued under the Environmental Planning & Assessment Act 1979 sections 109C(1)(b), 81A(2) & 81A(4)

Class of building under the Building Code of Australia	1A
Development application no.	No 711/03
Date which development consent was granted	14/10/03

DETAILS OF THE APPLICANT

Mr/Mrs/Ms/Dr

First Name:	Clarendon Residential Communities Pty Ltd		
Unit/Street no. L15 N° 56	Surname/Company Name:		
Suburb: Sydney	Street Name: Pitt St		
Phone: 82736000	State: NSW	Postcode: 2000	
	Fax: 82736099	Mobile:	

BILLING DETAILS (if different from Applicant)

Billing Name: Clarendon Residential Communities Pty Ltd
Billing Address: L15 N° 56 Pitt St Sydney 2000

Note: Applicant will be liable for payment of our fees if funds cannot be recovered from the Billing person above.

DETAILS OF THE OWNER(S)

Mr/Mrs/Ms/Dr

First Name:	As above		
Unit/Street no.	Street Name:		
Suburb:	State:	Postcode:	
Phone:	Fax:	Mobile:	

IDENTIFY THE LAND YOU PROPOSE TO DEVELOP

Unit/Street no. 191	Street Name: Garden Street		
Suburb: Warriewood	State: NSW	Postcode: 2102	
Lot no. 25	DP/MPS no. 730450 300016		
Council Area: Pittwater			

DETAILS OF THE DEVELOPMENT

Description of the work to be carried out	\$ Single dwelling 290 700
Estimated cost of development including GST	

DETAILS OF THE BUILDER

If you are using a licensed builder please complete this table

Builder Name	Domine Homes
Builder License Number	91387C
Builder Telephone Number	8851 6700
Builder Address	21 Solent Circuit Balshan Hills 2153

If you are not using a licensed builder please complete next 3 questions where applicable

- Are you an Owner-builder ? (Please circle) Y N
- If Yes to 1. please provide Owner-Builder Permit Number _____
- If No to 1. Please sign the following declaration:
I/we declare that the reasonable market cost of the labour and materials to be used is less than \$5,000.

Signed by all Owners _____

PLANS & SPECIFICATIONS

List plan numbers & specification reference details included in this application:

Stage 10
Shets: 1/1 1/16 - 6/16

AUSTRALIAN BUREAU OF STATISTICS SCHEDULE - compulsory

Please complete this schedule. The information will be sent to the Australian Bureau of Statistics.

All new buildings

• Number of storeys (incl underground floors)	2
• Gross floor area of new building (m ²)	248
• Gross site area (m ²)	304.5

Residential buildings only

• No. of dwellings to be constructed	1
• No. of pre-existing dwellings on site	00
• No. of dwellings to be demolished	00
• Will the new dwelling(s) be attached to other new buildings?	No
• Will the new building(s) be attached to existing buildings?	No
• Does the site contain a dual occupancy?	No

Materials - Residential Buildings

WALLS	ROOF	FRAME	FLOOR
Brick Veneer	Aluminium	Timber	Concrete
Full Brick	Concrete	Steel	Timber
Single Brick	Concrete Tiles	Aluminium	Other (describe)
Concrete Block	Fibrous Cement	Other (describe)	
Concrete Masonry	Fibreglass		
Concrete	Masonry Shingle		
Steel	Terracotta Shingle		
Fibrous Cement	Tiles - other		
Hardiplank	Slate		
Timber/Weatherboard	Steel		
Cladding/Aluminium	Terracotta Tiles		
Curtain Glass	Other (describe)		
Other (describe below)			


CC/EDC No. 04/3729

DA No. N0711/03

SIGNATURES

The applicant must sign the application.

Applicant Signature



Date



The owner(s) of the land must sign this application or an owners' consent form if:

- at the time the owner signed the development application, the owner did not give consent to the applicant to lodge a construction certificate, or
 - the owner of the land has changed since signing the development application:
- As the owner(s) of the above property, I/we consent to this application:

Owner Signature



Owner Signature

Date	Date

COUNCIL COPY

Pittwater Council

OFFICIAL RECEIPT

18/11/2003 Receipt No 129453

To CLARENDON APARTMENTS NO 2

CPG DEVELOPMENTS
LEVEL 15, 56 PITT ST
SYDNEY

Applic Reference	Amount
GL Re CLSL-Buil NO711/03	\$417.25

Totals: \$417.25

Amounts Tendered

Cash	\$0.00
Cheque	\$417.25
Card	\$0.00
Money Order	\$0.00
Agency Rec	\$0.00
Total	\$417.25
Rounding	\$0.00
Change	\$0.00
Nett	\$417.25

Printed 18/11/2003 1:44:34

Cashier ARicha

04/3729



Residential Construction Warranty

construction and engineering

Certificate of Insurance

COUNCIL COPY

Domaine Homes (NSW) Pty Ltd
PO Box 7105
BAULKHAM HILLS NEW SOUTH WALES 2153

Form 1
Section 92
Home Building Act 1989

CERTIFICATE IN RESPECT OF INSURANCE

Contract Of Insurance Complies With: Section 92

Of The: Home Building Act 1989

Issued By: Vero Insurance Limited
ABN 48 005 297 807

Building Contract Details

Contract Date: March 16, 2004

Declared Building Contract Value: \$231,200.00

(Refer policy for indemnity limit)

Carried Out By: Domaine Homes (NSW) Pty Ltd

ABN: 19080788969

Licence No: 91387C

For: Clarendon Residential Communities Pty Ltd

In Respect Of: Single Dwelling

At:

Lot No: Lot 25

House No: Kingfisher Lane

WARRIEWOOD NEW SOUTH WALES 2102

Permit Authority: Pittwater Council

Local Authority's Copy

Issue Date: 28/04/2004

Certificate No: RCW71468740

Subject to the Act, the Home Building Regulation 1997 and the conditions of the insurance contract, cover will be provided to a beneficiary described in the contract and successors in the title to the beneficiary. Please note when the Insurer has issued this certificate, the Insurer is not entitled to refuse to pay a claim, or to cancel the insurance contract, on the grounds that the premium was not paid. This certificate is to be read in conjunction with the policy wording, if you have not received a copy of the policy wording please contact the Insurer Vero Construction and Engineering a division of Vero Insurance Limited.

N HXVPWY10MTRX

Printed 28/04/2004

Signed for and on behalf of the insurer:

Insurer: Vero Insurance Limited ABN 48 005 297 807

HASSELL PTY LTD ABN 24 007 711 435
88 CUMBERLAND STREET SYDNEY NSW 2000 AUSTRALIA
SYDNEY@HASSELL.COM.AU
T 61 2 9273 2300 F 61 2 9273 2345

SYDNEY
MELBOURNE
BRISBANE
ADELAIDE
SHANGHAI
HONG KONG
BANGKOK
SINGAPORE

Tuesday 18 November 2003
Essential Certifiers
PO Box 6160
Baulkham Hills BC NSW 2153

WARRIEWOOD (SHEARWATER) STAGE ONE (PRECINCT 1D) - LANDSCAPE CERTIFICATION

Dear Sir/Madam

Hassell is a firm of professionally qualified landscape architects, architects, planners and interior designers. We have the necessary expertise to prepare landscape documentation for development application, construction certificate, tender pricing and for construction purposes. In relation to this development, we make reference to the following Pittwater Council DCPs:-

DCP23 Landscape and Vegetation Management

- The Hassell landscape concept plan for this site complies with the requirements of **2.4.3 Landscape Concept Plan** of the DCP.
- The Hassell landscape construction drawings also comply with the requirements of **2.5 Construction Certificate Application**. This documentation provides information on landscape materials, finishes and construction details, together with planting layout, species and quantities of each.

DCP29 Warriewood Valley Urban Land Release

- The Hassell landscape concept plan complies with the general requirements of **3.15 Landscaping** (within Warriewood Valley).
- The Hassell landscape construction drawings also comply with the more specific requirements of **4.16 Landscaping Controls**.
- In particular, we make reference to **Appendix 3 Vegetation Precincts** for selection of native and exotic plant materials suitable for use within Warriewood Valley. Hassell's plant selection conforms to this list.

Yours faithfully



Phillip Darmanin
Senior Landscape Architect



Application Lodgement Summary

Sydney
WATER

Reference Number 1049814

Date Requested: Thu April 8 2004

Agent Sydney Water, Chatswood, 432 Victoria Avenue, Chatswood
Applicant CPG DEVELOPMENTS, L15, 56 PITT STREET SYDNEY 2000
Property/Asset Lot 100 Garden St, Warriewood 2102 (Clarendon Residential Communities Pty Ltd) PNum: 5286760
225 mm PVC Sewer Main - (8509277)
Proposed Location APPROVAL FOR LOT 25, SECTOR 12
Product Building Plan Approval Application

Charge	Product Cost	GST	Total
Building Plan Approval Application Fee	\$16.50	\$0.00	\$16.50

TAX INVOICE ABN: 49 776 225 038
16-04-2004 8:50AM CHAT 001 CO
Receipt for: Bldg Plan Approv Appl
\$16.50
GST: \$0.00
Rec No: 00104571 \$16.50
Customer Name and Address Attached



COPY

CPG Developments Pty Limited
 Level 15, 56 Pitt Street
 Sydney NSW 2000
 Ph 02 8273 6000 Fax 02 8273 6099
 ABN 44 003 885 149



SHEARWATER MATERIAL & COLOUR SPECIFICATION

LOT NO: 25	DATE: 26 MARCH 2004
STREET: SHEARWATER DRIVE	ISSUE: CONSTRUCTION
HOUSE TYPE: 10	REVISION: A
EXTERNAL COLOUR SCHEME: MULCH	CHECKED:
INTERNAL COLOUR SCHEME: AGATE	APPROVED:

EXTERNAL FINISHES			
ITEM:	DESCRIPTION		SUPPLIER
LANDSCAPE			
Refer to Hassell Drawing	CD - 023		
Driveway	TUGUN Header with TUGUN stretcher bond to inlay		Austral
Front Path	TUGUN Stretcher bond - NO BORDER		Austral
Pergola	TUGUN Header with TUGUN basket weave inlay		Austral
Stepping stones	400 X 400 as shown on drawings		
Fencing	1800mm lapped treated pine as shown on drawing		
Screens	100mm x 50mm frame with 50mm x 50mm battens at 100mm centres as shown on drawing		
Soft Landscaping	As shown on drawing		
CONCRETE SLAB	M Class Waffle Pod slabs to standard group design.		Refer to Order
PEST CONTROL	Granitgard Contact: Rob Wood Ph: 0439 953 466		Kingfisher Pest Management
FRAME	240mm Brick Veneer Construction		Refer to Order
GROUND FLOOR FRAME	2600mm floor to ceiling 90mm External & Internal Frames.		Refer to Order
FIRST FLOOR FRAME	2600mm floor to ceiling 90mm External & 70mm Internal frame. Double LL. Joists spacings as per Tiling layout with sheet flooring. P/Board flooring to Balconies, with Fibreglass tray		Refer to Order
EXTERNAL WALLS:	DESCRIPTION	COLOUR	SUPPLIER
Feature Brickwork	N/A	N/A	
Mortar Joints to Feature Brickwork:	Ironed		
Painted Brickwork: Moroka finish:	Universal Smooth Face Commons	Refer to Colour Selection	Austral/PGH
Mortar Joints to Painted Brickwork:	Flush Raked where shown	Grey	

SHEARWATER MATERIAL & COLOUR SPECIFICATION

Letter Box: Dimension: 830 x 943 x 230mm in Moroka finish:	Universal Smooth Face Commons	Refer to Colour Selection	Austral/PGH
Cladding:			
Weatherboard	Hardies Newport Prime line		Refer to Colour selection
Flat FC cladding	FC sheet with 75 x 25mm batten		Refer to Colour selection
Window surround trim	75 x 25mm trim		Refer to Colour selection
External corner trim	90 x 25mm trim		Refer to Colour selection
Internal corner trim	25 x 25mm trim		Refer to Colour selection
Eaves	FC sheet with 25mm primed quad		Refer to Colour selection
WINDOWS:	DESCRIPTION:	COLOUR:	SUPPLIER:
Standard Stegbar sizes, include flyscreens	Windows & Doors As per Drawings	Notre Dame	Stegbar
Glazing:	Clear glazing throughout		
ROOF:	PROFILE:	COLOUR:	SUPPLIER:
Tiles:	N/A	N/A	N/A
Sarking to under tiles:	YES	N/A	
Metal Roofing: Main roof > 5°	Colourbond Corrugated	Ironstone	Stramit
Flat roofs < 5°	Speedeck	Colourbond Ironstone™	Stramit
Sarking to under Metal Roof	Provide R1.5 - 50mm Lightweight Building Blanket	N/A	Stramit
GUTTER:	DESCRIPTION:	COLOUR:	SUPPLIER:
Gutter and Barge Gutter:	Colourbond	Colourbond Ironstone™	Stramit
FASCIA:			
Fascia and Barge Fascia:	Colourbond	Colourbond Ironstone™	Stramit
DOWNPIPES:			
Round 90mm dia PVC Painted Finish	Taubmans	Painted as per wall	Stramit



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149



SHEARWATER MATERIAL & COLOUR SPECIFICATION

RAINWATER TANKS		Note: Refer to Stormwater Drainage Plan.	
Type 4 Type 1, 3, 4, 5, 6	Slimline Corrugated 1800L x 1150W x 1240H 2400L x 550W x 1540H	Colourbond Bushland™	City Rainwater Tanks Contact: Alex Dunlop Ph. 9623 2414
GARAGE DOOR:	DESCRIPTION:	COLOUR:	SUPPLIER:
Note: 4810 x 2143mm brick opening	Panelift with Automatic Opener and 2 Handsets.	Colourbond Ironstone™	Refer to Order
EXTERNAL METALWORK			
Balcony Handrails		Black	Castle Railing & Gates or equivalent
Top rail	60mm half round top rail	Black	
Posts	40mm square. Bracket fixed to top & side of balcony with 316 marine grade stainless steel fixings	Black	
Balustrades	40 x 8mm horizontal	Black	
Louvre Window shades	Fixed operable panels fitted with mullion ELIPTI 90	Charcoal	Shutters R Us Contact: Rick Bonnick Ph: 0417 970 055
AWNINGS & PERGOLAS			
Awnings – refer to detail on drawings	150 X 50mm frame with 100mm rafter 50mm battens at 70mm cts	Refer to Colour Selection	
Pergolas – refer to detail on drawings	150 X 50mm frame with 100mm rafter 50mm battens at 70mm cts Extent shown on plan	Refer to Colour Selection	
EXTERNAL PAINT:		Note: Feature Walls to external areas will generally wrap around and end on internal corners.	
EXTERNAL PAINT:	Description:	Colour:	
Main Walls Below Corbel Course Applied Finish Masonry:	Taubmans Moroka	Taubmans Bower Bird T111-6A	Refer Coloured Up Drawing
Corbelled Brickwork Course to Areas with Applied Finish :	Taubmans Moroka	Taubmans Bower Bird T111-6A	
Main Walls Above Corbel Course Applied Finish Masonry:	Taubmans Moroka	Taubmans Kid Skin T111- 3W	
Walls to Front Balcony:	Taubmans Moroka	Taubmans Elsa Karga T149-7A	



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

SHEARWATER MATERIAL & COLOUR SPECIFICATION

Corbelled Brickwork Course to Front Balcony Walls :	Taubmans Moroka	Taubmans Elsa Karga T149-7A	Refer Coloured Up Drawing
Timber screen to side of balcony:	Taubmans	Twiggy T111-4W	
Weatherboard Cladding:	Taubmans	Twiggy T111-4W	
Letter Box:	Taubmans Moroka	Taubmans Bower Bird T111-6A	
Privacy Wall Timber Battens:	N/A	N/A	
Eaves:	Taubmans	Taubmans Hazel Snow T111-2W	
Veranda Ceilings:	Taubmans	Taubmans Hazel Snow T111-2W	
All Pergola Beams & Posts:	Taubmans	Taubmans Elsa Karga T149-7A	
Timber Awnings:	Taubmans	N/A	
Metal Rail to Balcony:	Powder Coated	Black	
Front Door Exterior including door surrounds and sidelight:	Taubmans	Taubmans Elsa Karga T149-7A	
INSULATION:	EXTENT:	DESCRIPTION:	SUPPLIER:
Walls:	All external walls to house including Garage / house walls	R 1.5	
Ceiling:	All ceilings to u/s roofs Garage ceiling with 2nd Floor above	R3.0	
EXTERNAL DOORS:	DESCRIPTION:	COLOUR:	CODE:
Front Entry Door & Mouldings/Jambs:	Corinthian Madison Door With Frosted Glass (incl. sidelight).	Taubmans Elsa Karga T149-7A	PMAD 101
Side Light:	Frosted Glass	Frame:	
EXT. DOOR FURNITURE:	DESCRIPTION:	COLOUR:	CODE:
Front Entry Door:	Gainsborough Lever TriLock	Satin Chrome	



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

SHEARWATER MATERIAL & COLOUR SPECIFICATION

INTERNAL FINISHES:			
LIGHT FITTINGS:	DESCRIPTION:	COLOUR:	CODE:
Living and where shown on plan:	Low voltage Downlights	White	
Bedrooms:	400mm Domus Alabaster Oyster Fitting	Frosted Glass with Chrome Trim	
Bathrooms/Laundry:	300mm Domus Alabaster Oyster Fitting	Frosted Glass with Chrome Trim	
Patio Lights:	Plain Bunker	Black	• EXC 3072
Wall Lights:	Half Eye Bunker	Black	• EXC 3073

WINDOW TREATMENTS:	DESCRIPTION:	COLOUR:	SUPPLIER:
To Front Elevations Only (& where side windows are in same room):	Note: The windows will be marked up on Plans where plans are required.		
Blinds to Living Areas:	Blindcraft L/40 Series Chain Operable roller system.	Fabric: Rama Pearl	Blindcraft Contact: Michael O'Brien 02 9557 5900
Blinds to Bedrooms:	Blindcraft L/40 Series Chain Operable roller System.	Fabric: Rama Pearl	

JOINERY:	DESCRIPTION:	COLOUR:	CODE:
KITCHEN:	2200mm high kitchens, 580mm deep cabinets, 700mm deep bench top with 20mm overhang, 600mm splashback, 300 deep overheads with 750mm deep bulkhead over		
Generally straight bench with island bench or galley kitchens	Caesar Stone • Straight Squared Edge • 20mm thick edge	Osprey	Ref: 3141
Cupboards Facing:	Formica laminate • Flush Doors • Hardform Edge	Vincenza Walnut Neo	
Kickboards:	Formica Laminate	Vincenza Walnut Neo	
Handles:	Lincoln Sentry Handle 168mm x 35mm	Stainless Steel	1-546-006
Handles position:	Vertical In 70mm from end of door Horizontal in centre of drawer		
Bulkheads: Refer to Kitchen detail	750D framed and gyprock lined	Painted same as wall	
Splashback:	Caesar Stone Slab	Osprey	Ref: 3141
VANITIES:	Note Vanities are 350mm deep.		

SHEARWATER MATERIAL & COLOUR SPECIFICATION

Vanity Top 375mm	Caesar Stone • Straight Squared Edge • 20mm thick edge	Osprey	Ref: 3141
Vanity Apron:	200mm high Caesar Stone	Osprey	Ref: 3141
Splashback:	100mm high Caesar Stone	Osprey	Ref: 3141
Vanity and Door:	Formica Laminate • Hardform Edge • Flush Door	Vincenza Walnut Neo	
Kickboard Finish:	Formica Laminate	Vincenza Walnut Neo	
Handles:	Lincoln Sentry Knob	Satin Chrome	1-535-109
Handles position:	Vertical In 70mm from end of door Horizontal in centre of drawer		
LAUNDRY:	580mm cabinets with drop in sink, no overhead cupboards.		
Bench top:	Formica Laminate Straight Squared Edge	Orion Quarry	
Cupboard Facing:	Formica Laminate Hardform Edge Door	Vincenza Walnut Neo	
Kickboard Facing:	Formica Laminate	Vincenza Walnut Neo	
Handles:	Lincoln Sentry Knob	Satin Chrome	1-535-109
Handles position:	Vertical In 70mm from end of door Horizontal in centre of drawer		
Splash back	Tiled 600mm high 2 Rows of White Tiles	Blanco Brillo 300 x 200 Laid Vertically	# 30003
WARDROBES	12mm pine board, 50x25 frame painted same as wall, with 75x25 fascia painted same as woodwork		
Built in robes	530mm deep robe 1 shelf at 1650mm	Painted same as wall.	
Linens	4 shelves	Painted same as wall.	
INTERNAL DOORS:	DESCRIPTION:	COLOUR:	CODE:
Passage	Corinthian prehung 2040 Hollowcore flush doors	Refer to Colour Selection	
Wardrobes	• Flush hinged doors • Sliding mirror doors where nominated	Refer to Colour Selection	
INTERNAL DOOR FURNITURE:			
Passage Door Handles:	Gainsborough 'Linear' Lever	Satin Chrome	9113SC
Privacy Locks:	To Bathrooms, Ensuites, WC and powder room.	Satin Chrome	
Door Stops:	Gainsborough	Satin Chrome	6207SC

SHEARWATER MATERIAL & COLOUR SPECIFICATION

SKIRTING & ARCHTRAVES:	NOTE: LIFT ALL SKIRTING 10mm OFF SLAB and FLOOR		
	- Corinthian Step Architrave - Corinthian Step Skirting	Refer to Colour Selection	- STA 67 X 12 - STA 92 X 12

STAIRCASE: NOTE: Sheet all walls under stairs. Skirting to walls under stairs. Paint underside of stairs, inc treads and risers.			
- Riser - Bull nose Style - Handrail Style - Baluster Style - Post Top Style - Newel Post Style	- Open - Square - Pine - HR3 - P6 with plain as discussed - PT19 - NR11 Posts	- Stained - Stained - Stained - Stainless Steel - Painted - Painted	- NA - NA - Ref Colour Sel. - Stainless Steel - Ref Colour Sel. - Ref Colour Sel.
INTERNAL LININGS:	DESCRIPTION:	COLOUR:	CODE:
Cornice to all Ground Floor Areas except Wet Areas, Bed 1 and Upstairs Living Areas:	CSR Tempo	Same as Ceiling	
Cornice to All Wet Areas & Secondary Bedrooms.	90mm Cove	Same as Ceiling	
Stair and Void Expansion:	Set Expansion joint	Same as wall	
Raked ceilings and dwarf walls / capping detail:	Shadow line	Same as wall	P50

SANITARY FITTINGS: NOTE: ALL TAPWARE IS TO BE AAAA RATED			
KITCHEN:	DESCRIPTION:	COLOUR:	CODE:
Sink:	Abey Sinks 2 x KBIU Under mounted	Stainless Steel	
Tapware:	Suprema Kitchen Mixer	Chrome/Chrome	SUP810
Water Filter:	Everpure Water Filter with starter kit	Goose Neck Tap	
MAIN BATHROOM:	DESCRIPTION:	COLOUR:	CODE:
Bathroom Bath Tub	1700 Decina Ildo Bath	White	
Bath tap	Suprema Bath wall Mixer	Chrome/Chrome	SUP840
Bath Spout:	Suprema 200mm Hyatt bath spout	Chrome/Chrome	
Basin:	Suprema Giotto 7500 Semi-recessed	White	
Vanity Tapware:	Suprema Basin Mixer	Chrome/Chrome	SUP820



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

SHEARWATER MATERIAL & COLOUR SPECIFICATION

Shower Tapware:	Suprema Shower wall Mixer	Chrome/Chrome	SUP840
Shower Arm:	Suprema Delux "low flow" shower head	Chrome/Chrome	
Toilet Suite:	Caroma Reflections	White	
Waste Outlet:	-	Stainless Steel	
Cistern Plumbing:	-	Chrome	
Towel Rail:	2 x Suprema Hyatt 800mm Towel Rail	Chrome Plated	
Hand Towel Ring:	Suprema Hyatt Towel Grip	Chrome Plated	
Shower Screen:	1900mm Height - Semi Frameless, Clear Glass - Pivot Door	Chrome Frame	
Mirror:	- Frameless with polished Edges - Line top with shower screen	Note: Use Chrome Metal Clips.	
ENSUITE:	DESCRIPTION:	COLOUR:	CODE:
Ensuite Bath Tub	1700 Decina Lido Spa	White with 6 Chrome Jets	
Bath tap	Suprema bath wall Mixer	Chrome/Chrome	SUP840
Bath Spout:	Suprema 200mm Hyatt bath spout	Chrome/Chrome	
Basin:	Suprema Giotto 7500 Semi-recessed	White	
Vanity Tapware:	Suprema Basin Mixer	Chrome/Chrome	SUP840
Shower Tapware:	Suprema shower wall mixer	Chrome/Chrome	SUP840
Shower Arm:	Suprema Delux "low flow" shower head	Chrome/Chrome	
Waste Outlet:	-	Stainless Steel	
Cistern Plumbing:	-	Chrome	
Toilet Suite:	Caroma Reflections	White	
Towel Rail:	2 x Suprema Hyatt 800mm Towel Rail	Chrome Plated	
Hand Towel Ring:	Suprema Hyatt Collection Grip Towel	Chrome Plated	
Toilet Roll holder:	Suprema Hyatt with Lid	Chrome Plated	
Shower Screen:	1900mm Height - Semi Frameless, Clear Glass - Pivot Door	Chrome Frame	
Mirror:	- Frameless with polished Edges - Line top with shower screen	Note: use chrome mirror clips	



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

ATER MATERIAL & COLOUR SPECIFICATION

DESCRIPTION:	COLOUR:	CODE:
Caroma Giotto 7500 semi-recessed	White	
Suprema Basin Mixer	Chrome/Chrome	SUP820
	Stainless Steel	
	Chrome	
Caroma Reflections	White	
Suprema Hyatt Grip Towel	Chrome Plated	
Suprema Hyatt toilet roll holder	Chrome Plated	
- Frameless with polished Edges - Line top with shower screen	Note: use chrome mirror clips	

DESCRIPTION:	COLOUR:	CODE:
Abey Flush line Tub 45L RBP Flush	Stainless Steel	
- Suprema Hyatt - Washing Machine Set - Suprema Kitchen Mixer	Chrome/Chrome	SUP810

APPLIANCES:	MAKE:	DESCRIPTION:	MODEL:
Under Bench Oven:	Smeg	Electric Stainless Steel	SA360X
Cook top:	Smeg	Gas Stainless Steel 60cm	SAR134AX
Dishwasher:	Smeg	Stainless Steel - Fully Integrated	ST662
Range hood:	Smeg	Stainless Steel Slide out Ducted outside	SA480T
Microwave:	Smeg	Stainless Steel	SA31MX
Microwave Trim Kit:	Smeg	Stainless Steel to suit SA31MX	N/A
Hot Water System:	Rheem Integrity 24Ltr	Gas Instantaneous	
WS Recess Box	To Suit Above		



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

SHEARWATER MATERIAL & COLOUR SPECIFICATION

Gas Point:	4 x Gas Points	• Gas Cook top • Heating • BBQ External • HWS	
------------	----------------	--	--

INTERNAL PAINT COLOURS:	WALLS:	CEILING:	WOODWORK:
Refer to Colour Selection	3 Coat System	2 Coat System	Taubmans
INTERNAL PAINT COLOURS:	WALLS:	CEILING:	DESCRIPTION:
INTERNAL WALLS TO ALL LIVING AREAS, KITCHEN, LAUNDRY AND BEDROOMS:	Taubmans Stone Mountain T161-2W	50% Strength Taubmans Stone Mountain T161-2W	
INTERNAL WALLS TO ALL BATHROOMS AND WC'S:	50% Strength Taubmans Stone Mountain T161-2W	50% Strength Taubmans Stone Mountain T161-2W	
INTERNAL WALLS TO GARAGE:	Taubmans Stone Mountain T161-2W	50% Strength Taubmans Stone Mountain T161-2W	
ROBES/LINEN:	Taubmans Stone Mountain T161-2W	50% Strength Taubmans Stone Mountain T161-2W	
DOOR FRAMES:	Taubmans Stone Mountain T161-2W	N/A	Enamel Gloss
ARCHTRAVES/SKIRTINGS:	Taubmans Stone Mountain T161-2W	N/A	Enamel Gloss
INSIDE OF FRONT ENTRY DOOR & LAUNDRY DOOR:	Taubmans Stone Mountain T161-2W	N/A	Enamel Gloss
INTERNAL DOORS:	Taubmans Stone Mountain T161-2W	N/A	Enamel Gloss
STAIR NEWEL POSTS:	Taubmans Stone Mountain T161-2W	N/A	Enamel Gloss

FLOOR FINISHES:	DESCRIPTION:	COLOUR:	LAYOUT:
ENTRY : <i>Note: includes running 1 row of tiles into Under- Stairs Storage Area.</i>	Ceramic Tile	4THBO (GNS)	Laid Square
FEATURE BORDER MAT TO ENTRY: <i>Note: Approx 80mm wide</i>	Border consists of 4 Rows of Marble from sheet. Mat Size: 3m x 1.2m Approx	Blue Stone Brick Tumble	Refer Plan



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149

DOMAINE
PROPERTY GROUP

SHEARWATER MATERIAL & COLOUR SPECIFICATION

LIVING/DINING:	Carpet Red Book Moroso 100% Nylon	Col: 9 Agate	
FAMILY/MEALS/KITCHEN:	Ceramic Tile	4THBO (GNS)	Laid Square
WC DOWNSTAIRS:	Ceramic Tile	Vogue Pewter 200 x 200mm	Laid Square # 04012
LAUNDRY:	Ceramic Tile	Vogue Pewter 200 x 200mm	Laid Square # 04012
STAIRS:		Stained	
BED 1:	Carpet Red Book Moroso 100% Nylon	Col: 9 Agate	
BED 2:	Carpet Red Book Moroso 100% Nylon	Col: 9 Agate	
BED 3:	Carpet Red Book Moroso 100% Nylon	Col: 9 Agate	
ENSUITE:	Ceramic Tile	Vogue Pewter 200 x 200mm	Laid Square # 04012
MAIN BATHROOM:	Ceramic Tile	Vogue Pewter 200 x 200mm	Laid Square # 04012
ENTRY PATIO incl. THRESHOLD:	Ceramic Tile	Nero Chandon Grip 300 x 300mm	½ Tile Cut Border with Square Infil
BALCONY:	Ceramic Tile	Nero Chandon Grip 300 x 300mm	Laid Square ½ Skirt Tile to Balcony Walls only.

WALL TILING:	DESCRIPTION:	DETAILS:	CODE:
Note:	Soap Dish holders to be placed on WhiteTiled Walls in all Cases.		
DOWNSTAIRS WC WALL:	1200mm high Ceramic Tiles No Feature	Blanco Brillo - White 300 x 200 Laid Vertically	# 30003



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149



SHEARWATER MATERIAL & COLOUR SPECIFICATION

LAUNDRY SKIRT:	1 Row x Full Floor Tile as skirt	Vogue Pewter 200 x 200mm	#04012
LAUNDRY SPLASHBACK:	600mm high Ceramic Tiles 2 Rows high	Blanco Brillo - White 300 x 200 Laid Vertically	# 30003
KITCHEN SPLASHBACK:	Caesar Stone Slab	Osprey	Ref: 3141
ENSUITE WALL:	2.0m high in shower 1.2m elsewhere Ceramic Tiles	Blanco Brillo - White 300 x 200 Laid Vertically	# 30003
ENSUITE: FEATURE WALL IN SHOWER AS NOTED ON DRAWING: FEATURE TILE TOP & SIDE OF BATH HOB:	2.0m high Ceramic Tiles 100 x 100mm	RTF-067 4S-BS-786	Laid Square
MAIN BATHROOM WALL:	2.0m high in shower 1.2m elsewhere Ceramic Tiles	Blanco Brillo - White 300 x 200 Laid Vertically	# 30003
MAIN BATHROOM: FEATURE WALL IN SHOWER AS NOTED ON DRAWING: FEATURE TILE TOP & SIDE OF BATH HOB:	2.0m high Ceramic Tiles 100 x 100mm	RTF-067 4S-BS-786	Laid Square

ELECTRICAL	DESCRIPTION:	DETAILS:	CODE:
SECURITY SYSTEM:			
Alarm:	Eurovac (Silver)	Alarm System	SS003.01 (3pir+1 keypad)
AIR CONDITIONING:			
Displays:	Full Reverse Cycle Ducted	TBA	TBA
Remainder:	Ducting only	TBA	TBA
PV SOLAR COLLECTOR:			
	Prewire only	Locate future display panel in kitchen as shown on plan	Co. Pacific Solar Contact: Dr Sean Edminston



CPG Developments Pty Limited
Level 15, 56 Pitt Street
Sydney NSW 2000
Ph 02 8273 6000 Fax 02 8273 6099
ABN 44 003 885 149




SHEARWATER MATERIAL & COLOUR SPECIFICATION

			Ph: 9316 6811
METER BOX:			
All Homes:	Recessed Meter Box	Located as shown on Plan	

COUNCIL COPY

600X600MM
MASS CONCRETE
POD CUT OUT



LEGEND

START POD
LOCATION



1100 X 1100MM
STANDARD POD

3-Y12 TRIMMERS
2000MM LONG

CENTRE LINE
OF RIB

450 X 450 X 450MM DEEP MASS
CONCRETE PIERS TO BEAR
ON FIRM NATURAL GROUND
MIN. BEARING 250 kPa

PLAN ON FLOOR SLAB
SLAB 85MM THICK
F72 FABRIC TOP

ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.C. No. 04/3729...
Warning: A comprehensive check of the Structural
Design has not been carried out & the approval of the
drawings by Essential Certifiers Castle Hill does not
relieve the Structural Engineer of their responsibility to
ensure the structural adequacy of the project.

NOTE FOR BRICK JOINTS

THIS SLAB IS DESIGNED FOR ARTICULATED MASONRY VENEER
TYPE CONSTRUCTION AND ARTICULATION JOINTS ARE TO BE
PROVIDED AS PER THE B.C.A. 1996 VOL.2 CLAUSE 3.3.1.8
VERTICAL ARTICULATION JOINTS

SCALE 1:100 (DIMENSIONS ARE APPROX.)

CIVIL PROJECTS (AUST) PTY. LTD.
CONSULTING CIVIL & STRUCTURAL ENGINEERS
Shop 1/19 Jonathan Street Greystanes 2145
Ph: 9896 5494 Fax: 9636 1064
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD.
AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.

DRAWN	DATE	DESCRIPTION	REVISION	CLIENT
				CPG DEVELOPMENTS
				SITE ADDRESS:
				LOT 25
				SHEARWATER DRIVE
				WARRIEWOOD VALLEY

APPROVED BY:	DRAWN BY:	G.K.	REVISION
<i>AW McCarthy</i>	1:100	16/2/04	
	DRAWING No.		
			SHEET No.
		DM005	1/9

CLASSIFICATION 'M'

A.W. MCCARTHY
B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.

NOTES:

SITE CLASSIFICATION

1. THE SITE HAS BEEN CLASSIFIED BY CIVIL PROJECTS (AUST) PTY. LTD. IN ACCORDANCE WITH THE PROVISIONS OF AS2870-1996, RESIDENTIAL SLABS AND FOOTINGS. THE DOCUMENTS HAVE BEEN PREPARED USING THE ABOVE CODE ON THE BASIS OF A CLASS 'M' CLASSIFICATION, HOWEVER, THE SOIL TYPE AND SITE CONDITIONS WILL BE CHECKED BY THIS FIRM PRIOR TO THE PLACEMENT OF CONCRETE.

SITE PREPARATION AND DRAINAGE

1. STRIP TOPSOIL AND VEGETATION 100mm MINIMUM DEPTH AND STOCKPILE.
2. THE SITE IS TO BE BENCHED BY CUT AND FILL TO DESIRED LEVELS. FILL IS TO BE PLACED IN 150mm MAXIMUM LAYERS AND THOROUGHLY COMPACTED USING THE EXCAVATOR. UNLESS THE FILL IS COMPACTED IN ACCORDANCE WITH CL. 6.4.2 OF AS 2870 IT IS NOT ADEQUATE TO PROVIDE LONG TERM STRUCTURAL SUPPORT TO THE SLAB/FOOTING SYSTEM AND THEREFORE, PIERS MUST BE INSTALLED. ALTERNATIVELY, THE FILL CAN BE PLACED, TESTED AND CERTIFIED BY A QUALIFIED GEOTECHNICAL ENGINEER AS "CONTROLLED FILL", AS DEFINED IN AS 3798, THIS IS THEN DEEMED TO BE ADEQUATE TO SUPPORT THE SLAB/FOOTING SYSTEM.
3. THE FILL IS TO EXTEND PAST THE EDGE OF THE HOUSE BY AT LEAST ONE METRE AND SHALL BE BATTERED OFF AT NOT STEEPER THAN TWO HORIZONTALLY TO ONE VERTICALLY OR RETAINED BY A SUITABLE STRUCTURE PROVIDED BY THE OWNER OR BUILDER AS SOON AS POSSIBLE.
4. THE FINISHED LEVELS SHALL ALLOW FOR THE MAIN SLAB LEVEL TO BE AT LEAST 300mm ABOVE THE ADJACENT GROUND. SURFACE DRAINAGE SHALL BE PROVIDED AS REQUIRED TO AVOID THE POSSIBILITY OF WATER PONDING NEAR THE SLAB. A FALL OF 50mm OVER A DISTANCE OF ONE METRE AWAY FROM THE SLAB IS CONSIDERED ADEQUATE. SUBSOIL DRAINS (AGRICULTURAL DRAINS) ARE CONSIDERED DESIRABLE BUT SHOULD BE AVOIDED BEING LOCATED DIRECTLY ADJACENT TO THE FOOTINGS.
5. TRENCH EXCAVATIONS FOR SERVICES OR AGRICULTURAL DRAINS PARALLEL TO THE EDGE OF THE SLAB SHALL NOT EXTEND BELOW A LINE DRAWN AT 45 DEGREES TO THE HORIZONTAL FOR CLAY AND 30 DEGREES FOR SAND FROM THE BOTTOM EDGE OF THE BEAM OR FROM THE BASE OF BORED OR BULK PIERS.

PIERS

1. IF PIER LOCATIONS ARE NOT SHOWN ON THE PLAN, THEN ALL EDGE BEAMS AND THOSE INTERNAL BEAMS SHOWN SHADED THAT DO NOT BEAR ON FIRM UNIFORM NATURAL GROUND OF 100kPa MINIMUM BEARING CAPACITY ARE TO BE PIERED IN ACCORDANCE WITH THE FOLLOWING SCHEDULE.

STRATA	PIER DIA. 'mm'	MAXIMUM PIER CENTRES 'm'		MIN. BEARING CAPACITY 'kPa'
		DOUBLE STOREY	SINGLE STOREY	
CLAY	400	1.6	2.1	250
CLAY	450 (400 if pier depth > 3.0m)	1.6	3.6	250
ROCK/SHALE	300	2.4	3.6	600

2. IT SHOULD BE NOTED THAT IF ANY OF THE FOOTING BEAMS ENCOUNTER ROCK OR SHALE, THE ALL ALL FOOTING BEAMS AND LOAD BEARING SPINE BEAMS SHALL BE PIERED TO ROCK OR SHALE OR IF PARTIALLY PIERED TO ROCK OR SHALE BRICK JOINTS ARE TO BE PROVIDED AT THE ROCK/NON ROCK INTERFACE.
3. PIERING TO STRATA OTHER THAN ROCK OR SHALE MAY BE DELETED FROM THE CUT AREA OF THE BUILDING PLATFORM IF AUTHORISED BY THE ENGINEER.
4. ALL PIERS ARE TO BE CLEAN AND DEWATERED PRIOR TO PLACEMENT OF CONCRETE.
5. CONCRETE IN PIERS TO BE STRENGTH GRADE N15.

FOOTINGS AND FLOOR SLAB


1. SAND NOT GREATER THAN 50mm THICK IS TO BE PLACED AS A LEVELLING LAYER AND WELL WATERED DOWN. A 0.2mm THICK VAPOUR BARRIER IS TO BE PLACED OVER THE SAND. LAPS SHALL BE 200mm AT JOINTS AND ALL JOINTS AND PLUMBING PENETRATIONS SHALL BE TAPED.
2. IF SLAB FABRIC IS USED IT IS TO BE LAPPED ONE FULL SQUARE PLUS 25mm AT SPLICES AND PLACED ON CHAIRS AT ONE METRE CENTRES BOTH WAYS TO GIVE 20mm CLEAR TOP COVER TO SHELTERED LOCATIONS AND 40mm CLEAR TOP COVER TO VERANDAS.
3. BAR REINFORCEMENT IS TO BE TIED BENEATH THE FABRIC IF USED OR OTHERWISE PLACED ON BAR CHAIRS AND LAPPED AS FOLLOWS:
a) Y12-450mm
b) Y16-600mm
4. a) PIPE PENETRATIONS IN THE EDGE AND SPINE BEAMS ARE TO BE CARRIED OUT IN ACCORDANCE WITH THE DETAILS.
b) WHERE FABRIC IS CUT TO PERMIT PENETRATION OF PIPES A 600mm x 600mm PIECE OF FABRIC IS TO BE SPLICED OVER THE PENETRATION.
5. SUBTERRANEAN TERMITE PROTECTION IS TO BE PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF AS 3660.1 1995.
6. CONCRETE TO BE STRENGTH GRADE N20 WITH A 20mm MAXIMUM AGGREGATE SIZE AND AND 80mm MAXIMUM SLUMP.

CONTROL OF PLASTIC SHRINKAGE CRACKING AND SLAB MAINTENANCE

1. CONCRETE PLACING, VIBRATING AND CURING MUST BE CARRIED OUT IN ACCORDANCE WITH AS 3600.
2. WATER IS NOT TO ADDED TO THE CONCRETE ON SITE SO AS TO INCREASE THE SLUMP ABOVE THAT SPECIFIED.
3. IT IS RECOMMENDED THAT AN APPROVED CURING COMPOUND BE APPLIED TO THE SLAB IN ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS.
4. CAUTION SHOULD BE EXERCISED WHEN APPLYING BRITTLE FINISHES, SUCH AS CERAMIC TILES TO THE FLOOR SLAB. AN ISOLATING MORTAR BED OR AN APPROVED FLEXIBLE ADHESIVE SYSTEM IS RECOMMENDED.
5. THE OWNERS ATTENTION SHALL BE DRAWN TO APPENDIX 'A' - PERFORMANCE REQUIREMENTS AND FOUNDATION MAINTENANCE OF AS 2870 AND CSIRO PUBLICATION 'GUIDE TO HOME OWNERS ON FOUNDATION MAINTENANCE AND FOOTING PERFORMANCE'.

STRUCTURAL STEEL

1. ALL STRUCTURAL STEEL TO BE PREPARED AND COATED IN ACCORDANCE WITH THE REQUIREMENTS OF THE BUILDING CODE OF AUSTRALIA.
2. IF GALINTEL 'T' BARS ARE SPECIFIED, THEY ARE TO BE INSTALLED STRICTLY IN ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS.



CIVIL PROJECTS (AUST) PTY. LTD.

CONSULTING CIVIL & STRUCTURAL ENGINEERS
Shop 1/19 Jonathan Street Greystanes 2145
Ph: 9896 5494 Fax: 9636 1064

COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD.
AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.

CLIENT: CPG DEVELOPMENTS

SITE ADDRESS:

LOT 25
SHEARWATER DRIVE
WARRIEWOOD VALLEY

DRAWN DATE DESCRIPTION

REVISION

APPROVED BY:

DRAWN BY:

REVISION

G.K.

16/2/04


1:100

DRAWING No.

DM005


SHEET No.

2/9



TYPICAL INTERNAL RIB


TYPICAL EDGE BEAM



INTERNAL RIB
(GARAGE - TYPICAL U.N.O.)


TYPICAL GARAGE EDGE BEAM
(AT GARAGE DOOR OPENINGS)

ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.C. No. 04/3729.....
Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Engineer of their responsibility to ensure the structural adequacy of the project.



GARAGE STEP DETAIL

TYPICAL GARAGE EDGE BEAM



TYPICAL PATIO STEP RIB

TYPICAL PATIO EDGE BEAM

CIVIL PROJECTS (AUST) PTY. LTD.
CONSULTING CIVIL & STRUCTURAL ENGINEERS
Shop 1/19 Jonathan Street Greystones 2145
Ph: 9896 5494 Fax: 9636 1064
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.

CLIENT: **CPG DEVELOPMENTS**
SITE ADDRESS: **LOT 25**
SHEARWATER DRIVE
WARRIEWOOD VALLEY

REVISION

DRAWN DATE DESCRIPTION

APPROVED BY: *M.W. Carthy*

DRAWN BY: **G.K.**

1:20 1:25 16/2/04


DRAWING No.

SHEET No.


DM005

3/9


A.W. MCCARTHY
B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.




TYPICAL INTERNAL BEAM




EDGE BEAM EB3



WATER HEATER PAD & RAINWATER TANK SLAB WP




PLAN ON DRAINAGE PIPE THROUGH RIB



SLAB JOINT DETAIL


ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.D. No. OK/3729
Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.

CIVIL PROJECTS (AUST) PTY. LTD.									
CONSULTING CIVIL & STRUCTURAL ENGINEERS									
Shop 1/19 Jonathan Street Greystanes 2145									
Ph: 9896 5494 Fax: 9636 1064									
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.									
DRAWN	DATE	DESCRIPTION	REVISION	CLIENT:	APPROVED BY:	DRAWN BY:		G.K.	REVISION
				CPG DEVELOPMENTS	<i>M. McCarthy</i>	1:20 1:25		16/2/04	
				SITE ADDRESS:					
				LOT 25					
				SHEARWATER DRIVE					
				WARRIEWOOD VALLEY	A.W. MCCARTHY B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.	DM005			4/9



ESSENTIAL CERTIFIERS CASTLE HILL
 Structural Details C.C. No. 04/3729
 Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.


CIVIL PROJECTS (AUST) PTY. LTD.			APPROVED BY:		DRAWN BY:		REVISION	
CONSULTING CIVIL & STRUCTURAL ENGINEERS			<i>Mike Carthy</i>		G.K.			
Shop 1/19 Jonathan Street Greystanes 2145					1:20 1:25		16/2/04	
Ph: 9896 5494 Fax: 9636 1064					DRAWING No.		SHEET No.	
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.					DM005		5/9	
CLIENT: CPG DEVELOPMENTS								
SITE ADDRESS: LOT 25								
SHEARWATER DRIVE								
WARRIEWOOD VALLEY								
A.W. MCCARTHY B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.								



NOTE: HORIZONTAL Y12-300 CROSS BARS NOT SHOWN FOR CLARITY

ELEVATION ON FOOTING TRANSITION

SECTION CUT



ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.C. No. 024/3729
Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.

CIVIL PROJECTS (AUST) PTY. LTD.
CONSULTING CIVIL & STRUCTURAL ENGINEERS
Shop 1/19 Jonathan Street Greystanes 2145
Ph: 9896 5494 Fax: 9636 1064
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.

REVISION

CLIENT: CPG DEVELOPMENTS

SITE ADDRESS: LOT 25

SHEARWATER DRIVE

WARRIEWOOD VALLEY

APPROVED BY: *William McCarthy*

A.W. MCCARTHY
B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.

DRAWN BY: G.K.

1:20 1:25


16/2/04

DRAWING No.

DM005

SHEET No.

6/9



LEGEND



PLAN OF STEEL BEAM LAYOUT

STEEL BEAM SCHEDULE


MARK No.	SIZE
B1	250UB25
B2	250UB37
B3	200 PFC
SP1	75 x 75 x 4.0 SHS

NOTE FOR BRICK JOINTS
THIS SLAB IS DESIGNED FOR ARTICULATED MASONRY VENEER TYPE CONSTRUCTION AND ARTICULATION JOINTS ARE TO BE PROVIDED AS PER THE B.C.A. 1996 VOL.2 CLAUSE 3.3.1.8 VERTICAL ARTICULATION JOINTS

SCALE 1:100 (DIMENSIONS ARE APPROX.)

CIVIL PROJECTS (AUST) PTY. LTD.
CONSULTING CIVIL & STRUCTURAL ENGINEERS
Shop 1/19 Jonathan Street Greystanes 2145
Ph: 9896 5494 Fax: 9636 1064
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.

DETAIL 'AL'




REFER DETAIL 'AL' PROVIDE 230MM END BEARING EACH END.

ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.C. No. 04/3229
Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the Drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.


BEAM AS NOTED ON PLAN
CEILING LEVEL

10 END PLATE
4-M20 BOLTS




DETAIL 1

12 CAP PLATE
4-M16 BOLTS



DETAIL 2

12 CAP PLATE
4-M16 BOLTS






NOTE:
STEEL POSTS ARE TO BE RAMSET FIXED TO ADJACENT STUDS AT 1/3 POINTS OR HOOP IRON STRAPS PROVIDED. ALTERNATIVELY BASE PLATES SHOULD BE DYNABOLTED TO FLOOR SLAB USING 2X12MM BOLTS.
TOP OF POST IS TO BE ADEQUATELY RESTRAINED BY FRAME.

POST AS PLAN 'SP1'

12MM BASE PLATE

240

250 x 6mm PLATE
6mm CHAIN WELD
EACH SIDE, 100mm
200mm GAP



TYPICAL STEEL POST DETAIL

TYPICAL BEAM DETAILS

CLASSIFICATION 'M'

REVISION	DATE	DESCRIPTION	CLIENT	APPROVED BY:	DRAWN BY:	G.K.	REVISION
			CPG DEVELOPMENTS	<i>M. McCarthy</i>	1:100 1:20	16/2/04	
			SITE ADDRESS:		DRAWING No.		
			LOT 25				
			SHEARWATER DRIVE	A.W. MCCARTHY B.Sc.(Eng), M.I.E.Aust		DM005	7/9
			WARRIEWOOD VALLEY	N.P.E.R., C.P.Eng.			

[illegible]

THIS HYDRAULIC DETAIL PLAN COMPILED BY OUR OFFICE
DETAILING THE STORMWATER DESIGN FOR THE ABOVE MENTIONED SITE
COMPLIES WITH THE OBJECTIVES OF THE COUNCIL'S STORMWATER POLICY

SIGNATURE William Carthy DATED 20/2/04


Structural Details C.C. No. : Q4/3729.....

Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.

STORMWATER LAYOUT

CLASSIFICATION 'M'

CIVIL PROJECTS (AUST) PTY. LTD.					
CONSULTING CIVIL & STRUCTURAL ENGINEERS Shop 1/19 Jonathan Street Greystanes 2145 Ph: 9896 5494 Fax: 9636 1064					
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.					
DRAWN	DATE	DESCRIPTION	REVISION	CLIENT:	APPROVED BY:
				CPG DEVELOPMENTS	
				SITE ADDRESS:	
				LOT 25	
				SHEARWATER DRIVE	
				WARRIEWOOD VALLEY	
			DRAWING No.		SHEET No.
			DRAWN BY:		G.K.
			1:100		16/2/04
			DM005		8/9
			A.W. MCCARTHY B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P. Eng.		



NOTE:

ALL RAINWATER SERVICES SHALL BE CLEARLY LABELLED 'NON PORTABLE WATER' WITH APPROPRIATE HAZARD IDENTIFICATION.

PIPE-WORK USED FOR RAINWATER SERVICES SHALL BE COLORED PURPLE IN ACCORDANCE WITH AS1344 VALVES AND APERTURES SHALL BE CLEARLY AND PERMANENTLY LABELLED WITH SAFETY SIGNS TO COMPLY WITH AS1319.

CONNECTION OF AN AUTOMATIC IRRIGATION SYSTEM TO THE RAINWATER TANK TO ENSURE FULL UTILIZATION OF STORED WATER AND TO MAINTAIN THE REQUIRED IRRIGATION RATE IS ENCOURAGED.

PROVIDE CLEANING EYE TO BASE OF DOWNPIPES (TYPICAL).

ALL DOWNPIPES TO BE WATERTIGHT SEALED TO GUTTER LEVEL.

NOTES:

ALL STORMWATER PIPES TO BE 100mm UPVC AT 1% MIN GRADE UNLESS NOTED OTHERWISE.

ALL SURFACE RUN OFF TO BE DIRECTED TOWARDS SUMPS BY SITE REGRADE.

DEPTH AND LOCATION OF SERVICES TO BE ESTABLISHED PRIOR TO COMMENCEMENT OF DRAINAGE WORKS.

CONTOUR SUPPLIED BY OTHERS.

ALL STORMWATER PIPES IN TRAFFICABLE AREAS TO BE UPVC SEWER GRADE.

PLAN VIEW

ESSENTIAL CERTIFIERS CASTLE HILL
Structural Details C.C. No. 24/3729

Warning: A comprehensive check of the Structural Design has not been carried out & the approval of the drawings by Essential Certifiers Castle Hill does not relieve the Structural Engineer of their responsibility to ensure the structural adequacy of the project.

STORMWATER SECTIONS

COMPLYING COMPONENT CERTIFICATE


THIS HYDRAULIC DETAIL PLAN COMPILED BY OUR OFFICE DETAILING THE STORMWATER DESIGN FOR THE ABOVE MENTIONED SITE COMPLIES WITH THE OBJECTIVES OF THE COUNCIL'S STORMWATER POLICY

I ARTHUR MCCARTHY CERTIFY THAT THE ABOVE CONDITION'S HAVE BEEN COMPLIED WITH

SIGNATURE *Arthur McCarthy* DATED 20/2/04


DRAWN	DATE	DESCRIPTION	REVISION	CLIENT	APPROVED BY:	DRAWN BY:	G.K.	REVISION
				CPG DEVELOPMENTS	<i>Arthur McCarthy</i>		16/2/04	
				SITE ADDRESS:				
				LOT 25				
				SHEARWATER DRIVE				
				WARRIEWOOD VALLEY				
CIVIL PROJECTS (AUST) PTY. LTD.						DM005		9/9
CONSULTING CIVIL & STRUCTURAL ENGINEERS Shop 1/19 Jonathan Street Greystanes 2145 Ph: 9896 5494 Fax: 9636 1064						DRAWING No.		SHEET No.
COPYRIGHT - THIS DRAWING REMAINS THE PROPERTY OF CIVIL PROJECTS (AUST) PTY. LTD. AND MAY NOT BE ALTERED IN ANY WAY WITHOUT C.P.A. WRITTEN CONSENT.						A.W. MCCARTHY B.Sc.(Eng), M.I.E.Aust N.P.E.R., C.P.Eng.		

COUNCIL COPY



SEDIMENT CONTROL NOTES

1. ALL EROSION AND SEDIMENTATION CONTROL MEASURES, INCLUDING REVEGETATION AND STORAGE OF SOIL AND TOPSOIL, SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW.
2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED AND STABILIZED AS EARLY AS POSSIBLE DURING DEVELOPMENT.
3. SEDIMENT TRAPS SHALL BE CONSTRUCTED AROUND ALL INLET PITS, CONSISTING OF 300mm WIDE X 300mm DEEP TRENCH.
4. ALL SEDIMENT BASINS AND TRAPS SHALL BE CLEANED WHEN THE STRUCTURES ARE A MAXIMUM OF 60% FULL OF SOIL MATERIALS, INCLUDING THE MAINTENANCE PERIOD.
5. ALL DISTURBED AREAS SHALL BE REVEGETATED AS SOON AS THE RELEVANT WORKS ARE COMPLETED.
6. SOIL AND TOPSOIL STOCKPILES SHALL BE LOCATED AWAY FROM DRAINAGE LINES AND AREA WHERE WATER MAY CONCENTRATE.
7. FILTER SHALL BE CONSTRUCTED BY STRETCHING A FILTER FABRIC (PROPEX OR APPROVED EQUIVALENT BETWEEN POST AT 2.0m CENTRES. FABRIC SHALL BE BURIED 150mm ALONG ITS LOWER EDGE.




SEDIMENT PLAN

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710				DRAWN	DATE	REVISION	ISSUE	CLIENT				HOUSE TYPE	ISSUE
	COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.				NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS				10	A
									SITE					
									LOT 25					
									SHEARWATER DRIVE					
								WARRIEWOOD VALLEY				COLOUR SCHEME	SHEET NO.	
										DRAWN:SRP(NW) DATE: 10.12.03			MULCH/AGATE	1/1
										SCALE: 1:100 JOB: STAGE 1D				

NOTE:

24007



Case No. 06/3729

Officer: Kieran Tobin
Accreditation No: 44





HOUSE TYPE	ISSUE
10	A

HOMES PTY LTD

COLOUR SCHEME
MULCH/AGATE
SHEET NO. 2/16

AREAS:	GROUND FLOOR- 111,822 Sqm	
FIRST FLOOR- 97,921 Sqm		
BALCONY- 4,750 Sqm		
GARAGE- 38,025 Sqm		
TOTAL- 252,518 Sqm		
DRAWN: SRP(NW)	DATE: 10.12.03	
SCALE: 1:100	JOB: STAGE 1D	

NOTE:
- 300x300 TILES TO BALCONY



STAIR CUTOUT DETAIL

3790




This is the plan/space referred to
in Essential Certifiers Castle Hill
Certificate
Cert No. 04/37229
Officer: Kieran Tobin
Accreditation No: 44


⑤ SMOKE DETECTOR

FIRST FLOOR PLAN

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.		DRAWN NW	DATE 12.12.03	REVISION TENDER PLANS	ISSUE A	CLIENT CPG DEVELOPMENTS	AREAS: GROUND FLOOR- 111.822 Sqm FIRST FLOOR- 97.921 Sqm BALCONY- 4.750 Sqm GARAGE- 38.025 Sqm TOTAL- 252.518 Sqm DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D		HOUSE TYPE 10	ISSUE A
	SHEARWATER DRIVE WARRIEWOOD VALLEY						SITE LOT 25	COLOUR SCHEME MULCH/AGATE		SHEET NO. 3/16	



Elevation 1




Elevation 2

This is the plan/spec referred to in Essential Certifiers Castle Hill Certificate
 Cert No. 04/3729
 Officer: Kieran Tobin
 Accreditation No: 44


ELEVATIONS

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.		DRAWN: NW DATE: 12.12.03 REVISION: TENDER PLANS CLIENT: CPG DEVELOPMENTS ISSUE: A		HOUSE TYPE: 10 COLOUR SCHEME: MULCH/AGATE DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D		ISSUE: A SHEET NO. 4/16	
	LOT 25 SHEARWATER DRIVE WARRIEWOOD VALLEY		SITE		10		MULCH/AGATE	
	25		25		10		4/16	



Elevation 3


This is the plan/section referred to in Essential Certificate
Certificate
Cert No 21/3729
Officer: Kieran Tobin
Accreditation No: 44




Elevation 4

ELEVATIONS


 HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.		DRAWN NW	DATE 12.12.03	REVISION TENDER PLANS	ISSUE A	CLIENT CPG DEVELOPMENTS SITE LOT 25 SHEARWATER DRIVE WARRIEWOOD VALLEY	DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D		COLOUR SCHEME MULCH/AGATE	HOUSE TYPE 10	ISSUE A	SHEET NO. 5/16
--	--	--	-------------	------------------	--------------------------	------------	---	---	--	------------------------------	------------------	------------	-------------------



Section A-A







Section B-B




SECTION

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.	DRAWN NW	DATE 12.12.03	REVISION TENDER PLANS	ISSUE A	CLIENT CPG DEVELOPMENTS SITE LOT 25 SHEARWATER DRIVE WARRIEWOOD VALLEY	HOUSE TYPE 10	ISSUE A
							COLOUR SCHEME MULCH/AGATE	SHEET NO. 6/16
						DRAWN:SRP(NW) DATE: 10.12.03		
						SCALE: 1:100 JOB: STAGE 1D		




OPENING DETAILS


 DOMAINE HOMES PTY LTD		Suite 1, Ground Floor, 21 Salent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.		<table><tr><td>DRAWN</td><td>DATE</td><td>REVISION</td><td>ISSUE</td><td>CLIENT</td></tr><tr><td>NW</td><td>12.12.03</td><td>TENDER PLANS</td><td>A</td><td>CPG DEVELOPMENTS</td></tr><tr><td></td><td></td><td></td><td></td><td>SITE</td></tr><tr><td></td><td></td><td></td><td></td><td>LOT 25</td></tr><tr><td></td><td></td><td></td><td></td><td>SHEARWATER DRIVE</td></tr><tr><td></td><td></td><td></td><td></td><td>WARRIEWOOD VALLEY</td></tr></table>	DRAWN	DATE	REVISION	ISSUE	CLIENT	NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS					SITE					LOT 25					SHEARWATER DRIVE					WARRIEWOOD VALLEY	<table><tr><td>HOUSE TYPE</td><td>ISSUE</td></tr><tr><td>10</td><td>A</td></tr><tr><td>COLOUR SCHEME</td><td>SHEET NO.</td></tr><tr><td>MULCH/AGATE</td><td>7/16</td></tr></table>	HOUSE TYPE	ISSUE	10	A	COLOUR SCHEME	SHEET NO.	MULCH/AGATE	7/16
DRAWN	DATE	REVISION	ISSUE	CLIENT																																							
NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS																																							
				SITE																																							
				LOT 25																																							
				SHEARWATER DRIVE																																							
				WARRIEWOOD VALLEY																																							
HOUSE TYPE	ISSUE																																										
10	A																																										
COLOUR SCHEME	SHEET NO.																																										
MULCH/AGATE	7/16																																										
				<table><tr><td>DRAWN:SRP(NW)</td><td>DATE: 10.12.03</td></tr><tr><td>SCALE: 1:100</td><td>JOB: STAGE 1D</td></tr></table>	DRAWN:SRP(NW)	DATE: 10.12.03	SCALE: 1:100	JOB: STAGE 1D																																			
DRAWN:SRP(NW)	DATE: 10.12.03																																										
SCALE: 1:100	JOB: STAGE 1D																																										



450 EAVES DETAIL
Scale 1:20




W.I.R. SHELF DETAIL
Scale 1:20




BALCONY DETAIL
Scale 1:20

DETAILS

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.	DRAWN	DATE	REVISION	ISSUE	CLIENT	DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D	HOUSE TYPE	ISSUE
		NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS		10	A
						SITE			
						LOT 25			
						SHEARWATER DRIVE			
						WARRIEWOOD VALLEY		COLOUR SCHEME	SHEET NO.
								MULCH/AGATE	8/16




Kitchen Detail
(Ground Floor)




KITCHEN PLAN



DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CFG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CFG DEVELOPMENTS PTY. LTD.		DRAWN	DATE	REVISION	ISSUE	CLIENT	DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D			HOUSE TYPE		ISSUE
			NW	12.12.03	TENDER PLANS	A	CFG DEVELOPMENTS				10		A
							SITE				COLOUR SCHEME		SHEET NO.
							LOT 25				MULCH/AGATE		9/16



Ensuite Detail
(First Floor)




W.C. Detail
(Ground Floor)




WET AREA DETAILS



DOMAINE HOMES PTY LTD										Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.										DRAWN NW		DATE 12.12.03		REVISION TENDER PLANS		ISSUE A		CLIENT CPG DEVELOPMENTS				HOUSE TYPE 10		ISSUE A	



Bathroom Detail
(First Floor)



Laundry Detail
(Ground Floor)



WET AREA DETAILS


DOMAINE
HOMES PTY LTD

Suite 1, Ground Floor,
21 Solent Circuit
Baulkham Hills 2153
Telephone: (02) 8851 6700
Facsimile: (02) 8851 6710

COPYRIGHT IN THIS DOCUMENT IS OWNED BY
THE CPG DEVELOPMENTS P/L UNDER THE
PROVISIONS OF THE COPYRIGHT ACT 1968 AND
IS INTENDED FOR USE ONLY AS AUTHORISED
BY THE CPG DEVELOPMENTS PTY LTD.

DRAWN	DATE	REVISION	CLIENT	ISSUE
NW	12.12.03	TENDER PLANS	CPG DEVELOPMENTS	A
			SITE	
			LOT 25	
			SHEARWATER DRIVE	
			WARRIEWOOD VALLEY	

HOUSE TYPE 10	ISSUE A
	COLOUR SCHEME MULCH/AGATE
DRAWN: SRP(NW) DATE: 10.12.03	
SCALE: 1:100 JOB: STAGE 1D	
SHEET NO. 11/16	



SLAB PLAN

DOMAINE
HOMES PTY LTD

Suite 1, Ground Floor,
21 Solent Circuit
Baulkham Hills 2153
Telephone: (02) 8851 6700
Facsimile: (02) 8851 6710
COPYRIGHT IN THIS DOCUMENT IS OWNED BY
THE CPG DEVELOPMENTS P/L UNDER THE
PROVISIONS OF THE COPYRIGHT ACT 1968 AND
IS INTENDED FOR USE ONLY AS AUTHORIZED
BY THE CPG DEVELOPMENTS PTY LTD.


DRAWN	DATE	REVISION	CLIENT
NW	12.12.03	TENDER PLANS	CPG DEVELOPMENTS
			SITE
			LOT 25
			SHEARWATER DRIVE
			WARRIWOOD VALLEY

HOUSE TYPE	10	ISSUE	A
COLOUR SCHEME	MULCH/AGATE	SHEET NO.	12/16
DRAWN:SRP(NW)	DATE: 10.12.03	SCALE: 1:100	JOB: STAGE 1D

NOTE:
-SHEET WALLS UNDER STAIRS
-SKIRTING TO WALLS UNDER STAIRS
-PAINT UNDER SIDE OF STAIRS

Electrical Legend:

△	SINGLE GENERAL PURPOSE OUTLET 1040 HIGH	①	A/C OUTLET
△△	DOUBLE GENERAL PURPOSE OUTLET 1040 HIGH	②	EXHAUST FAN
△	SINGLE GENERAL PURPOSE OUTLET 200 HIGH	③	TELEVISION POINT
△	DOUBLE GENERAL PURPOSE OUTLET 200 HIGH	④	DOWN LIGHT
○	CEILING LIGHT OUTLET	⊗	CEILING FAN
—○	WALL MOUNTED BATTERY	⑤	SMOKE DETECTOR
④	400mm CPAL FITTING	⑥	DOUBLE FLOURESCENT LIGHT
③	300mm CPAL FITTING	⑦	SPA PUMP POSITION
④	WATER PROOF G.P.A.	⑧	AIR CON. THERMOSTAT
△	SINGLE GENERAL PURPOSE OUTLET 1000 HIGH	⑨	ALARM CONTROL PANEL
△	SINGLE GENERAL PURPOSE OUTLET 2000 HIGH	⑩	PHONE POINT
◇	WEATHERPROOF LIGHT	⑪	RETURN AIR
D	DATA POINT	⑫	INTERCOM POINT




GROUND FLOOR ELECTRICAL

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORISED BY THE CPG DEVELOPMENTS PTY LTD.	DRAWN	DATE	REVISION	ISSUE	CLIENT	HOUSE TYPE 10 COLOUR SCHEME MULCH/AGATE	ISSUE A	SHEET NO. 13/16
		NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS			
						SITE			
						LOT 25			
						SHEARWATER DRIVE WARRIEWOOD VALLEY			
		DRAWN: SRP(NW)		DATE: 10.12.03		JOB: STAGE 1D		SCALE: 1:100	

Electrical Legend:

△	SINGLE GENERAL PURPOSE OUTLET 1040 HIGH	①	A/C OUTLET
△△	DOUBLE GENERAL PURPOSE OUTLET 1040 HIGH	②	EXHAUST FAN
△	SINGLE GENERAL PURPOSE OUTLET 200 HIGH	③	TELEVISION POINT
△	DOUBLE GENERAL PURPOSE OUTLET 200 HIGH	④	DOWN LIGHT
○	CEILING LIGHT OUTLET	⑤	CEILING FAN
○	WALL MOUNTED BATTERY	⑥	SMOKE DETECTOR
④	400mm OPAL FITTING	⑦	DOUBLE FLOURESCENT LIGHT
③	300mm OPAL FITTING	⑧	SPA PUMP POSITION
④	WATER PROOF G.P.A.	⑨	AIR CON. THERMOSTAT
△	SINGLE GENERAL PURPOSE OUTLET 1800 HIGH	⑩	ALARM CONTROL PANEL
△	SINGLE GENERAL PURPOSE OUTLET 2000 HIGH	⑪	PHONE POINT
◇	WEATHERPROOF LIGHT	⑫	RETURN AIR
D	DATA POINT	⑬	INTERCOM POINT




FIRST FLOOR ELECTRICAL

DOMAINE HOMES PTY LTD	Suite 1, Ground Floor, 21 Solent Circuit Baulkham Hills 2153 Telephone: (02) 8851 6700 Facsimile: (02) 8851 6710 COPYRIGHT IN THIS DOCUMENT IS OWNED BY THE CPG DEVELOPMENTS P/L UNDER THE PROVISIONS OF THE COPYRIGHT ACT 1968 AND IS INTENDED FOR USE ONLY AS AUTHORIZED BY THE CPG DEVELOPMENTS PTY LTD.	DRAWN NW	DATE 12.12.03	REVISION TENDER PLANS	ISSUE A	CLIENT CPG DEVELOPMENTS SITE LOT 25 SHEARWATER DRIVE WARRIEWOOD VALLEY	DRAWN: SRP(NW) DATE: 10.12.03 SCALE: 1:100 JOB: STAGE 1D	HOUSE TYPE 10	ISSUE A
								COLOR SCHEME MULCH/AGATE	SHEET NO. 14/16

NOTE:
-SHEET WALLS UNDER STAIRS
-SKIRTING TO WALLS UNDER STAIRS
-PAINT UNDER SIDE OF STAIRS

⑤ SMOKE DETECTOR



TILING PLAN

DOMAINE
HOMES PTY LTD

Suite 1, Ground Floor,
21 Solent Circuit,
Baulkham Hills 2153
Telephone: (02) 8851 6700
Facsimile: (02) 8851 6710
COPYRIGHT IN THIS DOCUMENT IS OWNED BY
THE CPG DEVELOPMENTS P/L UNDER THE
PROVISIONS OF THE COPYRIGHT ACT 1968 AND
IS INTENDED FOR USE ONLY AS AUTHORISED
BY THE CPG DEVELOPMENTS PTY LTD.

DRAWN	DATE	REVISION	ISSUE	CLIENT
NW	12.12.03	TENDER PLANS	A	CPG DEVELOPMENTS
				SITE
				LOT 25
				SHEARWATER DRIVE
				WARRIEWOOD VALLEY

HOUSE TYPE	ISSUE
10	A
COLOUR SCHEME	SHEET NO.
MULCH/AGATE	16/16

DRAWN: SRP(NW) DATE: 10.12.03
SCALE: 1:100 JOB: STAGE 1D