



Warringah Council

NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2007/0926

DEVELOPMENT APPLICATION DETAILS

Applicant Name: Alistair Saunders

Applicant Address: 1 Brighton Street Curl Curl NSW 2096

Land to be developed (Address): Lot 45, DP 987, 1 Brighton Street Curl Curl NSW 2096

Proposed Development: Alterations and additions to the existing dwelling including a new swimming pool and new carport.

DETERMINATION

Made on (Date): 28th December 2007

Consent to operate from (Date): 28th December 2007

Consent to lapse on (Date): 28th December 2010

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.



Warringah Council

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision Number	Revision Date	Prepared By
2007-00	Landscaped Area Calculations Plan	A	06/09/07	Context Design Pty Ltd
2007-01	Site Plan	A	06/09/07	Context Design Pty Ltd
2007-02	Existing Floor plans	A	06/09/07	Context Design Pty Ltd
2007-03	Lower Floor plan	A	06/09/07	Context Design Pty Ltd
2007-04	Upper Floor plan	A	06/09/07	Context Design Pty Ltd
2007-05	Roof Plan	A	06/09/07	Context Design Pty Ltd
2007-06	North and South Elevations	A	06/09/07	Context Design Pty Ltd
2007-07	East and West Elevations	A	06/09/07	Context Design Pty Ltd
2007-08	Section A-A	A	06/09/07	Context Design Pty Ltd

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans.

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance.

3. Demolition of extra Fabric

Alterations to, and demolition of the existing building shall be limited to that shown on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Reason: To ensure compliance with the approved development. [A3]



4. New Development Application Required

This consent is for alterations and additions to the existing building only. If during the course of certification, demolition or construction, the remaining fabric of the building is removed or demolished a new development application will be required and relevant planning controls including Basix will apply.

Reason: *To ensure compliance with the approved plans. [A5]*

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

5. Buildings located clear of pipeline, natural watercourse or Council easement

Buildings to be located clear of any pipeline, natural watercourse or Warringah Council easement. Footings of any building adjacent to an easement or pipeline to be a minimum of 300mm below the invert of the pipe and may rise by 300mm for each 300mm removed there from. Structural details prepared by a suitably qualified Civil Engineer are to be submitted to the Council / Accredited Certifier for approval prior to the issue of the Construction Certificate.

Reason: *Protection of Council's Infrastructure.*

6. Kerb Security Bond

A bond of \$2000.00 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: *To ensure appropriate security is in place for the protection or repair of Public Infrastructure.*

7. Pruning

Any tree pruning necessary for construction shall be carried out under the supervision of an appropriately qualified arborist. Details prepared by an appropriately qualified person, on measures to be employed during construction indicating the nature of the pruning and the long term effects on the tree shall be submitted to the Council / Accredited Certifier for approval with the Construction Certificate

Reason: *To ensure the protection and longevity of existing significant trees.*

8. Asbestos & Hazardous Material

A person taking down, demolishing or causing to be taken down or demolished any building or part thereof shall, upon identifying or suspecting that asbestos is present in the building, immediately notify the Work Cover Authority. The Authority is the controlling body for the safe removal, handling and disposal of asbestos. The Authority supervises and monitors contractors engaged in asbestos removal. The requirements and standards imposed by the Authority, its consultants or contractors shall be complied with.

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. [C53 (2)]*

9. Sediment Control

Where construction or excavation activity requires the disturbance of the soil surface and existing vegetation, details including plans and specifications shall be submitted to Council / Accredited Certifier accompanying the Construction Certificate, which provide adequate measures for erosion and sediment control. As a minimum, control techniques are to be in accordance with Warringah Council Guidelines on Erosion and Sediment Control, or a suitable and effective alternative method. The Control Plan shall incorporate and disclose:

- (a) All details of drainage to protect and drain the site during the construction processes;
- (b) All sediment control devices, barriers and the like;
- (c) Sedimentation tanks, ponds or the like;
- (d) Covering materials and methods;
- (e) A schedule and programme of the sequence of the sediment and erosion control works or devices to be installed and maintained.

Details from an appropriately qualified person showing that these design requirements have been met shall be submitted with the Construction Certificate and approved by the Council / Accredited Certifier prior to issuing of the Construction Certificate.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [C46]*

10. Colours & Finishes

The colours, texture and substance of all external components of the building and hard surfaced areas being generally in accordance with plans numbered 2007-00, 2007-01, 2007-02, 2007-03, 2007-04, 2007-05, 2007-06, 2007-07 and 2007-08, dated 6 September 2007, submitted 25/09/07 as modified by any conditions of this consent/approval. Prior to issue of the Construction Certificate, Council / Accredited Certifier is to verify that the external components are in accordance with that specified above.

Reason: *Amenity. [C56 (1)]*

11. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in the Swimming Pools Act, 1992 and Swimming Pools Regulations, 1998:

- (a) The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed; and
- (b) The barrier is to conform to the requirements of AS 1926 Fences and Gates for Private Swimming Pools.



Details demonstrating compliance with this requirement are to be approved by the Council / Accredited Certifier prior to the issue of the Construction Certificate.

Reason: *To ensure the safety of children and make applicant aware of the need to comply with applicable pool fencing legislation. [C68]*

12. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
1 Brighton Street, Harbord	
DEVELOPMENT APPLICATION NUMBER DA 2007/0926	
SECURITY BONDS	AMOUNT (\$)
Builders road/kerb security bond	\$2000.00
TOTAL BONDS	\$2000.00
FEES	
Kerb security inspection fee	\$200.00
Section 94A contribution	\$5031.00
Long service levy	0.35% of the value of building and construction works
TOTAL FEES	\$5231.00
Progress inspections (if Council is the PCA)	\$275.00 per inspection

Reason: *Compliance with the development consent.*

13. Hard Car Stand Area

No approval is granted for the construction of a carport within the front setback. The area is to be designed as a hard car standing area. Details demonstrating compliance with this condition must be submitted to Council, or an Accredited Certifier, with the application for a Construction Certificate.

Reason: *To ensure the amenity of the streetscape so that the front setback area is free from any structures and any car parking designs do not dominate the street frontage.*

14. Construction within Site boundary

All construction is to be wholly sited within the boundaries of the site, details to be submitted with the Construction Certificate.

Reason: *To comply with best practice standards for residential acoustic amenity.*

15. S94A Contribution

The payment of \$5031.00 as a 94A levy prior to the approval/release of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan 2006. It is current at the time of issue of this Consent. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated. (see schedule)

The basis for the contributions is as follows:

TABLE 2

<i>Warringah Section 94A Development Contributions Plan</i>			
Contribution based on total development cost of		\$	503,100.00
Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$4,779	6923
S94A Planning and Administration	0.05%	\$252	6924
Total	1.0%	\$5,031	

Reason: To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development.

16. Structural Design Certificate

That structural drawings and certificate from a qualified structural engineer, certifying that the design is in accordance with the relevant Australian Standards and design codes shall be submitted prior to issue of the construction certificate.

Reason: To ensure the safety and structural adequacy of the approved development and compliance with the appropriate Australian Standards. [C83]

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

17. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. [D1]

18. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an



Accredited Certifier, prior to the commencement of any works on the site.

Reason: *Legislative requirements. [D3]*

19. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: *Legislative requirement for the naming of the PCA. [D4]*

20. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: *Statutory requirement. [D5]*

21. Structural adequacy and Excavation work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required.

All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Before excavation, the responsible person must notify their intention to the adjoining owner/s and shall at the same time furnish to such owner/s particulars of the work proposed to be carried out.

Reason: *Safety. [D9]*

22. Protection of Trees During Works

All trees identified for retention/protection are to be clearly identified by signage as protected trees.

Reason: *To protect trees to be retained*

23. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: *To ensure compliance with statutory provisions. [D13]*

24. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

(Note: Applications for hoarding permits, vehicular crossings etc will require evidence of insurance upon lodgement of the application.)

Reason: *To ensure the community is protected from the cost of any claim for damages arising from works on public land. [D17]*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

25. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.



- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

26. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

27. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

28. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E17]

29. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in



accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E18]*

30. No Work on Public Open Space

The applicant shall not enter or undertake any work within adjoining public lands (i.e. Parks, Reserves, Roads etc) without the prior written consent of Council. In this regard the applicant is to liaise with Council prior to the commencement of any design works or preparation of a Construction Management Plan.

Reason: *Protection of existing public infrastructure and land and to ensure public safety and proper management of public land. [E19]*

31. Protection of Trees

The following tree/trees are required to be retained as part of the development consent:

All trees which are not listed as exempt or noxious in Warringah that are not indicated for removal on Site Analysis Drawing No. 3 prepared by Kingstone Homes dated 03.09.07. Trees subject to other approvals may also be removed.

Reason: *Protection of existing environmental infrastructure and community assets. [E22]*

32. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*

33. Out of Hours Work Permits

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk. Any further variation shall require the lodgement and favourable determination of a modification application



pursuant to Section 96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E27]*

34. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

35. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: *To ensure the health and safety of the community and workers on the site. [E30]*

36. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: *To ensure public safety and amenity on public land. [E35]*

37. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. [E36]*



38. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Public Safety [E39]*

39. Tree Preservation Order

Council's Tree Preservation Order applies to this site. An application will have to be made, and consent issued by Council, for the removal, lopping or wilful destruction of any existing tree affected by the proposed works.

Reason: *Protection of trees. [E44 (2)]*

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

40. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory. [F1]*

41. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was



gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: *Prescribed - Statutory. [F2]*

Note: Evidence of insurance required PRIOR to commencement of work.

42. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]*

43. Support for Neighbouring Buildings

- (1) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:
 - (a) must preserve and protect the building from damage;
 - (b) if necessary, must underpin and support the adjoining building in an approved manner Subject to adjoining owner's consent; and
 - (c) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
- (2) The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.



(3) In this clause, allotment of land includes a public road and any other public place.

Reason: *To ensure adjoining owner's property rights are protected and protect adjoining properties from potential damage. [F7]*

44. Site Sign

(1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:

- (a) stating that unauthorised entry to the work site is prohibited;
- (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
- (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.

(2) Any such sign must be maintained while building work or demolition work is being carried out, but must be removed when the work has been completed.

(3) This condition does not apply to building works being carried out inside an existing building.

Reason: *Statutory requirement. [F9]*

45. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: *Prescribed - Statutory. [F12]*

46. Retaining walls and Drainage

If the soil conditions require it:

- (a) retaining walls associated with the erection or demolition of a building or other approved methods of preventing movement of the soil must be provided, and
- (b) adequate provision must be made for drainage in accordance with the provisions of AS3500.3.2.

Reason: *To ensure appropriate measures are in place to address site conditions and provide appropriate site drainage. [F13]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

47. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

48. Conservation of Water & Energy

Compliance with Clause 68 "Conservation of Energy and Water" of Warringah Local Environmental Plan 2000 with respect to appliances. Details to be submitted with the Occupation Certificate.

Reason: *Provision of energy requirements. [G5]*

49. Reinstatement of Kerb

All redundant lay-backs and vehicular crossings shall be reinstated to conventional kerb and gutter, foot-paving or grassed verge as appropriate. All costs shall be borne by the applicant, and works shall be completed prior to the issue of an Occupation Certificate.

Reason: *To facilitate vehicular access to private sites, without disruption to pedestrian and vehicular traffic, and the preservation of on street parking spaces. [G9]*

50. Swimming Pool Water to Sewer

The swimming pool including overflow water shall be drained to the sewer. The consent of Sydney Water to dispose of wastewater shall be obtained and compliance with any conditions imposed in connection therewith.

Reason: *Water from a swimming pool is classified as wastewater and cannot be legally disposed of into the stormwater system. [G17]*

51. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in the Swimming Pools Act, 1992 and Swimming Pools Regulation 1998;

- (a) The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed; and
- (b) The barrier is to conform to the requirements of AS 1926 Fences and Gates for Private Swimming Pools.

Reason: *To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act, to prevent young children from accidental death by drowning. [G18]*

52. Pool Safety Requirements

The owner of the pool shall display a notice showing:

- (a) Appropriate instructions of artificial resuscitation methods.
- (b) A warning stating 'YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS POOL'.

Note: This notice shall be kept in a legible condition and at the poolside.

Reason: *To ensure an adequate level of safety for young pool users. [G19]*

53. Swimming Pools

The filtration motor, pump and moving parts shall be enclosed in a sound-proofed structure of masonry or similar materials, with the noise level of any filtration equipment or pumps to not exceed 5dBA above the ambient background noise level measured at the nearest property boundary.

Reason: *Noise control [G20]*

54. Pool Fencing (Gates)

In accordance with Australian Standards any gates in the fence shall open outwards away from the pool area and be self closing and fitted with a latch which shall be automatic and of a type which cannot be easily manipulated by small children. Latches must be on the inside of the gate and as near as possible to the top.

Reason: *To ensure compliance with the relevant standards. [G21]*

55. Smoke Alarms

Smoke alarms are to be installed throughout the new and existing portions of the Class 1a building in accordance with the Building Code of Australia prior to the occupation of the new works.

Reason: *Compliance with BCA and safety of occupancies. [G40]*

56. Noise from Swimming Pool Pump

Noise from the swimming pool pump shall not generate noise levels that exceed 5dBa above the ambient background level at any time, when measured at the nearest residential property boundary.

Reason: *Health and Amenity*



Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed on behalf of the consent authority

Signature _____
Name Keith Wright
 Acting Development Assessment Team Leader
Date 28th December 2007