
Sent: 13/11/2013 11:07:09 PM

Subject: 'Submission: Draft WDCP - Private Property Tree Management'

'Submission: Draft WDCP - Private Property Tree Management' with the responses below. A full report of all survey submissions is available within the activity report. TRIM PEX2013/0007

Name	Danny
Email	dannygrkovic@gmail.com
Address	2 Sylvia Place Frenchs Forest.
Do you support the proposed changes allowing trees within 3 metres of a building or structure to be removed without requiring approval?	Yes

Comments.

its should at list 8 to 12 Metrs. with out Council Approval.

Do you support the proposed changes to include a further 9 tree species to the list of trees that can be removed without approval? (see full list in library)

Yes

Comments

Remove all Liquidamber Trees because not Native.

Do you support the proposed changes to increase the minimum height of a tree that requires approval to be removed, from 5 metres to 6 metres?

Yes

comments

The Height should be at list 8 12 Height. Can please send me Policy For Trees so read more information Detail.

Any other comments on the proposed changes?

Yeah all none Native Trees should be removal with out Council Approval. Aslo they should remove Dangerous Trees near house because Health and Safety incase Storm come. No Trees should not be allowed Planted Public land where overhanging Powerlines because very Dangerous Council should now better. Aslo trees Damage Foothpath, Roads, Drainage.

File Upload if required