

NOTICE OF DETERMINATION

Application Number: DA2007/1210

APPLICATION DETAILS

Applicant Name: G J Fisher, M C Fisher

Applicant Address: 11 Blaxland Street FRENCHS FOREST NSW 2086

Land to be developed (Address): Lot 60 DP 204122

Proposed Development: Construction of a new swimming pool and associated paving

DETERMINATION - APPROVED

Made on (Date): 28th February 2008

Consent to operate from (Date): 28th February 2008

Consent to lapse on (Date): 28th February 2011

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated	Prepared By
RTP0728-P1	November 2007	Right Angle Drafting
RTP0728-P2	November 2007	Right Angle Drafting
RTP0728-P3	November 2007	Right Angle Drafting

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans.*

2. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory.*

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

3. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work.

The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.

Reason: *Prescribed - Statutory.*



4. Structural Design Certificate

Structural drawings and certificate from a qualified structural engineer, certifying that the design is in accordance with all relevant Australian Standards and design codes shall be submitted to the Certifying Authority prior to issue of the Construction Certificate.

Reason: *To ensure the safety and structural adequacy of the approved development and compliance with the appropriate Australian Standards.*

5. Structures Located Adjacent to Council Pipeline or Council Easement

All structures are to be located clear of any Warringah Council pipeline or easement. Footings of any structure adjacent to an easement or pipeline are to be designed in accordance with Council's Policy Building Over or Adjacent to Constructed Council Drainage Systems and Easements. Structural details prepared by a suitably qualified Civil Engineer are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: *Protection of Council's Infrastructure.*

6. Development/Construction Security Bond

A bond (determined from cost of works) of \$500.00 must be deposited with Council and an inspection fee paid of \$200.00 prior to the issue of any Construction Certificate. This bond is to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

Reason: *To ensure adequate protection to Council infrastructure.*

7. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in all relevant Acts, Regulations and Australian Standards. Details demonstrating compliance with these requirements are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Note: The following Acts, Regulations and Australian Standards applied at the time of determination:

- Swimming Pools Act 1992
- Swimming Pools Regulation 1998
- Australian Standard AS1926 Swimming Pool Safety
- Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

Reason: *To ensure the safety of children and make applicant aware of the need to comply with applicable pool fencing legislation.*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

8. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: *To ensure compliance with statutory provisions.*

9. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act 1989) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: *Prescribed - Statutory.*

10. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with Section 81A of the



Warringah Council

Environmental Planning and Assessment Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: *Legislative requirement for the naming of the PCA.*

11. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: *Statutory requirement.*

12. Protection of Trees During Works

All trees that are to be specifically nominated to be retained by notation or condition as a requirement of development consent shall be maintained and protected during demolition, excavation and construction on the site. Details of required protection methods shall be provided to the Certifying Authority by an appropriately qualified person prior to commencement of any works on the site.

Reason: *To ensure compliance with the requirement to retain significant planting on the site.*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

13. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).



Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk.

Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community.*

14. Excavation / Backfilling

All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.

All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage.*

15. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements.

Reason: *To ensure the health and safety of the community and workers on the site.*

16. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land.*

17. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Certifying Authority.

Reason: *To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance.*



18. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Soils and Construction Manual Volume 1 - Managing Urban Stormwater. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites.*

19. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: *To avoid siltation to adjoining properties and waterways.*

20. Dust emission and air quality

Materials must not be burnt on site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the Landcom's Managing Urban Stormwater: Soils and Construction (The 'Blue Book'). Odour suppression measures must be carried out so as to prevent nuisance occurring at neighbouring properties.

Reason: *To ensure residential amenity is maintained in the immediate vicinity.*

21. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Department of Environment and Climate Change (formerly) Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity*

22. Noxious Plants

All plants on the site that are declared as noxious weeds in Warringah shall be eradicated before the commencement of landscape works.

Reason: *To ensure that plants identified as weed species are not allowed to proliferate or interfere with a quality-landscaping outcome.*

23. Tree Pruning

Any tree pruning necessary for construction shall be carried out under the supervision of an appropriately qualified Arborist and be in accordance with the relevant Australian Standards.



Note: The following Australian Standard applied at the time of determination:

- Australian Standard AS 4373.2007 - Pruning of Amenity Trees.

Reason: *To ensure protection and longevity of existing trees.*

24. Tree Preservation Order

The land is subject to a Tree Preservation Order and no trees other than those expressly granted permission as a result of this development consent, may be removed without the prior consent of Council.

Reason: *Protection of trees.*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

25. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Note: In issuing an Interim / Final Occupation Certificate the Principal Certifying Authority must be satisfied that the requirements of Section 109H of the Environmental Planning and Assessment Act 1979 have been satisfied.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act.*

26. Pool Filtration Requirements

Filtration for the swimming pool must comply with the relevant Australian Standard.

Note: The following Australian Standard applied at the time of determination:

- Australian Standard AS1926.3 Part 3: Water recirculation and filtration systems

Reason: *To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act 1992, to prevent young children from accidental death by drowning.*

27. Pool Sign

The owner of the pool shall display a notice showing:

- (i) Appropriate instructions of artificial resuscitation methods.
- (ii) A warning stating 'YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS POOL'.



Warringah Council

Note: This notice shall be kept in a legible condition in a prominent location in the vicinity of the pool at all times.

Reason: *To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act, to prevent young children from accidental death by drowning.*

28. Pool Safety Requirements

Access to the pool shall be restricted by a child resistant barrier in accordance with all relevant Acts, Regulations and Standards. The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed.

Note: The following Standards and Codes applied at the time of determination:

- Swimming Pools Act 1992
- Swimming Pools Regulation 1998
- Australian Standard AS1926 Swimming Pool Safety
- Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

Reason: *To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act 1992, to prevent young children from accidental death by drowning.*

29. Swimming Pools

The filtration motor, pump and moving parts shall be enclosed in a sound-proofed structure of masonry or similar materials, with the noise level of any filtration equipment or pumps to not exceed 5dBA above the ambient background noise level measured at the nearest property boundary.

Reason: *Noise control*

30. Swimming Pool Water to Sewer

Prior to the issue of an Interim/Final Occupation Certificate the swimming pool including overflow water shall be drained to the sewer. The consent of Sydney Water to dispose of wastewater shall be obtained and compliance with any conditions imposed in connection therewith.

Reason: *Water from a swimming pool is classified as wastewater and cannot be legally disposed of into the stormwater system.*



Review of Determination

You may request Council review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. The review must be determined within 12 months.

NOTE: A fee will apply for any request to review the determination..

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed on behalf of the consent authority

Signature _____
Name Ryan Cole
 Team Leader, Development Assessment
Date 28th February 2008