

allowed with this rating.

NB: This tolerance ONLY applies

to SHGC, the U-value can always

be lower but not higher than the

If any of windows selected are

outside the 5% tolerance then this

dwelling will need to be rerated to

certificate is no longer valid and the

values stated on page 2.

NatHERS Certification Summary 41 Marine Parade, Avalon, NSW 2107 Applicant: T. Ozaki Casey Brown Architecture Level 1, 63 William St., East Sydney. 2010 93607977 toshio@caseybrown.com.au Victor Lin Company: Victor Lin & Associates Address: PO 5080, Southe Turramurra. 2074 BDAV/12/1454 0412-988088 Contact: vlin007@hotmail.com Ext. Walls: Construction Cavity Bwk R1.0 Med As per plans Int. Walls: Construction Insulation Details Brickwork As per plans Insulation Details Construction Polished Concrete None Ext. Ceilings: Construction Insulation Plasterboard/framed R3.5 Under all roofs Anticon 60mm (R1.2) Dark As per plans Windows: Product ID Frame Uw/SHGCw Details D. Glazed Timber 3.0/0.48 Tilt & turn, casement, awning windows & doors Generic Double hung, sliding, fixed, louvre windows & 3.0/0.56 Uw/SHGCw Details Alumiinium NA As per drawings Orientation Weatherseals Exhaust Dampers

* Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. Page 1 of 8

Overshadowing Details: Trees Assessment: Drawings:

then this certificate is not valid.

Victor Lin

0412988088

Assessor details

number:

Declaration of interest:

AAO:

Overview

Dwelling details

Suburb: Avalon

number: 553660

Garage:

Plan documents

Prepared by: RB/TO

For more details see www.nathers.gov.au

(see following pages for details)

Construction: Cavity Brick

Cooling:

TOTAL:

362

Plan ref/date: 41 Marine Pde - Casey brown Arch

Casey Brown DWGS A1.1 - A3.1 (May 2016) + downlight locations

Suburban


File Ref: 3606V **Software:** BERS Pro 4.3 Climate Zone: 56

								Assessor Stamp
Certification N	lumber:	0000304188-01				Date:		26-May-2016
Dwellings -	Floor A	Area (m²)	Predict Loads (MJ/m²/pa) & HERS Rating		Requirements		ts	
Dweilings	Cond.	Uncond.	Heat	Cool	STARS			
House	294	68	48	28	4.4	Refer to details	above for insulat	ion and construction
							requirements	s.

Disclaimer: By using this summary you are accepting all the terms of this disclaimer notice. While every effort is made to ensure that the content of this summary is accurate, the summary is provided "as is" and Victor Lin & Associates Pty Ltd, makes no representations or warranties in relation to the accuracy or completeness of the information found on it. In no event will Victor Lln & Associates Pty Ltd, be liable for any damages whatsoever for any differences between this summary and the NatHERS Univesal Certificates that relate to this project. You accept that it is your responsibility to check the Universal Certificates and comply with any differences that may exist on those certificates.



Victor Lin & Associates 0000304188-01 Victor Lin VIC/BDAV/12/1454 20 May 2016 nathers.gov.au





Rev.	Notes	Date	Reviewed
Α	Development Application	18.05.2016	RB / TO

ABBREVIATIONS

DOUBLE BRICK WALL DOWN PIPE METAL BALUSTRADE METAL ROOF OFF FORM CONCRETE PAVED TERRACE TIMBER FRAME WINDOW TIMBER FRAME DOOR

ROOF/SITE/DEMOLITION PLAN LEGEND

TIMBER FRAME VENT

SEWER CONNECTION TO MAIN

SEDIMENT FENCE DURING CONSTRUCTION

North Curl Curl NSW 2099 P: 02 8084 3031

BASIX COMMITMENT

- RAIN WATER TANK MIN. CAPACITY 2000L, TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ALL APPLICABLE REGULATORY AUTHORITIES - FLOOR CONSTRUCTION TO BE EITHER CONCRETE SLAB ON GROUND OR SUSPENDED FLOOR/OPEN SUBFLOOR - HOT WATER SYSTEM TO BE GAS INSTANTANEOUS WITH A PERFORMANCE OF 5 STARS OR A SYSTEM WITH A HIGHER ENERGY RATING - MUST INSTALL A WINDOW AND/OR SKYLIGHT IN 3 BATHROOMS/TOILETS IN THE DEVELOPMENT FOR NATURAL LIGHTING

NOTE: FOR MORE DETAIL REFER TO THE BASIX REPORT

THE PROPOSED WORKS HAVE BEEN DESIGNED TO COMPLY WITH:

- NATIONAL CONSTRUCTION CODE - STATEMENT OF ENVIRONMENTAL EFFECTS PREPARED BY DENIS FISH - BUSHFIRE HAZARD ASSESSMENT REPORT PREPARED BY BUILDING CODE & BUSHFIRE HAZARD SOLUTIONS - BASIX REPORT PREPARED BY VICTOR LIN & ASSOCIATES GEOTECHNICAL REPORT PREPARED BY WHITE GEOTECHNICAL GROUP - FLORA AND FAUNA REPORT PREPARED BY NARLA ENVIRONMENTAL - LANDSCAPE DESIGN PREPARED BY SELENA HANNAN LANDSCAPE DESIGN

BUILDERS/ CONCTRACTORS ARE TO VERIFY ALL DIMENSIONS PRIOR TO COMMENCEMENT OF SITE WORK OR OFF-SITE FABRICATION. ALL SHOP DRAWINGS ARE TO BE SUBMITTED TO THE PROJECT MANAGER, AND MANUFACTURE SHALL NOT COMMENCE UNTIL RETURN OF UNAMENDED SHOP DRAWINGS. FIGURED DIMENSIONS ARE TO BE READ IN PREFERENCE TO SCALED.

Planning	Bushfire
Denis Fish Planning Services 15 Edward Avenue Pottsville NSW 2489	Building Code & Bushfir Hazard Solutions P.O. Box 124
P: 02 6676 2841 F: 02 9918 5788	Berowra NSW 2081 P: 02 9457 6530 F: 02 9457 6532

BASIX Consultant Land Survey	
Victor Lin & Associates Hill & Blume Consulting 9 1100 Pymble Business Centre 102 Crown Street Pymble NSW 2073 Woolloomooloo NSW 201 P: 02 9488 7898 P: 02 9332 4888 F: 02 9488 7896 F: 02 9331 6422	

Geotechnical Engineer	Flora and Fauna
White Geotechnical Group	NARLA Environmental
Unit 5, 48 Collingwood St	2/26-30 Tepko Road
Manly NSW 2095	Terry Hills NSW 2084
P: 02 7900 3214	P: 02 9986 1295

Landscape Selena Hannan Landescape Design PO Box 4146

Architects

architecture

Level 1 / 63 William Street East Sydney NSW 2010
Tel: 61 2 9360 7977
Fax: 61 2 9360 2123
Email: cb@caseybrown.com.au

41 MARINE PARADE, AVALON

Drawing Title

SITE PLAN / DRIVEWAY SECTION

Drawing No. A1.1 1:200 (A1)

Casey Brown Architecture Pty Ltd ABN 38004010575 Nominated Architect Robert Brown 5425

© COPYRIGHT: Casey Brown Architecture Ptv. Ltd. 1999 INFORMATION CONTAINED ON THIS DRAWING IS THE COPYRIGHT OF CASEY BROWN ARCHITECTURE PTY. LTD. COPYING OF THIS DRAWING

Victor Lin & Associates 3606V Avalon Casey Brown Assessor Cert

No. 39

No. 37

No. 43

NatHERS Certification Summar

Company:

Company

Number:

Casey Brown Architecture

ctor Lin & Associates

BDAV/12/1454

Under all roofs

3.0/0.48 Tilt & turn, casement, awning windows & doors

Double hung, sliding, fixed, louvre windows &

Refer to details above for insulation and construction

GUESTS PARKING

Page 1 of 2[Pages]

PHOTOVOLTAIC PANELS

GARAGE

Details

Details

doors.

As per drawings

As per plans

Dark

Uw/SHGCw Details

4.4

PERMEABLE

LEVEL SURFACE

Exhaust Dampers

Uw/SHGCw

41 Marine Parade, Avalon, NSW 2107

Level 1, 63 William St., East Sydney. 2010

Insulation R1.0

Insulation

R3.5

Insulation

D. Glazed

D.Glazed

Terrain

Suburban

48

Assessment: Drawings: Casey Brown DWGS A1.1 - A3.1 (May 2016) + downlight locations

Anticon 60mm (R1.2)

Timber

Alumiinium NA

Predict Loads (MJ/m²/pa) & HERS Rating

28

Heat Cool STARS

Disclaimer: By using this summary you are accepting all the terms of this disclaimer notice. While every effort is made to ensure that the content of this summary is accurate, the summary

3606V Avalon Casey Brown Assessor Cert

is provided "as is" and Victor Lin & Associates Pty Ltd, makes no representations or warranties in relation to the accuracy or completeness of the information found on it. In no event will

OUTLINE OF
Victor INE OF
VICTO

PO 5080, Southe Turramurra. 2074

Victor Lin

Ext. Walls:

Construction

Cavity Bwk

Brickwork

Plasterboard/framed

Construction

Metal

Generic

Product ID

Product ID

Orientation

Generic

Overshadowing Details: Trees

File Ref:

Software:

294

House

Climate Zone: 56

3606V

BERS Pro 4.3

68

Int. Walls: Construction

Ext. Ceilings: Construction

0412-988088

BUSHFIRE BAL 40 SETBACK (7M)

SKIP BINS ON OPEN DRIVEWAY AREA

AND STORAGE IN FRONT YARD

FROM MARINE PARADE. MATERIALS DELIVERY

SK01 SK02

EXISTING NORFOLK PINE TREE TO BE PROTECTED

