

7 April 2008

Oak Home Improvements
4/101 Darley Street
MONA VALE NSW 2103

MOD2008/0049 MOD1
MAV (PDS)

Dear Sir / Madam,

**RE: 1 Maxwell Parade Frenchs Forest
Modification of Development Consent DA 2008/0049 MOD 1**

We are writing to advise that the request to modify the above-mentioned Development Consent has been approved on **1 April 2008** and determined as follows:

The Development Application No: DA2007/0973 for a first floor deck and stairs and door and windows to southern side of existing dwelling be modified by Development Application 2008/0049 to relocate external stairs to approved deck from the southern side of the deck to the western side at 1 Maxwell Parade, Frenchs Forest, Lot 2 in DP27773 be approved subject to:

Modification of Condition No. 1 to read:

1. Approved Plans and Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
A01	Site plan & analysis	A	19/09/07	Oak Home Improvements
A02	Floor plans	A	19/09/07	Oak Home Improvements
A03	Elevations North & South	A	19/09/07	Oak Home Improvements
A04	Elevations East & West	A	19/09/07	Oak Home Improvements
A05	Section	A	19/09/07	Oak Home Improvements

Except as modified by the following plans:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
A01	Site plan & analysis	-	14/02/08	Oak Home Improvements
A02	Floor plans	-	11/02/08	Oak Home Improvements
A03	Elevations North & South	-	11/02/08	Oak Home Improvements
A04	Elevations East & West	-	11/02/08	Oak Home Improvements
A05	Section	-	11/02/08	Oak Home Improvements

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]*

This letter should therefore be read in conjunction with Development Consent **2007/0973 dated 23 January 2008**. Please find attached a consolidated set of conditions incorporating both modifications of consent.

Please note that on site works cannot proceed unless a Construction Certificate application for the modified proposal has been lodged with and approved by Council or an accredited certifier, and relevant conditions of the Development Application have been carried out.

Section 96(6) of the Environmental Planning and Assessment Act confers on an applicant who is not satisfied with the determination of the Consent Authority a right of appeal to the Land and Environment Court.

Should you require any further information on this matter, please contact **Nancy Sample** between the hours of 9.30am and 10.30am or 3.00pm and 4.00pm, Monday to Friday, on telephone number **9942 2111**, or at any time on facsimile number **9971 4522**.

Details of development applications lodged after July 1, 2005 are also available online, to access this facility please visit our DA's Online System at www.warringah.nsw.gov.au.

Yours faithfully

Ryan Cole
**Team Leader, Development Assessment
Planning and Development Services**



GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
A01	Site plan & analysis	A	19/09/07	Oak Home Improvements
A02	Floor plans	A	19/09/07	Oak Home Improvements
A03	Elevations North & South	A	19/09/07	Oak Home Improvements
A04	Elevations East & West	A	19/09/07	Oak Home Improvements
A05	Section	A	19/09/07	Oak Home Improvements

Except as modified by the following plans:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
A01	Site plan & analysis	-	14/02/08	Oak Home Improvements
A02	Floor plans	-	11/02/08	Oak Home Improvements
A03	Elevations North & South	-	11/02/08	Oak Home Improvements
A04	Elevations East & West	-	11/02/08	Oak Home Improvements
A05	Section	-	11/02/08	Oak Home Improvements

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. **[A1 (1)]**

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. **[A2]**

3. Demolition of Extra Fabric

Alterations to, and demolition of the existing building shall be limited to that shown on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Reason: To ensure compliance with the approved development. **[A3]**

**CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO
ISSUE OF A CONSTRUCTION CERTIFICATE**

4. Kerb Security Bond

A bond of \$2000 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

***Reason:** To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

5. Protection of Footpaths and Roadways

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

***Reason:** Protection of footpath and roadways. [C22]*

6. Structural Adequacy of Existing Building

A certificate prepared by an appropriately qualified and practising Structural Engineer, certifying the structural adequacy of the property and its ability to withstand the proposed additional or altered structural loads shall be submitted with the Construction Certificate application.

***Reason:** To ensure the structural integrity of the building is maintained. [C50]*

7. Asbestos & Hazardous Material

(1) A person taking down, demolishing or causing to be taken down or demolished any building or part thereof shall, upon identifying or suspecting that asbestos is present in the building, immediately notify the Work Cover Authority. The Authority is the controlling body for the safe removal, handling and disposal of asbestos. The Authority supervises and monitors contractors engaged in asbestos removal. The requirements and standards imposed by the Authority, its consultants or contractors shall be complied with.

***Reason:** To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. [C53 (2)]*

8. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details are to be submitted with the



Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. [C55]

9. Waste Collection Contract

Prior to the issue of a construction certificate and prior to the commencement of demolition work the owner must ensure that there is a contract with a licensed contractor for the removal of trade/demolition waste. No garbage or demolition/building waste is to be placed on the public way e.g.: Footpaths, roadways, plazas and reserves at any time.

Reason: To maintain the property in a safe and hygienic state. [C84]

10. Privacy measures

In order to maintain privacy in accordance with Clause 65 of WLEP2000, the deck shall maintain the current design with the following changes:

- The proposed deck is to be no more than 4m in width when projected in a southerly direction from the southern building elevation of the existing dwelling;
- The stairs proposed to the southern side of the deck are to be deleted.

Full details demonstrating compliance with this requirement are to be submitted to the satisfaction of the Council or the accredited certifier issuing the construction certificate.

Reason: To maintain privacy for neighbouring properties (special)

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

11. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. [D1]

12. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: Legislative requirements. [D3]

13. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: Legislative requirement for the naming of the PCA. [D4]

14. WorkCover

Your attention is directed to the need to seek advice of your obligations from the

WorkCover Authority prior to the commencement of any works on the site.

Reason: Statutory requirement. [D5]

15. Protection of Trees During Works

All trees that are to be specifically nominated to be retained by notation or condition as a requirement of development consent shall be maintained and protected during demolition, excavation and construction on the site. Protection methods shall be provided to the Principal Certifying Authority by an appropriately qualified person prior to commencement of any works on the site.

Reason: To ensure compliance with the requirement to retain significant planting on the site. [D10]

16. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions. [D13]

17. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

(Note: Applications for hoarding permits, vehicular crossings etc will require evidence of insurance upon lodgement of the application.)

Reason: To ensure the community is protected from the cost of any claim for damages arising from works on public land. [D17]

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK


18. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

Reason: Public Safety. [E4]

19. Approved Materials

The colour, texture and substance of all external materials shall be generally in



accordance with that detailed in the application.

Reason: To ensure compliance with the terms of this development consent. [E6]

20. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

21. Replacement of Principal Certifying Authority

If the person exercising the benefits of development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the

PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

22. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

23. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E17]

24. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E18]

25. Special Permits

Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development are to occur entirely on the property. The applicant, owner or builder must apply for specific permits available from Council's Customer Service Centre for the undermentioned activities on Council's property pursuant to S138 of the Roads Act.

A minimum of forty-eight (48) hours notice is required for any permit:

(1) On-street mobile plant

E.g. cranes, concrete pumps, cherry-pickers, etc. - restrictions apply to the hours of operation, the area of operation, etc. Separate permits are required for each occasion and each piece of equipment. It is the responsibility of the applicant, owner and builder to take whatever steps are necessary to ensure that the use of any equipment does not violate adjoining property owner's rights.

Reason: Proper management of public land. [E24 (1)]

(2) Hoardings

Permits are required to erect Class A, Class B and Class C hoardings. If an 'A' Class hoarding is to alienate a section of Council's property, that section will require a permit for the occupation of Council's property.

Reason: Proper management of public land. [E24 (2)]

(3) Storage of building materials and building waste containers (skips) on Council's property

Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no additional notice being given. Storage of building materials and waste containers on open space reserves and parks is prohibited.

Reason: Proper management of public land. [E24 (3)]

(4) Kerbside restrictions, construction zones

The applicant's attention is drawn to the existing kerbside restrictions adjacent to the development. Should the applicant require alteration of existing kerbside restrictions, or the provision of a construction zone, the appropriate application must be made and the fee paid. Applicants should note that the alternatives of such restrictions may require referral to Council's Traffic Committee and may take considerable time to be resolved. An earlier application is suggested to avoid delays in construction programs.

Reason: Proper management of public land. [E24 (4)]

26. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays. Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]

27. Out of Hours Work Permits

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date.

Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk. Any further variation shall require the lodgement and favourable determination of a modification application pursuant to Section

96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E27]*

28. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

29. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: *To ensure the health and safety of the community and workers on the site. [E30]*

30. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: *To ensure public safety and amenity on public land. [E35]*

31. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. [E36]*

32. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: *To ensure the proper management of public land and funds. [E38]*



33. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Public Safety [E39]*

34. Removal of Extra Fabric

Should any portion of the existing building, trees, or curtilage of the site which is indicated on the approved plans to be retained be damaged for whatever reason, all the works in the area of the damaged portion are to cease and written notification given to Council. No work is to resume until the written approval of Council is obtained. Failure to comply with the provisions of this condition will result in the Council taking further action including legal proceedings if necessary.

Reason: *To ensure compliance with the terms of this development consent. [E40]*

35. Sediment and Erosion Control Signage

A durable sign, which is available from Council, shall be erected during building works in a prominent location on site, warning of penalties should appropriate erosion and sedimentation control devices not be maintained.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E41]*

**OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND
OTHER RELEVANT LEGISLATION**

36. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory. [F1]*

37. Home Building Act

(1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:

- (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any

information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

38. Lead

For the protection of the health and safety of workers, adjoining property owners, the public and the environment, any person renovating or demolishing any building built before the 1970's should be aware that any surfaces may be coated with lead based paint. Lead dust is a hazardous substance. The requirements of the Environmental Protection Authority are to be followed in this regard.

Reason: Safety. [F4]

39. Demolition

Demolition work must be undertaken in accordance with the provisions of AS2601- Demolition of Structures.

Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F6]

40. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the specific area of the site / dwelling that is subject to demolition / or under construction is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing

building.

Reason: Statutory requirement. [F9]

41. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4 Sub-division 5 of the Local Government (General) Regulation 2005 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in of the Regulation.

approved by the Council means the subject of an approval in force under the Local Government (General) Regulation 2005.

public sewer has the same meaning as it has in the Local Government (General) Regulation 2005.

sewage management facility has the same meaning as it has in the Local Government (General) Regulation 2005.

Reason: To ensure adequate facilities are provided for workers on the site. [F10]

42. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: Prescribed - Statutory. [F12]

**CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION
CERTIFICATE**

43. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]

44. Reinstatement of Kerb

All redundant lay-backs and vehicular crossings shall be reinstated to conventional kerb and gutter, foot-paving or grassed verge as appropriate. All costs shall be borne by the applicant, and works shall be completed prior to the issue of an Occupation Certificate.

Reason: To facilitate vehicular access to private sites, without disruption to pedestrian and vehicular traffic, and the preservation of on street parking spaces. [G9]

45. Smoke Alarms

Smoke alarms are to be installed throughout the new and existing portions of the Class 1a building in accordance with the Building Code of Australia prior to the occupation of the new works.

Reason: Compliance with BCA and safety of occupancies. [G40]

