

20 March 2006

Ms Michelle Day
46 Thomas Street
NORTH MANLY NSW 2100

2005/0531 MOD 2
CAG (PAS)

Dear Sir / Madam,

**RE: NO. 46 THOMAS STREET NORTH MANLY
MODIFICATION OF DEVELOPMENT CONSENT NO. 2005/0531 MOD 2**

We are writing to advise that the request to modify the above-mentioned Development Consent has been approved on 15 March 2006 and determined as follows:

➤ **Condition No. 1** modified to read as follows:

1a. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
05-6 (Proposed front fence)	24 th June 2005
05-5	14 February 2006
05-6 (Site Analysis Plan)	May 2005

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]*

➤ Additional of **Condition No. 1b** to read as follows:

1b. Construction Certificate for Modification

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site on those parts of the building that are the subject of the modification.

Reason: *Legislative requirements. [D3A]*

This letter should therefore be read in conjunction with Development Consent 2005/0531 dated 12 July 2005 and 9 December 2005. Please find attached a consolidated set of conditions incorporating both modifications of consent.

Please note that on site works cannot proceed unless a Construction Certificate application for the modified proposal has been lodged with and approved by Council or an accredited certifier, and relevant conditions of the Development Application have been carried out.

Section 97(1) of the Environmental Planning and Assessment Act confers on the applicant who is not satisfied with the determination of the Consent Authority has a right of appeal to the Land and Environment Court exercisable within 12 months of receipt of this notice.

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

Should you have any further enquiries in connection with this matter, please contact the referred to Enquiry Officer.

The appropriately stamped plan/s to which the modification of consent has now been granted is available for collection at Councils Customer Service Centre. Please note that if you nominate Council to assess your Construction Certificate, associated forms and information regarding what to submit is also enclosed in the determination kit.

It is Council's policy not to forward these by mail to ensure safe receipt of these important documents. When collecting your Modified Consent and accompanying documents, please bring this letter with you for identification purposes. The Customer Service Centre is open between 8.30am and 5pm Monday to Friday (excluding Public Holidays).

Work must also be in accordance with the relevant MODIFIED conditions of the Development Consent.

Should you require any further information on this matter, please contact **John Essenstam** between the hours of 9.30am and 10.30am or 3.00pm and 4.00pm, Monday to Friday, on telephone number **9942 2111**, or at any time on facsimile number **9971 4522**.

Details of development applications lodged after July 1, 2005 are also available online, to access this facility please visit our DA's Online System at www.warringah.nsw.gov.au.

Yours faithfully,

Keith Wright *Team Leader*
Development Assessment

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1a. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
05-6 (Proposed front fence)	24 th June 2005
05-5	14 February 2006
05-6 (Site Analysis Plan)	May 2005

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]

1b. Construction Certificate for Modification

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site on those parts of the building that are the subject of the modification.

Reason: Legislative requirements. [D3A]

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

3. Kerb Security Bond

A bond of \$825.00 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]

4. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details being submitted with the Construction Certificate.

Reason: *To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. [C55]*

5. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
(Property address) 46 Thomas Street North Manly	
DEVELOPMENT APPLICATION NUMBER 2005/0531	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	\$825.00
Engineering Construction Bond • General Works • Road Pavement • Stormwater • Kerb & Gutter, Footpath	
Others	
TOTAL BONDS	\$825.00
FEES	
Kerb Security Inspection Fee	\$200.00
Long Service Levy	\$500.00
Others	
TOTAL FEES	\$500.00

Reason: *Compliance with the development consent. [C71]*

6. Deletion of "panelift" carport door and reduction in length of carport

Deletion of the "panelift" carport door and surrounding construction will be required (amended in red pen). The length of the carport roof shall be no closer than 1000mm from the front boundary (amended in red pen). The carport shall remain an open structure.

Reason: Compliance with front setback, Clause 71 Parking facilities (visual impact) and streetscape.

7. Front Fence (Reduction)

The front fence is to be reduced to a maximum overall height of 1650mm measured from existing natural ground level on the street side of the wall in height. The cement rendered brick work shall be no higher than 1200mm in height and open timber boards shall be located on the top 450mm. Minimum gap between timber boards to be 25mm.

Reason: Compliance with Clause 51 Front fence and walls.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

8. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

***Reason:** To avoid siltation to adjoining properties and waterways. [D1]*

9. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

***Reason:** Legislative requirements. [D3]*

10. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

***Reason:** Legislative requirement for the naming of the PCA. [D4]*

11. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

***Reason:** Statutory requirement. [D5]*

12. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

***Reason:** To ensure compliance with statutory provisions. [D13]*

13. Inspection Fees

Where Council is acting as the Principal Certifying Authority and where an inspection of building, civil or landscape work is required by these conditions, inspection fees and component certification fees must be paid to Council before Council will undertake any inspections. These fees may be paid at the time of submission of the required Notice of Commencement of works. This condition applies regardless of whether a Certification fee is also payable.

Note: The submission of a Notice of Commencement of works form to Council at least two (2) days prior commencing works is a statutory requirement.

***Reason:** Statutory requirement and information. [D14]*

14. Installation of air conditioning

Any new air conditioning units will be required to be located 3 metres away from any boundary. The unit must not exceed 5dB(A) above the ambient background level measured at the nearest property boundary.

Reason: Amenity

**CONDITIONS THAT MUST BE COMPLIED WITH
DURING DEMOLITION AND BUILDING WORK**

15. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

Reason: Public Safety. [E4]

16. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and
- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

***Reason:** Prescribed mandatory inspections under legislation. [E7]*

17. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

***Reason:** Statutory requirement. [E11]*

18. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

***Reason:** Statutory requirement. [E12]*

19. Progress Survey - Minor Development

In order to ensure compliance with approved plans, a Survey Certificate, to Australian Height Datum, shall be prepared by a Registered Surveyor as follows:

- (a) At completion, the relationship of the building, and any projections thereto, to the boundaries.

Progress certifications in response to points (a) through (c) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances will work be allowed to proceed should such survey information be unavailable or reveal discrepancies between the approved plans and the proposed works.

Reason: *To ensure compliance with approved plans. [E14]*

20. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*

21. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

22. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: *To ensure the health and safety of the community and workers on the site. [E30]*

23. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: To ensure the proper management of public land and funds. [E38]

24. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: Public Safety [E39]

**OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND
REGULATIONS AND OTHER RELEVANT LEGISLATION**

25. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. [F1]

26. Home Building Act

(1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:

- (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: *Prescribed - Statutory. [F2]*

Note: Evidence of insurance required PRIOR to commencement of work.

27. Lead

For the protection of the health and safety of workers, adjoining property owners, the public and the environment, any person renovating or demolishing any building built before the 1970's should be aware that any surfaces may be coated with lead based paint. Lead dust is a hazardous substance. The requirements of the Environmental Protection Authority are to be followed in this regard.

Reason: *Safety. [F4]*

28. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]*

29. Demolition

Demolition work must be undertaken in accordance with the provisions of AS2601-Demolition of Structures.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F6]*

30. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while the building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: *Statutory requirement. [F9]*

31. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4A of Part 3 of the Local Government (Approvals) Regulation 1993 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in clause 95B of the Regulation.

approved by the Council means the subject of an approval in force under Division 1 of Part 3 of the Local Government (Approvals) Regulation 1993.

public sewer has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

sewage management facility has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

Reason: *To ensure adequate facilities are provided for workers on the site. [F10]*

32. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. This payment is not required where the value of the works is less than \$25,000.

The Long Service Levy is calculated on 0.2% of the building and construction work.

Reason: *Prescribed - Statutory. [F12]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

33. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

34. Termite Control

- (1) Termite control measures being installed in accordance with AS 3660.1-2000 "Termite Management: New Building Work."

Reason: *Termite control. [G6 (1)]*

- (2) A durable notice is to be permanently fixed to the building in a prominent location, such as the meter box or the like, indicating: The method of termite protection; date of installation; life expectancy of chemical barrier (if used); and installer's or manufacturer's recommendations for the scope and frequency of future inspections for termite activity.

Reason: *Termite control. [G6 (2)]*

35. Street Number

Street number being affixed to building prior to occupation.

Reason: *Proper identification of buildings. [G7]*

36. Smoke Alarms

Smoke alarms shall be installed in accordance Part 3.7.2 Smoke Alarms of Building Code of Australia Class 1 and 10 Buildings Housing Provisions Volume Two.

Reason: *Compliance with Building Code of Australia and safety of occupants*