STATEMENT OF ENVIRONMENTAL EFFECTS



PROPOSED RESIDENCE

No. 54 Golf Parade Manly

Prepared By:

Hall and Hart Homes PO Box 2005 North Parramatta NSW 1750 Date: September 2019

4.0

CONTENTS

1.0	INTRODUCTION & HISTORY		
2.0 2.1 2.2 2.3 2.4	THE SITE AND ITS ENVIRONMENT Location Site Description Existing Use Compliance Table		
3.0 3.1 3.2	THE PROPOSED DEVELOPMENT Description of the Development Design Objectives		

CONCLUSION

1.0 INTRODUCTION & HISTORY

This statement has been prepared to accompany a development application to Northern Beaches Council seeking development consent for the construction of a new two storey residential dwelling at Lot 25B, No.54 Golf Parade, Manly.

The proposed development has been designed to comply with Manly DCP 2013 and LEP 2013.

The report provides information about the proposed development and development site. Key planning issues, particularly with regards to compliance, are addressed and is intended to assist council's consideration and determination of the application.

2.0 THE SITE AND ITS ENVIRONMENT

2.1 Location

The property is located at Lot 25B, No.54 Golf Parade, Manly.

2.2 Site Description

The site is a regular shaped parcel of land, having a frontage of 15.31m to Golf Parade, a rear boundary of 15.75m, an Eastern side boundary of 26.17m and a Western side boundary of 26.12m.

The site has an area of 423.44m2 and has a legal description is Lot 25B, DP 391974 No.54 Golf Parade, Manly

The site has a fall of approximately 0.59mm from rear to front.

2.3 Existing Use

The site is currently occupied by a single level residential dwelling. Demolition by owner.

2.4 Compliance Table

MANLY LEP & DCP 2013 CONTROLS SITE AREA MAXIMUM FLOOR AREA (as per Sepp definition) 60% of lot area MAXIMUM HEIGHT (as per Sepp definition) Overall height of dwelling to natural ground level SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) REQ'D PROPOSED COMPLIE 423.44m² 249.66m² 266.68m² NO 8.50m 9.693m NO 4.202m 4.624m YES 2.44m 2.50m YES 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) 3.000m N/A YES 3.000m 2.154 NO					
SITE AREA MAXIMUM FLOOR AREA (as per Sepp definition) 60% of lot area 249.66m² 266.68m² NO MAXIMUM HEIGHT (as per Sepp definition) Overall height of dwelling to natural ground level 8.50m 9.693m NO SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) 3.000m N/A YES 3.000m N/A YES 3.000m N/A YES 3.000m N/A YES					
MAXIMUM FLOOR AREA (as per Sepp definition) 60% of lot area 249.66m² 266.68m² NO MAXIMUM HEIGHT (as per Sepp definition) Overall height of dwelling to natural ground level 8.50m 9.693m NO SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or 4.202m 4.624m YES SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) 2.44m 2.50m YES LHS (Secondary Street) 7.000 N/A YES LHS (Secondary Street) 8.000m N/A YES LHS (Secondary Street) 7.000 N/A YES	CONTROLS	REQ'D	PROPOSED	COMPLIES	
60% of lot area 249.66m² 266.68m² NO MAXIMUM HEIGHT (as per Sepp definition) 8.50m 9.693m NO Overall height of dwelling to natural ground level 8.50m 9.693m NO SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS 4.202m 4.624m YES SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height 2.44m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS 3.000m N/A YES LHS (Secondary Street) 3.000m N/A YES	SITE AREA		423.44m ²		
MAXIMUM HEIGHT (as per Sepp definition) Overall height of dwelling to natural ground level SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	MAXIMUM FLOOR AREA (as per Sepp definition)				
Overall height of dwelling to natural ground level 8.50m 9.693m NO SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or 4.202m 4.624m YES SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) 2.48m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	60% of lot area	249.66m ²	266.68m ²	NO	
SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS Average of two neighbouring lots either side, or 4.202m 4.624m YES SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS LHS (Secondary Street) 2.48m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS LHS (Secondary Street) 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	MAXIMUM HEIGHT (as per Sepp definition)				
Average of two neighbouring lots either side, or 4.202m 4.624m YES SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height RHS	Overall height of dwelling to natural ground level	8.50m	9.693m	NO	
SETBACKS FROM SIDE BOUNDARIES 1/3 of wall height 2.44m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	SETBACKS FROM FRONT B'DY TO NON-CLASSIFIED ROADS				
1/3 of wall height 2.44m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	Average of two neighbouring lots either side, or	4.202m	4.624m	YES	
RHS 2.44m 2.50m YES LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	SETBACKS FROM SIDE BOUNDARIES				
LHS (Secondary Street) 2.48m 1.995m NO FIRST FLOOR WINDOW SETBACKS RHS 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	1/3 of wall height				
FIRST FLOOR WINDOW SETBACKS RHS 3.000m N/A YES LHS (Secondary Street) 3.000m 2.154 NO	RHS				
RHS		2.48m	1.995m	NO	
LHS (Secondary Street) 3.000m 2.154 NO	FIRST FLOOR WINDOW SETBACKS				
		3.000m		YES	
	LHS (Secondary Street)	3.000m	2.154	NO	
	REAR	3.000m	5.487m	YES	
SETBACKS FROM REAR BOUNDARIES	SETBACKS FROM REAR BOUNDARIES				
Ground floor rear setback					
Setback for any part of building with a height up to 4.5m 8.0m 5.308m NO	Setback for any part of building with a height up to 4.5m	8.0m	5.308m	NO	
First floor rear setback	First floor rear setback				
Setback for any part of building with a height greater than 4.5m 8.0m 5.470m NO		8.0m	5.470m	NO	
MINIMUM OPEN SPACE					
55% of site area 232.89m ² 122.00m ² NO	55% of site area		122.00m ²	NO	
35% of open space is landscape 81.51m ² 122.00m ² YES		81.51m ²	122.00m ²	YES	
PRIVATE OPEN SPACE (as defined by Sepp)					
For lot widths measured at the building line of 10m or more 18m² 92.90m² YES		18m²	92.90m ²	YES	
CAR PARKING	CAR PARKING				
If house setback =>4.5m, garage/carport to be behind house by 1.00m Forward NO	If house setback =>4.5m, garage/carport to be behind house by	1.00m	Forward	NO	
Max width of garage door for lots 7.658m N/A N/A		7.658m	N/A	N/A	
EXCAVATION					
Max excavation below natural ground level	Max excavation below natural ground level				
If excavation located =< 1.0 from boundary 1.0m/1.0m N/A N/A		1.0m/1.0m	N/A	N/A	
FILL	FILL				
Max fill 1.0m B&J N/A	Max fill	1.0m	B&J	N/A	

Non Compliance Justifications

FSR

The Development seeks to alter the control for FSR on the basis that the development still achieves the objectives as presented in Section 4.1.3 of the DCP. Non-compliance with the FSR is due to the separation of the car port from the main dwelling. The theatre had been previously designed as the garage, however with the FFL restrictions, the car parking space had to be separated. To maintain the building line for the façade, the Garage was converted to a Theatre.

Maximum Height

The Development is seeking an exemption to the maximum height clause. Due to FFL restrictions due to the flood management, the overall height of the dwelling will exceed the 8.m requirement by 1.193m. The dwelling is proposing 2.75m to the ground floor and 2.6m to the first floor which is not considered excessive.

Side Setback

The development proposing to alter the side setback controls to the secondary street frontage. A setback of 1.995m has been proposed in lieu of 2.5m. The design is looking to maximise the open space amenity on the eastern side of the property, which will give enhanced privacy and less noise pollution than the western side of the property. Additionally, a reduced setback to both ground floor and first floor aims to improve the passive surveillance for Balgowlah Road. Window Glazing and Noise Cancelling insulation and plasterboard will offset any noise pollution that will be received to the western side of the dwelling.

Rear Setback

The development is proposing a reduced rear setback which breaks the controls as set out in the DCP. The DCP requests an 8m setback for both ground and first floor which is hard to achieve given the allotments depth is 26m. Complying with front and rear setbacks as outlined in Manly DCP 2013 would only allow for a build platform depth of 13.625m. Since the Pre Lodgement meeting held 05/02/2019 the alfresco has been relocated to the eastern side of the dwelling to give greater privacy to the rear neighbours.

Minimum Open Space

The development includes large areas that are marginally below the 3m minimum dimension required to be included as total open space. These areas will maintain the open character of the streetscape and ensure adequate landscaped areas are provided on the site. The non-compliance is consistent with the objectives of the controls.

Garage Setback

Non-compliance with the Garage/Carport setback has been requested due to site constraints. FFL restrictions made it difficult to achieve a compliant driveway gradient. As such the garage had to be separated from the dwelling

and off street parking has been provided with a proposed car port. The carport is consistent with the prevailing streetscape and objectives of the control.

3.0 THE PROPOSED DEVELOPMENT

3.1 Description of the development

The following drawings prepared by Hall & Hart Homes and dated 30.07.2019 accompany this report and application.

- Sheet 1 Cover Sheet
- Sheet 2 Site Plan
- Sheet 3 Demolition Plan
- Sheet 4 Ground Floor Plan
- Sheet 5 First Floor Plan
- Sheet 6 Elevations 1
- Sheet 7 Elevations 2
- Sheet 8 Section
- Sheet 9 Site management plan
- Sheet 10 Site Analysis
- Sheet 11 Shadow Diagrams
- Sheet 12 Electrical Plan

Development consent is being sought for the construction of a two storey residential dwelling.

The proposal is as follows:

The Ground Floor comprises of a porch, entry, theatre, Guest, ensuite, Lounge, Store, WIP, Powder, kitchen, dining, Family, and laundry. There is also an alfresco and carport under the main roof.

The first floor comprises of 4 bedrooms and 1 ensuite, sitting, Bathroom & WC.

The main wall is setback is 4624mm from Golf Parade, the porch is setback 3611mm and the carport setback is 53mm. The main wall incorporates a front porch which provides articulation. The rear setback is 5308mm, the eastern side setback is 2500mm and the western side setback is 1890mm.

A 3000L rainwater tank will be provided to the house with an overflow pipe from the tank being directed to the street as shown on the Stormwater plan submitted with this application.

External finishes

External finishes will be sympathetic to neighbouring dwellings and complement the existing streetscape.

Window and door frames will be powder-coated aluminium with clear glass.

The front façade incorporates a mixture of colours and materials.

3.2 Design Objectives

The proposed development has been designed to comply with the requirements of the controls and codes and consideration is given to Manly DCP 2013 and LEP 2013. The outcome of this is a well-designed building that satisfies all the criteria.

Vehicle access will be gained via Golf Parade.

Set-backs have been designed to conform to the controls. Articulation has been provided to the front facade by incorporating a front porch. The garage dominance from the street has been reduced by stepping the garage back from the main wall of the dwelling.

Privacy to adjoining neighbours will be maintained due to the windows on side of the dwelling being bedrooms with reduced sil height and bathrooms (which have obscure glazing) and the likelihood of occupation when the neighbours are participating in outdoor activity would be minimal.

Neighbouring properties will receive a minimum of 3 hours sunlight to their private open space therefore overshadowing will not be an issue as shown on the shadow diagram submitted with this application.

Please note the following trees have been requested to be removed as part of the application for the construction of the proposed dwelling: T2, T3, T4, T6, T7 and T10.

In our opinion the proposed development is for a well-designed building which does not detract from the amenity or appearance of the neighbourhood.

4.0 CONCLUSION

The proposal is permissible and in conformity with the objectives of the built form controls outlined in Manly DCP 2013 and LEP 2013, and is considered reasonable having regard to its impact on the streetscape, character and amenity of the immediate locality.

The development has been designed through detailed site analysis to ensure that the built form respects the amenity of adjoining development, maintains the streetscape character of the locality and integrates with the architectural style other detached dwellings in the immediate locality.

It is considered that there are no matters which would prevent Council from granting consent to this proposal in this instance.